



Quality Engineered Replacement Parts

Santech
Automotive **A/C** Components™

OFFROAD AGRICULTURAL EQUIPMENT



**HIGH QUALITY AIR CONDITIONING & HEATER
PRODUCTS**

1401 Valley View Lane, Suite 100 • Irving, Texas 75061
Ph 972-812-7000 • Toll Free 888-286-6342 • Fax 972-314-9567



Express Warranty

All goods sold hereunder are warranted to be free from defects in material and workmanship and/or conform to applicable specifications, drawings, or blueprints. THESE EXPRESS WARRANTIES ARE IN LIEU OF AND EXCLUDE ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESSED OR IMPLIED BY ANY LITERATURE, DATA, OR PERSON. Sellers sole obligation under these warranties shall be to credit or replace any item or part manufactured by Seller and which is proved to be other than as warranted.

Seller shall have the sole right to determine whether such parts shall be repaired or replaced or whether credit shall be issued. No allowance shall be made for any labor charges of Buyer for inspection, installation, or tear down for replacement of parts, adjustments, or repairs. In no event shall Seller be made liable for collateral, consequential, or contingent damages. Our products are not warranted for any time period, any measure of service, or any specific purpose. The use of Santech's products in refrigerants other than R12 or R134a will void all warranties.

If goods are claimed to be other than as warranted, Seller, upon notice promptly given, will either examine the goods at their site or issue shipping instructions for return to Seller (transportation cost paid by Buyer), and if any goods are proved to be other than as warranted, transportation costs (by least expensive method) to and from Seller's plant will be borne by Seller and reimbursement or credit will be made for amounts so expended by Buyer.

Every such claim for breach of the warranties herein contained shall be deemed to be waived by the Buyer unless made in writing within ninety (90) days from the date of shipment of the goods to which claim relates. These warranties shall not extend to any goods or parts thereof which have been subject to abuse or neglect, damage by accident, rendered defective by reason of improper installation, or used for other than the express purpose for which it was designed and built. These warranties shall not apply to any goods or parts made from tools, materials, or parts furnished by the Buyer or acquired from others at his request and/or to his specifications.

ABBREVIATIONS

A/C.....	Air Conditioning	LHD	Left Hand Drive
Alum	Aluminum	LPCO.....	Low Pressure Cut-Off
Assy.....	Assembly	MF	Male Flare
AT	Automatic Transmission	MIO.....	Male Insert O-ring
Aux	Auxiliary	mm.....	Millimeter
BL	Beadlock	MOR.....	Male O-ring
Brkt	Bracket	MSL.....	Male Spring Lock
Calif	California	MPT.....	Male Pipe Thread
Can	Canada	MT	Manual Transmission
Carb.....	Carburetor	NA.....	Not Applicable
CFI.....	Carburetor Fuel Injected	NR	Not Required
Cont'd.....	Continued	NS.....	Not Serviced
Cyl	Cylinder	OD	Outside Diameter
Dia	Diameter	OE	Original Equipment
Dies	Diesel	RB.....	Reduced Beadlock
EFI.....	Electronic Fuel Injection	RHD.....	Right Hand Drive
Eng	Engine	RWD.....	Rear Wheel Drive
Exc.....	Except	SB.....	Steel Beadlock
F	Fitting	SR.....	Steel Reduced Beadlock
FFL.....	Female Flare	Std	Standard
FI	Fuel Injected	STR	Straight
FOR.....	Female O-ring	TC.....	Turbo Charged
FRL.....	Female Rotolok	Trans	Transmission
FSL.....	Female Spring Lock	US.....	United States
FTO	Female Tube-O	Vin	Vehicle Identification Number
FWD	Front Wheel Drive	VIR Assy.....	Valves In Receiver Drier
H	Hose	w/	With
HD	Heavy Duty	w/o.....	Without
HO	High Output	2 WD.....	2-Wheel Drive
HPCO	High Pressure Cut-Off	4 WD.....	4 Wheel Drive
HPLS	High Pressure Low Side		

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Table of Contents

Blower Motor		Sealing Components (MT9106 Wall Chart)	145
Blower Assemblies	2-4	Hose Repair	
Double Shaft	5-7	Crimper Type Fittings & Orifice Tube Repair	146
Flange	8-9	Hose Tools	147-149
Radiator Fan	10-11	Tools	
Single Shaft	12-14	Manifold Gauge Sets, Components & Accessories	150-151
Wheels	15-16	Adapters, Flex Hoses & Valves	151-152
Clutches and Clutch Components		Dye & Oil Injectors	152
Bearings	22-23	Repair Kits for Hoses & Couplers	153
Coils	24	Compressor Clutch Service Tool Sets & Tools	154-156
Clutch	17-21	Shaft Seal Tool Sets & Tools	157
Hubs	25	Spring Lock Tools	157
Compressors		Thread Chasers	157
Denso	26-30	Electronic Scales & Refrigerant Recovery	158
Diesel Kiki	31-32	Temp Testing	158
Ford / Halla	33-34	Recovery Tool Replacement	159
GM / Delphi	35-38	Specialty Tools	160
Mitsubishi	39-40	Valve Core Tool Sets & Tools	161-162
Omega	41-42	Orifice Tube Tools	162
Sanden	43-59	Refrigerant Identifier	163
Seiko Seiki	60-61	Leak Test Equipment	164
Seltec	62-64	Temperature Testing	165
TCCI/York	65-66	MT3700 Pressure Transducer Tester Kit	166
Compressor Repair Parts		MT3701 A/C Thermistor Tester Kit	166
Gasket Kits	67-68	MT3750 External Control Valve Tester	167
Shaft / Lip Seal Kits	69	Compressor Oil Viscosity Chart	168-169
Compressor Relief Valves	70		
Compressor Sealing Washer Kits	71-73		
Compressor Limiter Switch	74		
Condensers	75-76		
Evaporator	77		
Expansion Valves			
Block Valve	78-81		
Right Angle	82-87		
Orifice Tube	88-89		
Electrical			
Relays	90-92		
Resistors	93		
Sensor	97		
Switches - Binary	98-100		
Switches - Blower	101		
Switches - Pressure	102-106		
Switches - Transducer	112		
Switches - Trinary	110-111		
Thermostat	107-109		
Wire Harness (Pigtails)	94-96		
Fan Assemblies	113-115		
Fittings			
Compressor	116		
Heater	117-118		
Retrofit & Adapters	119-121		
Idler Pulleys	122		
Receiver Driers and Accumulators			
Accumulators	123-124		
Receiver Driers	125-138		
Service Items			
Service Valve Caps	139-140		
Service Valve Cores and Kits	141-143		
Refrigerant Oil	144		



Santech.
Automotive A/C Components™

BLOWER MOTOR ASSEMBLIES











Volts	Length	Height	Width	Rotation	Vented	# of Speeds	Part #
12	5 1/2in	5 3/4in	5 1/2in	CCW	VENTED	1	26-14509
12	5 1/4in	5 1/2in	5in	CW	VENTED	1	26-19982
12	8in	8 1/3in	6 1/3in	CW	VENTED	1	26-19995
12	12 1/4in	4 1/2in	3 1/8in	CW	VENTED	1	26-19997
12	13 3/4in	5 1/2in	5 1/4in	CCW	VENTED	3	26-19999
12	13 3/4in	5 3/8in	5 1/4in	CCW	VENTED	3	26-19904
12	13 3/4in	6 1/2in	5 1/2in	CCW	VENTED	3	26-19907
12	13 3/4in	6 1/2in	5 1/2in	CW	VENTED	3	26-19980
12	13 4/5in	6 1/2in	5 1/2in	CCW	VENTED	3	26-19971
12	13 7/8in	6 5/8in	5 1/2in	CCW	VENTED	4	26-19936
12	14 3/4in	6 1/2in	5 5/8in	CW	VENTED	3	26-19957
12	14in	5 1/2in	6 1/2in	CW	VENTED	3-4	26-20004
24	11 3/32in	4 1/2in	5 1/8in	CW	VENTED	3	26-19979
24	13 4/5in	5 1/2in	6 3/5in	CCW	VENTED	3	26-20006
24	13 4/5in	5 1/2in	6 3/5in	CCW	VENTED	3-4	26-20007
24	13 7/8in	5 1/2in	6 1/2in	CCW	VENTED	3	26-19942
24	14in	5 1/2in	6 1/2in	CCW	VENTED	4	26-20005
24	14in	5 1/2in	6 1/2in	CW	VENTED	3-4	26-20003

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

BLOWER MOTOR ASSEMBLIES

<p>Volts: 12 JOHN DEERE 99</p>  <p>26-13083</p>	<p>Volts: 12 Length: 5 1/2in Height: 5 3/4in Width: 5 1/2in Rot: CCW Vent: VENTED # Spds: 1 # Shifts: 1 Type: SINGLE CEM: 30000556 Afmkt: 009-A70-74D JCB 99</p>  <p>26-14509</p>	<p>Volts: 12 Length: 13 3/4in Height: 5 3/8in Width: 5 1/4in Rot: CCW Vent: VENTED # Spds: 3 # Shifts: 2 Type: ASSEMBLY CEM: 30006707 Afmkt: 006-A40-22 FORD NEW HOLLAND 99</p>  <p>26-19904</p>
<p>Volts: 12 Length: 13 3/4in Height: 6 1/2in Width: 5 1/2in Rot: CCW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE Afmkt: BH-1400 CATERPILLAR 99</p>  <p>26-19907</p>	<p>Volts: 12 Length: 13 7/8in Height: 6 5/8in Width: 5 1/2in Rot: CCW Vent: VENTED # Spds: 4 # Shifts: 2 Type: DOUBLE CEM: TA0030018 BOBCAT 99 FORD NEW HOLLAND 99 GEHL 99 JOHN DEERE 99</p>  <p>26-19936</p>	<p>Volts: 24 Length: 13 7/8in Height: 5 1/2in Width: 6 1/2in Rot: CCW Vent: VENTED # Spds: 3 # Shifts: 2 CEM: 006-B40-22 JOHN DEERE 99 VOLVO 99</p>  <p>26-19942</p>
<p>Volts: 12 Length: 14 3/4in Height: 6 1/2in Width: 5 5/8in Rot: CW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE Afmkt: 131-601-0011</p>  <p>26-19957</p>	<p>Volts: 12 Length: 13 4/5in Height: 6 1/2in Width: 5 1/2in Rot: CCW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE CEM: 30000093 FORD NEW HOLLAND 99</p>  <p>26-19971</p>	<p>Volts: 12 Length: 13 3/4in Height: 6 1/2in Width: 5 1/2in Rot: CW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE CEM: 006-A46-22 FORD NEW HOLLAND 99</p>  <p>26-19980</p>
<p>Volts: 12 Length: 5 1/4in Height: 5 1/2in Width: 5in Rot: CW Vent: VENTED # Spds: 1 # Shifts: 1 Type: SINGLE CEM: 0-130-063-805 Afmkt: AL39043 JOHN DEERE 99</p>  <p>26-19982</p>	<p>Volts: 12 Length: 13 3/4in Height: 6 3/4in Width: 6 1/2in Rot: CCW Vent: VENTED # Spds: 1 # Shifts: 2 Type: DOUBLE CEM: 87663947 Afmkt: 519703</p>  <p>26-19983</p>	<p>Volts: 12 Length: 14 51/61in Height: 6 1/2in Width: 7 3/5in Rot: CW Vent: VENTED # Spds: 1 # Shifts: 2 Type: DOUBLE</p>  <p>26-19984</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™

BLOWER MOTOR ASSEMBLIES

<p>Volts: 12 Length: 13 4/5in Height: 5 1/2in Width: 6 3/5in Rot: CW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE</p> 	<p>Volts: 12 Length: 8in Height: 8 1/3in Width: 6 1/3in Rot: CW Vent: VENTED # Spds: 1 # Shifts: 1 Type: SINGLE OEM: 001-A53-03S Aftmkt: 30000344</p> 	<p>Volts: 12 Length: 13 3/4in Height: 5 1/2in Width: 5 1/4in Rot: CCW Vent: VENTED # Spds: 3 # Shifts: 2 Type: DOUBLE TEREX 99</p> 
<p>26-19985</p>	<p>26-19995</p>	<p>26-19999</p>
<p>Volts: 12 Length: 5in Height: 4 1/2in Width: 4 3/4in # Shifts: 1 Type: SINGLE OEM: 008-A100-93D (9RPA3V)</p> 	<p>Volts: 24 Length: 13 4/5in Height: 5 1/2in Width: 6 3/5in Rot: CCW Vent: VENTED # Spds: 3-4 # Shifts: VENTED OEM: ASSEMBLY Aftmkt: 006-B40-22</p> 	<p>JOHN DEERE 99</p> 
<p>26-20001</p>	<p>26-20007</p>	<p>26-31335</p>



Santech
Automotive A/C Components™




BLOWER MOTORS - DOUBLE SHAFT

Shaft Dia	Voltage	Body Length	Shaft Length	Rotation	Diameter	# of Speeds	Vented	Part #
3/8in	12	4 1/8in	4 3/4in	REV	3 9/16in	3	VENTED	26-13281
3/8in	12	4 1/8in	5in	CW	3 1/4in	1	VENTED	26-10009
3/8in	12	4 1/8in	5in	REV	3 1/4in	1	VENTED	26-14621
5/16in	12	3 1/4in	3 1/8in	REV	3in	1	NON VENTED	26-13274
5/16in	12	3 3/8in	2 7/8in	REV	3in	1	NON VENTED	26-13056
5/16in	12	3 3/8in	2 7/8in	REV	3in	2	VENTED	26-13264
5/16in	12	3 3/8in	3 5/16in	CW	3in	3	VENTED	26-13265
5/16in	12	3 3/8in	3 5/16in	CW	3in	3	VENTED	26-14500-D
5/16in	12	3 3/8in	3 5/16in	CWLE	3in	3	VENTED	26-14500-F
5/16in	12	4 1/8in	1 7/8in	REV	3 1/2in	2	VENTED	26-14542
5/16in	12	4 1/8in	2 1/4in	CCW	3in	1	NON VENTED	26-13305
5/16in	12	4 1/16in	2 7/8in	CCW	3in	1	VENTED	26-13118
5/16in	12	4in	2 7/8in	CCW	3in	1	VENTED	26-14561
5/16in	12	4in	3 5/8in	REV	3in	3	NON VENTED	26-14508
5/16in	24	5in	3 1/4in	CCW	3in	1	NON VENTED	26-14594



Santech.
Automotive A/C Components™

BLOWER MOTORS - DOUBLE SHAFT

<p>Volts: 12 Shift Dia: 3/8in Body Lng: 4 1/8in Shift Lng: 5in Rot: CW Dia: 3 1/4in # Spds: 1 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: AF82005 Altmtk: 52835417M</p> <p>JOHN DEERE 99</p>  <p>26-10009</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 2 7/8in Rot: REV Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 2 Type: DOUBLE OEM: 8131843 Altmtk: PM-381</p> <p>JOHN DEERE 99 MACK 83-00 PETERBILT 87-11 STEIGER 99</p>  <p>26-13056</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/16in Shift Lng: 2 7/8in Rot: CCW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: ABP N83 301042 Altmtk: PM-389</p> <p>AGCO 99 ALLIS CHALMERS 99 FORD NEW HOLLAND 99 FREIGHTLINER 81-86 GLENER 99 JOHN DEERE 99 MASSEY FERGUSON 99 PETERBILT 91-94 VERSATILE 99 WHITE AGCO 99</p>  <p>26-13118</p>
<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 2 7/8in Rot: REV Dia: 3in # Spds: 2 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: 12306581 Altmtk: PM-380</p> <p>FORD/STERLING 89-90 JOHN DEERE 99</p>  <p>26-13264</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 3 5/16in Rot: CW Dia: 3in # Spds: 3 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: 8124704 Altmtk: PM-383</p> <p>BOBCAT 99 DEUTZ 99 FORD/STERLING 86-90 HESSTON 99 JOHN DEERE 99</p>  <p>26-13265</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 1/4in Shift Lng: 3 1/8in Rot: REV Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 2 Type: DOUBLE OEM: 1974779C1</p> <p>CASE-IH 99</p>  <p>26-13274</p>
<p>Volts: 12 Shift Dia: 3/8in Body Lng: 4 1/8in Shift Lng: 4 3/4in Rot: REV Dia: 3 9/16in # Spds: 3 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: 117784C2 Altmtk: 35594</p> <p>ALLIS CHALMERS 99 CASE-IH 99 DEUTZ 99 FORD NEW HOLLAND 99 HESSTON 99 JOHN DEERE 99 MASSEY FERGUSON 99 STEIGER 99 VERSATILE 99 WHITE AGCO 99</p>  <p>26-13281</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/8in Shift Lng: 2 1/4in Rot: CCW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 2 Type: DOUBLE OEM: ABP N83 301182 Altmtk: PM-3516</p> <p>CASE-IH 99</p>  <p>26-13305</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 3 5/16in Rot: CW Dia: 3in # Spds: 3 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: ABP N83 301162 Altmtk: 73R4102</p> <p>MASSEY FERGUSON 99</p>  <p>26-14500-D</p>
<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 3 5/16in Rot: CWLE Dia: 3in # Spds: 3 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: UNIVERSAL Altmtk: 2807-510-143</p> <p>MASSEY FERGUSON 99</p>  <p>26-14500-F</p>	<p>Volts: 24 Shift Dia: 5/16in Body Lng: 3 3/8in Shift Lng: 3 5/16in Rot: CW Dia: 3in # Spds: 3 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: ABP N83 301152 Altmtk: 73R4104</p>  <p>26-14501-D</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4in Shift Lng: 3 5/8in Rot: REV Dia: 3in # Spds: 3 Vent: NON VENTED # Shifts: 2 Type: DOUBLE OEM: F96901 Altmtk: 73R4252</p> <p>CASE-IH 99 KENWORTH 91-95 PETERBILT 91-95</p>  <p>26-14508</p>







©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

BLOWER MOTORS - DOUBLE SHAFT

<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/8in Shift Lng: 1 7/8in Rot: REV Dia: 3 1/2in # Spds: 2 Vent: VENTED # Shifts: 2 CASE-IH 99</p>  <p>26-14542</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4in Shift Lng: 2 7/8in Rot: CCW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: 7979-275122 Altmtk: PM-387 ALLIS CHALMERS 99 CLEANER 99</p>  <p>26-14561</p>	<p>Volts: 24 Shift Dia: 5/16in Body Lng: 5in Shift Lng: 3 1/4in Rot: CCW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 2 Type: DOUBLE OEM: 174-1494 Altmtk: 174-1494 CATERPILLAR 99</p>  <p>26-14594</p>
<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/8in Shift Lng: 3in Rot: CCW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 2 OEM: 174-1489</p>  <p>26-14607</p>	<p>Volts: 12 Shift Dia: 3/8in Body Lng: 4 1/8in Shift Lng: 5in Rot: REV Dia: 3 1/4in # Spds: 1 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: RE25160 JOHN DEERE 99</p>  <p>26-14621</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 17/32in Shift Lng: 2 3/8in Rot: REV Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 2 Type: DOUBLE OEM: 177.452.0</p>  <p>26-14633</p>
<p>Volts: 12 OEM: 72512754 FORD NEW HOLLAND 99</p> <p>26-14704</p>		



BLOWER MOTORS - FLANGE

Shaft Dia	Voltage	Body Length	Shaft Length	Rotation	Diameter	# of Speeds	Vented	Part #
5/16in	12	4 1/4in	1 5/8in	CCW	3in	1	VENTED	26-19992
5/16in	12	4 9/16in	1 1/8in	CCW	3 1/4in	1	VENTED	26-13961



BLOWER MOTORS - FLANGE

<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 9/16in Shift Lng: 1 1/8in Rot: CCW Dia: 3 1/4in # Spds: 1 Vent: VENTED # Shifts: 1 Type: FLANGED OEM: YS2Z-19805BA</p> <p>HESSTON 99 JOHN DEERE 99 WHITE AGCO 99</p>  <p>26-13961</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/4in Shift Lng: 1 5/8in Rot: CCW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 1 Type: FLANGED</p> <p>JOHN DEERE 99</p>  <p>26-19992</p>	
---	--	--



BLOWER MOTORS - RADIATOR FAN

Shaft Dia	Voltage	Body Length	Shaft Length	Rotation	Diameter	# of Speeds	Vented	Part #
3/8in	24	4 7/8in	2 1/4in	CW	3in	1	NON VENTED	26-14623



BLOWER MOTORS - RADIATOR FAN

<p>Volts: 24 Shift Dia: 3/8in Body Lng: 4 1/2in Shift Lng: 1 3/4in Rot: CW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: 17141995 Attrkt: 308-3665</p>  <p>26-14618</p>	<p>Volts: 24 Shift Dia: 3/8in Body Lng: 4 7/8in Shift Lng: 2 1/4in Rot: CW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: 174-1495 Attrkt: BM12416 CATERPILLAR 99</p>  <p>26-14623</p>	
---	---	--



Santech.
Automotive A/C Components™

BLOWER MOTORS - SINGLE SHAFT

Shaft Dia	Voltage	Body Length	Shaft Length	Rotation	Diameter	# of Speeds	Vented	Part #
5/16in	12			REV	3in		VENTED	26-13069
5/16in	12	2 11/16in	1 1/4in	CCW	3in	1	NON VENTED	26-14534
5/16in	12	3 1/2in	1 3/8in	REV	3in	1	VENTED	26-14513
5/16in	12	3 5/32in	1 3/8in	CW	3in	1	VENTED	26-13058
5/16in	12	4 1/8in	1 1/2in	CW	3in	1	NON VENTED	26-13306
5/16in	12	4 3/16in		REV	3IN	1	VENTED	26-14631
5/16in	12	4 5/8in	1 3/4in	CW	3in	1	NON VENTED	26-13115
5/16in	12	4in	1 11/16in	CCW	3in	1	VENTED	26-14557
5/16in	12	5in	1 1/2in	REV	3in	1	NON VENTED	26-13116
5/16in	24	4 5/8in	1 3/4in	CW	3in	1	NON VENTED	26-13176

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

BLOWER MOTORS - SINGLE SHAFT

<p>Volts: 12 WHITE AGCO 99</p>  <p>26-13051</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 5/32in Shift Lng: 1 3/8in Rot: CW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 1 Type: SINGLE CEM: 3895460 Attrkt: PM-374 CLEANER 99</p>  <p>26-13058</p>	<p>Volts: 12 Shift Dia: 5/16in Rot: REV Dia: 3in Vent: VENTED JOHN DEERE 99</p>  <p>26-13069</p>
<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 5/8in Shift Lng: 1 3/4in Rot: CW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: ABP N83 301541 Attrkt: 73R0552 CASE-IH 99 FORD NEW HOLLAND 99 JOHN DEERE 99 MASSEY FERGUSON 99 PETERBILT 87-11</p>  <p>26-13115</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 5in Shift Lng: 1 1/2in Rot: REV Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: AH-80698 Attrkt: PM-328 CASE-IH 99 JOHN DEERE 99 WHITE AGCO 99</p>  <p>26-13116</p>	<p>Volts: 12 ALLIS CHALMERS 99 JOHN DEERE 99 WHITE AGCO 99</p>  <p>26-13172</p>
<p>Volts: 24 Shift Dia: 5/16in Body Lng: 4 5/8in Shift Lng: 1 3/4in Rot: CW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: ABP N83 301181 Attrkt: PM-369 CATERPILLAR 99</p>  <p>26-13176</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4in Shift Lng: 1 1/2in Rot: REV Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: 12306585 FREIGHTLINER 78-83</p>  <p>26-13261</p>	<p>Volts: 12 Shift Dia: 1/4in Body Lng: 2 7/8in Shift Lng: 1 1/2in Rot: REV Dia: 3in # Spds: 3 Vent: NON VENTED # Shifts: 1 Type: SINGLE Attrkt: PM-354</p>  <p>26-13262</p>
<p>Volts: 12 Shift Dia: 5/16in Body Lng: 4 1/8in Shift Lng: 1 1/2in Rot: CW Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE CEM: ABP N83 301021 Attrkt: PM-3691 FREIGHTLINER 78-83 INTERNATIONAL 74-89 JOHN DEERE 99 PETERBILT 77-86</p>  <p>26-13306</p>	<p>Volts: 12 Shift Dia: 1/4in Rot: CW # Shifts: 2 CEM: 01438480 FORD NEW HOLLAND 99</p>  <p>26-13481</p>	<p>Volts: 12 Shift Dia: 5/16in Body Lng: 3 1/2in Shift Lng: 1 3/8in Rot: REV Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 1 Type: SINGLE CEM: ABP N83 301921 Attrkt: PM-350 FORD/STERLING 73-80 JOHN DEERE 99</p>  <p>26-14513</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

BLOWER MOTORS - SINGLE SHAFT

<p> Volts: 24 Shift Dia: 1/4in Body Lng: 2 7/8in Shift Lng: 1 13/16in Rot: REV Dia: 3in # Spds: 1 Vent: NON VENTED # Shifts: 1 Type: SINGLE OEM: ABP N83 301287 Attrkt: PM-356 FREIGHTLINER 76-88 </p>  <p>26-14532</p>	<p> Volts: 24 Shift Dia: 5/16in Body Lng: 4in Shift Lng: 1 11/16in Rot: CCW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 1 Type: SINGLE OEM: ABP N83 301331 Attrkt: PM-373 </p>  <p>26-14535</p>	<p> Volts: 12 Shift Dia: 5/16in Body Lng: 4in Shift Lng: 1 11/16in Rot: CCW Dia: 3in # Spds: 1 Vent: VENTED # Shifts: 1 Type: SINGLE OEM: ABP N83 301561 Attrkt: PM-372 INTERNATIONAL 78-84 INTERNATIONAL 86-93 JOHN DEERE 99 PETERBILT 82-86 </p>  <p>26-14557</p>
<p> Volts: 12 Rot: CCW FORD NEW HOLLAND 99 </p>  <p>26-14576</p>		







BLOWER MOTOR WHEELS

Diameter	Type	Material	Shaft Diameter	Rotation	Part #
3 1/4in	DOUBLE	PLASTIC	5/16in	CW	28-01500
4 1/4in	DOUBLE	STEEL	3/8in	CCW	28-01740
4 1/4in	DOUBLE	STEEL	3/8in	CW	28-01741
4 7/16in	DOUBLE	PLASTIC	5/16in	REV	28-01716



BLOWER MOTOR WHEELS

<p>Type: DOUBLE Dia: 3 1/4in Rot: CW Material: PLASTIC Shift Dia: 5/16in</p>  <p>28-01500</p>	<p>Type: DOUBLE Dia: 4 7/16in Rot: REV Material: PLASTIC Shift Dia: 5/16in</p>  <p>28-01716</p>	<p>Type: DOUBLE Dia: 4 1/4in Rot: CCW Material: STEEL Shift Dia: 3/8in</p>  <p>28-01740</p>
 <p>K-1113003</p>		



Santech
Automotive A/C Components™









CLUTCHES

Type	Comp Model	Clutch Diameter	Volts	Grooves	Clutch Type	Part #
DENSO	6E171	146mm	24	1	DUST COVER	22-11359-AM
DENSO	6E171/FS6	146mm	12	1	LEAF	22-11125
DENSO	7SEU16C	127mm	12	9	LEAF	22-21850
DENSO	10P08E		12	1		22-21733
DENSO	10PA15C	124mm	12	8	LEAF	22-13566-AM
DENSO	10PA17C	146mm	12	1		22-21186
DENSO	10S17C	135mm	24	2	LEAF	22-11361
DENSO	10S17C	140mm	24	8	LEAF	22-11362
DENSO	SCSA06C	122mm	12	1	LEAF	22-12407
GM	A6	143mm	12	1	LEAF	22-11290
GM	S6	140mm	12	1	LEAF	22-11586-AM
SANDEN	SD7H15	125mm	24	10	LEAF	22-04403
SANDEN	SD7H15	132mm	12	8	DUST COVER	22-04813
SANDEN	SD7H15	132mm	24	2	LEAF	22-10156-24
SANDEN	SD7H15	132mm	24	8	DUST COVER	22-18112-AM
SANDEN	SD7H15	132mm	24	8	LEAF	22-17834-AM
SANDEN	SD7H15	138mm	24	1	LEAF	22-10167
SANDEN	SD7H15	140mm	12	2	DUST COVER	22-07952
SANDEN	SD7H15	140mm	12	2	LEAF	22-11360
SANDEN	SD7H15	146mm	24	1B	LEAF	22-08034
SANDEN	SD7H15	152mm	12	2	LEAF	22-20218
SANDEN	SD7H15HD	135mm	12	2	LEAF	22-20217
SANDEN	SD7H15SHD	139mm	12	1	DUST COVER	22-04875
SANDEN	SD7H15SHD	152mm	24	1	DUST COVER	22-04479
SANDEN	SD7H15SHD	180mm	24	8	LEAF	22-04324
SANDEN	SD508/510/5H14	132mm	12	2	LEAF	22-10106
SANDEN	SD508/510/5H14	152mm	12	1B	LEAF	22-10157-AM
SANDEN	SD5H09	125mm	24	2	LEAF	22-05073
SANDEN	SP10	120mm	12	2		22-11148
SELTEC	TMD8-16	152mm	24	1	3 EYE	22-10201-24
SELTEC	TMD8-16	159mm	24	1B	DUST COVER	22-10238-24
YORK	210	140mm	24	8	LEAF	22-11059
YORK	210	152mm	12	1	LEAF	22-11096-AM
YORK	210	152mm	12	2	LEAF	22-11002-AM
YORK	210	152mm	12	2	LEAF	22-11018-AM
YORK	210	172mm	24	2	LEAF	22-11358



Santech.
Automotive A/C Components™









CLUTCHES

<p>Type: DENSO Model: 6E171/FS6 Cl Dia.: 146mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11125</p>	<p>Type: DENSO Model: 10PA17C Cl Dia.: 124mm Volts: 24 Grv: 8 CL Type: LEAF</p>  <p>22-11283</p>
<p>Type: DENSO Model: 10PA17C Cl Dia.: 145mm Volts: 24 Grv: 8 CL Type: LEAF</p>  <p>22-11284</p>	<p>Type: DENSO Model: 10PA15C Cl Dia.: 135mm Volts: 12 Grv: 2 CL Type: LEAF</p>  <p>22-11296</p>
<p>Type: DENSO Model: 10PA17C Cl Dia.: 145mm Volts: 12 Grv: 8 CL Type: LEAF</p>  <p>22-11298</p>	<p>Type: DENSO Model: 10PA17C Cl Dia.: 152mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11299</p>
<p>Type: DENSO Model: 10PA17C Cl Dia.: 146mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11300</p>	<p>Type: DENSO Model: 10PA17C Cl Dia.: 146mm Volts: 24 Grv: 1 CL Type: LEAF</p>  <p>22-11301</p>

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



CLUTCHES









<p>Type: DENSO Model: 10PA17C Cl Dia.: 146mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11302</p>	<p>Type: DENSO Model: 10PA15C Cl Dia.: 124mm Volts: 12 Grv: 8 CL Type: LEAF</p>  <p>22-11303</p>
<p>Type: DENSO Model: 10S17C Cl Dia.: 135mm Volts: 24 Grv: 2 CL Type: LEAF</p>  <p>22-11361</p>	<p>Type: DENSO Model: 10S17C Cl Dia.: 140mm Volts: 24 Grv: 8 CL Type: LEAF</p>  <p>22-11362</p>
<p>Type: GM Model: A6 Cl Dia.: 143mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11290</p>	<p>Type: GM Model: S6 Cl Dia.: 140mm Volts: 12 Grv: 1 CL Type: LEAF</p>  <p>22-11586-AM</p>
<p>Type: SANDEN Model: SD7H15 Cl Dia.: 140mm Volts: 12 Grv: 2 CL Type: DUST COVER</p>  <p>22-07952</p>	<p>Type: SANDEN Model: SD508/510/5H14 Cl Dia.: 132mm Volts: 12 Grv: 2 CL Type: LEAF</p>  <p>22-10106</p>

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

CLUTCHES

<div> Type: SANDEN Model: SD7H15 Cl Dia.: 132mm Volts: 24 Grv: 2 CL Type: LEAF </div>  <div>22-10156-24</div>	<div> Type: SANDEN Model: SD7H15 Cl Dia.: 132mm Volts: 12 Grv: 2 CL Type: LEAF </div>  <div>22-10156-AM</div>
<div> Type: SANDEN Model: SD7H15 Cl Dia.: 138mm Volts: 24 Grv: 1 CL Type: LEAF </div>  <div>22-10167</div>	<div> Type: SANDEN Model: SD706/8/9 Cl Dia.: 132mm Volts: 12 Grv: 2 CL Type: LEAF </div>  <div>22-11230</div>
<div> Type: SANDEN Model: SD7H15HD Cl Dia.: 135mm Volts: 12 Grv: 2 CL Type: LEAF </div>  <div>22-20217</div>	<div> Type: SANDEN Model: SD7H15 Cl Dia.: 152mm Volts: 12 Grv: 2 CL Type: LEAF </div>  <div>22-20218</div>
<div> Type: SELTEC Model: TM08-16 Cl Dia.: 152mm Volts: 24 Grv: 1 CL Type: 3 EYE </div>  <div>22-10201-24</div>	<div> Type: YORK Model: 210 Cl Dia.: 178mm Volts: 12 Grv: 2 CL Type: LEAF OEM: 332334 </div>  <div>22-11001</div>

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



CLUTCHES

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 2
CL Type: LEAF




22-11002

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 2
CL Type: LEAF



22-11002-AM

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 2
CL Type: LEAF



22-11018-AM

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 2
CL Type: LEAF



22-11023

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 2
CL Type: LEAF




22-11023-AM

Type: YORK
Model: 210
Cl Dia.: 152mm
Volts: 12
Grv: 1
CL Type: LEAF



22-11096-AM

Type: YORK
Model: 210
Cl Dia.: 170mm
Volts: 12
Grv: 1
CL Type: LEAF



22-11143

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™








CLUTCH BEARINGS

OD:	OD Wd:	ID:	ID Wd:	Type:	Model:	Part #
52mm	22mm	30mm	22mm	DENSO	TV12/14	MT2027
55mm	20mm	35mm	20mm	SANDEN	SD5/7/DKS	MT2021
62mm	16mm	30mm	16mm	YORK	209/210	MT2020
62mm	24mm	40mm	24mm	SANDEN	508/510	MT2029
62mm	27mm	40mm	20.6mm	GM/KHIN	A6 & R4 / 150L/R	MT2025
62mm	28mm	35mm	28mm	SELTEC	DKS15BHCH	MT2032

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates








CLUTCH BEARINGS

<p>Type: YORK Model: 209/210 OD: 62mm OD Wdt: 16mm ID: 30mm ID Wdt: 16mm</p>  <p>MT2020</p>	<p>Type: SANDEN Model: SD6/7/DKS OD: 55mm OD Wdt: 20mm ID: 35mm ID Wdt: 20mm</p>  <p>MT2021</p>	<p>Type: CHRYSLER Model: RV2 OD: 62mm OD Wdt: 27mm ID: 30mm ID Wdt: 27mm</p>  <p>MT2023</p>
<p>Type: GM/KEIHIN Model: A6 & R4 / 150L/R OD: 62mm OD Wdt: 27mm ID: 40mm ID Wdt: 20.6mm</p>  <p>MT2025</p>	<p>Type: DENSO Model: TV12/14 OD: 52mm OD Wdt: 22mm ID: 30mm ID Wdt: 22mm</p>  <p>MT2027</p>	<p>Type: SANDEN Model: 508/510 OD: 62mm OD Wdt: 24mm ID: 40mm ID Wdt: 24mm</p>  <p>MT2029</p>
<p>Type: SELTEC Model: DKS15BH/CH OD: 62mm OD Wdt: 28mm ID: 35mm ID Wdt: 28mm</p>  <p>MT2032</p>		



Santech.
Automotive A/C Components™

CLUTCH COILS

<p>Type: DENSO Model: 10PA SERIES Volts: 12 Height: 27.5mm OD: 96.3mm ID: 61.6mm</p>  <p>MT2300</p>	<p>Type: DENSO Model: 10PA SERIES Volts: 24 Height: 27.5mm OD: 96.3mm ID: 61.6mm</p>  <p>MT2301</p>	<p>Type: GM Model: A6 Volts: 12</p>  <p>MT2337</p>
<p>Type: GM Model: R4 Volts: 12</p>  <p>MT2342</p>	<p>Type: GM Model: HT6/HR6/HU6/V5/ V7 Volts: 12</p>  <p>MT2343</p>	



CLUTCH HUBS

<p>Type: GM Model: A6 CEM: 5914719S</p>  <p>23-10402</p>	<p>Type: DENSO Model: 6E171 Volts: 12/24</p>  <p>23-10456</p>	<p>Type: ALPHA Model: HP80-HP160 Volts: 24</p>  <p>23-20204-HP</p>
<p>Type: DENSO Model: 10PA17C Volts: 12 Hub Dia: 105mm CEM: 960420</p>  <p>MT2302</p>	<p>Type: GM Model: A6 Volts: 12</p>  <p>MT2336</p>	



Santech.
Automotive A/C Components™

COMPRESSORS - DENSO

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmkt
6E171	20-10927-AM	146mm	1	12	PAG 46	10	EAR	PAD		
6E171	20-10927-S-AM	146mm	1	12	PAG 46	10	EAR	PAD		
6E171	20-11081-AM	146mm	1	24	PAG 46	8	EAR	PAD		
7SBU16C	20-21850-AM	127mm	9	12	PAG 46	7	DIRECT	PAD	447220-8702	
10P08E	20-21733-AM	121mm	1	12	PAG 46	4.5	EAR	PAD		
10PA15C	20-13566-AM	125mm	8	12	PAG 46	7	DIRECT	PAD		
10PA15C	20-13453	125mm	8	24	PAG 46	7	DIRECT	PAD		
10PA15C	20-13568-AM	133mm	1	12	PAG 46	4	DIRECT	PAD	G199552020100	
10PA15C	20-21778	135mm	2	12	PAG 46	7	DIRECT	PAD	447100-2920	
10PA15C	20-21778-AM	135mm	2	12	PAG 46	7	DIRECT	PAD	447100-2920	
10PA15C	20-21995-AM	135mm	9	24	PAG 46	7	DIRECT	PAD	A5412301011	447190-5500
10PA15C	20-13454	152mm	1	12	PAG 46	7	DIRECT	HTO		
10PA15C	20-21761	152mm	1	24	PAG 46	7	DIRECT	PAD	20Y-979-311	447200-0246
10PA15C	20-21761-AM	152mm	1	24	PAG 46	7	DIRECT	PAD	20Y-979-311	447200-0246
10PA15C	20-21994	152mm	1	24	PAG 46	7	DIRECT	PAD	113-3499	447200-1741
10PA17C	20-21947-AM	115mm	4	12	PAG 46	7	DIRECT	PAD	500391499	
10PA17C	20-21576	124mm	8	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21997-AM	125mm	6	12	PAG 46	7	DIRECT	PAD	RE196923	
10PA17C	20-13567-AM	125mm	8	24	PAG 46	7	DIRECT	PAD	AT211063	5837
10PA17C	20-21715-AM	140mm	8	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21715	145mm	8	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21563-AM	145mm	8	24	PAG 46		DIRECT			
10PA17C	20-21186	146mm	1	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21186-AM	146mm	1	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21560-AM	146mm	1	12	PAG 46	7	DIRECT	PAD		
10PA17C	20-21996-NIP	146mm	1	12	PAG 46	7	DIRECT	PAD	447100-3835 447200-3665	
10PA17C	20-21996-AM	146mm	1	12	PAG 46	7	DIRECT	PAD	RE55422	
10PA17C	20-21561-AM	146mm	1	24	PAG 46	7	DIRECT	PAD		
10PA17C	20-12404-AM	152mm	1	24	PAG 46	7	DIRECT	PAD		
10PA17C	20-10933	W/O	W/O	W/O	PAG 46	7	DIRECT	PAD		
10P08E	20-21733-R	121mm	1	12	PAG 46	3.5	EAR	PAD		
10S15C	20-11582-AM	152mm	1B	24	PAG 46	3.5	DIRECT	PAD	447220-4053	
10S17C	20-14607	136mm	1	24	PAG 46	5	DIRECT	PAD	231-6984	
10S17C	20-14606	140mm	8	24	PAG 46	5	DIRECT	HTO	178-5545 / 305-0324	
10S17C	20-14606-AM	140mm	8	24	PAG 46	5	DIRECT	PAD	178-5545 / 305-0324	
10S17C	20-22199	W/O	W/O	W/O	PAG 46	5	DIRECT	PAD		
10SRE18C	20-22522-AM		8	12					RE284680	
AOA17C	20-21504	W/O	W/O	W/O	NA	5	DIRECT	PAD		
SCS06C	20-12408	122mm	1	12	PAG 46	5	DIRECT	PAD		
SCSA06C	20-12407	122mm	1	12	PAG 46	5	DIRECT	PAD		SCSA06C
SV07E	20-12412-R	98mm	6	12					447280-3080	
SV07E	20-12403-AM	110mm	1	12				PAD		447280-3090
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - DENSO

<p>Model: 6E171 Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: EAR Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-10927-AM</p>	<p>Model: 6E171 Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: EAR Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-10927-S-AM</p>	<p>Model: 10PA17C Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-10933</p>
<p>Model: 6E171 Volts: 24 Gr: 1 Dia: 146mm Coil: 12 Mount: EAR Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-11081-AM</p>	<p>Model: 10S15C OEvt: 447220-4053 Volts: 24 Gr: 1B Dia: 152mm GL: 74mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 JOHN DEERE 99 KOMATSU 99</p>  <p>20-11582-AM</p>	<p>Model: SV07E Altmt: 447280-3090 Volts: 12 Gr: 1 Dia: 110mm Fig: PAD</p> <p>KUBOTA 99</p>  <p>20-12403-AM</p>
<p>Model: SV07E Volts: 12 Gr: 1 Fig: V-PAD</p>  <p>Please add 2oz of PAG46 Oil before using</p> <p>20-12403-R</p>	<p>Model: 10PA17C Volts: 24 Gr: 1 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-12404-AM</p>	<p>Model: SCSA06C Altmt: SCSA06C Volts: 12 Gr: 1 Dia: 122mm Cl Type: LEAF SPRING Coil: 6 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>AGCO 99 KUBOTA 99</p>  <p>20-12407</p>
<p>Model: SCSA06C Altmt: SCSA06C Volts: 12 Gr: 1 Dia: 122mm Cl Type: LEAF SPRING Oil: N/A</p>  <p>20-12407-R</p>	<p>Model: SCS06C Volts: 12 Gr: 1 Dia: 122mm Coil: 6 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>KUBOTA 99</p>  <p>20-12408</p>	<p>Model: SCS06C Volts: 12 Gr: 1 Dia: 122mm Coil: 6 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-12408-AM</p>
<p>Model: SV07E OEvt: 447280-3080 Volts: 12 Gr: 6 Dia: 98mm</p>  <p>20-12412-R</p>	<p>Model: 10PA15C Volts: 24 Gr: 8 Dia: 125mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-13453</p>	<p>Model: 10PA15C Volts: 12 Gr: 1 Dia: 152mm Coil: 12 Mount: DIRECT Fig: HTO Oil: PAG 46</p> <p>KOMATSU 99 KUBOTA 99</p>  <p>20-13454</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - DENSO

<p>Model: 10PA15C Volts: 12 Gr: 8 Dia: 125mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-13566-AM</p>	<p>Model: 10S17C OEM: 178-5545 / 305-0324 Volts: 24 Gr: 8 Dia: 140mm GL: 75mm Coil: 12 Mount: DIRECT Fig: HTO Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-14606</p>	<p>Model: 10S17C OEM: 178-5545 / 305-0324 Volts: 24 Gr: 8 Dia: 140mm GL: 75mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-14606-AM</p>
<p>Model: 10S17C OEM: 231-6984 Volts: 24 Gr: 1 Dia: 136mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-14607</p>	<p>Model: 10S17C OEM: 231-6984 Volts: 24 Gr: 1 Dia: 136mm GL: 70.8mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-14607-AM</p>	<p>Model: AOPA17C Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: PAD Oil: N/A</p> <p>JOHN DEERE 99</p>  <p>20-21504</p>
<p>Model: 10PA17C Volts: 12 Gr: 1 Dia: 146mm GL: 36.3mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21560-AM</p>	<p>Model: 10PA17C Volts: 24 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21561-AM</p>	<p>Model: 10PA17C Volts: 24 Gr: 8 Dia: 145mm Mount: DIRECT Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21563-AM</p>
<p>Model: 10PA17C Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21574</p>	<p>Model: 10PA17C Volts: 12 Gr: 8 Dia: 124mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21576</p>	<p>Model: 10PA17C OEM: TY6765 Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21577</p>
<p>Model: 7SEU17C Volts: 12 Gr: 6 Dia: 110mm Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21578</p>	<p>Model: 10PA17C Volts: 12 Gr: 8 Dia: 145mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21715</p>	<p>Model: 10PA17C Volts: 12 Gr: 8 Dia: 140mm GL: 49.5mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21715-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - DENSO

<p>Model: 10PA17C Volts: 12 Gr: 8 Dia: 145mm</p>  <p>20-21715-NIP</p>	<p>Model: 10P08E Volts: 12 Gr: 1 Dia: 121mm Coil: 10 Mount: EAR Fig: PAD Oil: PAG 46</p> <p>KUBOTA 99</p>  <p>20-21733-AM</p>	<p>Model: 10P08E Volts: 12 Gr: 1 Dia: 121mm Coil: 10 Mount: EAR Fig: PAD Oil: PAG 46</p>  <p>20-21733-R</p>
<p>Model: 10PA15C OEM: 20Y-979-311 Attrkt: 447200-0246 Volts: 24 Gr: 1 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99 HITACHI 99 JOHN DEERE 99 KOMATSU 99</p>  <p>20-21761</p>	<p>Model: 10PA15C OEM: 20Y-979-311 Attrkt: 447200-0246 Volts: 24 Gr: 1 Dia: 152mm GL: 73mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99 KOMATSU 99</p>  <p>20-21761-AM</p>	<p>Model: 10PA15C OEM: 447100-2920 Volts: 12 Gr: 2 Dia: 135mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21778</p>
<p>Model: 10PA15C OEM: 447100-2920 Volts: 12 Gr: 2 Dia: 135mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21778-AM</p>	<p>Model: 10PA15C OEM: 447100-2320 Volts: 12 Gr: 8 Dia: 125mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21779-R</p>	<p>Model: SCSA06C OEM: MIA10103 Volts: 12 Gr: 6 Dia: 104mm Coil: 12 Mount: DIRECT Fig: HTO Oil: PAG 46</p>  <p>20-21809</p>
<p>Model: SCSA06C OEM: MIA10103 Volts: 12 Gr: 6 Dia: 104mm Coil: 12 Mount: DIRECT Fig: HTO Oil: PAG 46</p>  <p>20-21809-AM</p>	<p>Model: 7SBU16C OEM: 447220-8702 Volts: 12 Gr: 9 Dia: 127mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21850</p>	<p>Model: 7SBU16C OEM: 447220-8702 Volts: 12 Gr: 9 Dia: 127mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21850-AM</p>
<p>Model: 10PA17C OEM: 500391499 Volts: 12 Gr: 4 Dia: 115mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>FORD NEW HOLLAND 99</p>  <p>20-21947-AM</p>	<p>Model: 10S15C Volts: 12</p>  <p>20-21986</p>	<p>Model: 10PA15C OEM: 113-3499 Attrkt: 447200-1741 Volts: 24 Gr: 1 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-21994</p>









©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - DENSO

<p>Model: 10PA15C OEM#: 113-3499 Alt#: 447200-1741 Volts: 24 Gr: 1 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21994-AM</p>	<p>Model: 10PA15C OEM#: A5412301011 Alt#: 447190-5500 Volts: 24 Gr: 9 Dia: 135mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-21995-AM</p>	<p>Model: 10PA17C OEM#: RE55422 Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21996-AM</p>
<p>Model: 10PA17C OEM#: RE196923 Volts: 12 Gr: 6 Dia: 125mm GL: 45.7mm Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21997-AM</p>	<p>Model: 10PA15C Volts: 12 Gr: 9 Dia: 127mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-22028-AM</p>	<p>Model: 10S17C Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-22199</p>
<p>Model: 10PA15C Alt#: 447200-0683 Volts: 12 Gr: 1 Dia: 133mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-22508</p>	<p>Model: 10SRE18C OEM#: RE284680 Volts: 12 Gr: 8</p> <p>JOHN DEERE 99</p>  <p>20-22522-AM</p>	



Santech
Automotive A/C Components™

COMPRESSORS - DIESEL KIKI











Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
DKS15QH	20-11290	138mm	1	24	PAG 46	5	DIRECT	PAD	506011-6800	
DKS15QH	20-11291	138mm	1	24	PAG 46	5	DIRECT	PAD	506011-9910	
DKS15QH	20-21372	138mm	1	24	PAG 100	5	DIRECT	PAD	2039796831	
DKS15QH	20-11290-AM	138mm	1B	24	PAG 46	5	DIRECT	PAD		
DKS15QH	20-11291-AM	138mm	1B	24	PAG 46	5	DIRECT	PAD	506011-9910	
DKS15D	20-11319-AM	135mm	1B	24	PAG 46	7	DIRECT	PAD		
DKS15D	20-11319	137mm	1	24	PAG 46	7	DIRECT	PAD		

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - DIESEL KIKI

<p>Model: DKS15CH OEM#: 9466045 Volts: 12 Gr: 6 Dia: 127mm Coil: 12 Mount: EAR Fig: PAD Oil: PAG 46</p>  <p>20-10941-AM</p>	<p>Model: DKS17D Volts: 12 Gr: 6 Dia: 119mm GL: 52.5mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-11230</p>	<p>Model: DKS17D OEM#: JSD18-17001 Volts: 12 Gr: 6 Dia: 119mm GL: 52.5mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 150</p>  <p>20-11230-AM</p>
<p>Model: DKS15CH OEM#: 506011-6800 Volts: 24 Gr: 1 Dia: 138mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 KOMATSU 99</p>  <p>20-11290</p>	<p>Model: DKS15CH Volts: 24 Gr: 1B Dia: 138mm GL: 56mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 KOMATSU 99</p>  <p>20-11290-AM</p>	<p>Model: DKS15CH OEM#: 506011-9910 Volts: 24 Gr: 1 Dia: 138mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 KOMATSU 99</p>  <p>20-11291</p>
<p>Model: DKS15CH OEM#: 506011-9910 Volts: 24 Gr: 1B Dia: 138mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 JOHN DEERE 99 KOMATSU 99</p>  <p>20-11291-AM</p>	<p>Model: DKS15D Volts: 24 Gr: 1 Dia: 137mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>HITACHI 99 JOHN DEERE 99</p>  <p>20-11319</p>	<p>Model: DKS15D Volts: 24 Gr: 1B Dia: 135mm GL: 52mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-11319-AM</p>
<p>Model: DKS15CH OEM#: 2039796831 Volts: 24 Gr: 1 Dia: 138mm O Type: LEAF SPRING Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 100</p> <p>KOMATSU 99</p>  <p>20-21372</p>		



COMPRESSORS - FORD / HALLA

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
SCROLL	20-21575	100mm	8	12	PAG 46	8	DIRECT	PAD		
SCROLL	20-21575-AM	100mm	8	12	PAG 46	8	DIRECT	PAD		



Santech
Automotive A/C Components™

COMPRESSORS - FORD / HALLA

<p>Model: SCROLL Volts: 12 Gr: 8 Dia: 100mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21575</p>	<p>Model: SCROLL Volts: 12 Gr: 8 Dia: 100mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>JOHN DEERE 99</p>  <p>20-21575-AM</p>	
--	---	--



Santech
Automotive A/C Components™

COMPRESSORS - GM / DELPHI

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
A6	20-11545	127mm	1	24	MINERAL	10	METRIC	PAD		
A6	20-10846	142mm	1	24	PAG 150	10	METRIC	PAD	1138004	
A6	20-10485	143mm	1	12	MINERAL	10	DIRECT	PAD		
A6	20-10493-R	143mm	1	12	PAG 150	10	DIRECT	PAD		
A6	20-10423	143mm	1	12	PAG 150	10	METRIC	PAD	1138012	
A6	20-11546	144mm	1	24	MINERAL	10	METRIC	PAD		
A6	20-10840-R	146mm	1	12	MINERAL	10	DIRECT	PAD		
A6	20-10409	146mm	1	12	MINERAL	10	METRIC	PAD	1131250	15-2339
A6	20-10678-R	170mm	1	12	MINERAL	10				
A6	20-11650	172mm	1	12	PAG 150	10	STANDARD	PAD		
A6	20-10427-R	172mm	1	24	MINERAL	10	DIRECT	PAD		
A6	20-11547	172mm	1	24	MINERAL	10	DIRECT	PAD		
A6	20-10874	172mm	1	24	PAG 150	10	DIRECT	PAD	1138013	
A6	20-10891	172mm	1	24	PAG 150	10	STANDARD	PAD		
A6	20-10425	172mm	1	24	PAG 150	10	STANDARD	PAD	1138000	51-86000A
HF6	20-10465	131mm	1	12		8	EAR	PAD	1136612	
R4	20-10403-AM	117mm	1	12	MINERAL	8	DIRECT	PAD	1134381	15-20206
R4	20-10675-AM	125mm	1	12	PAG 150	8	DIRECT	PAD	1134348	15-20224
R4	20-10438-AM	137mm	1	12	PAG 150	8	DIRECT	PAD	12322328	15-20228
S6	20-11591-AM	127mm	1	12	PAG 46	7.43	DIRECT	PAD		
S6	20-11587-AM	143mm	1	12	PAG 46	7.43	DIRECT	PAD		
S6	20-11586-AM	146mm	1	12	PAG 46	7.43	DIRECT	PAD		
S6	20-11599-AM	146mm	1	24	PAG 46	7.43	DIRECT		TY6771	
S6	20-11597-AM	146mm	1	24	PAG 46	7.43	DIRECT	PAD		
S6	20-11600-AM	169mm	1	24	PAG 46	7.43	DIRECT		PB9069	
S6	20-11588-AM	170mm	1	12	PAG 46	7.43	DIRECT	PAD		
S6	20-11594-AM	170mm	1	12	PAG 46	7.43	DIRECT	PAD		
S6	20-10425-AM	172mm	1	24	PAG 150	10	DIRECT	PAD		
SP10	20-11148	120mm	2	12	PAG 100	7	METRIC	PAD	717638, 720975	
SP10	20-11329	121mm	1	12	PAG 100	6.8	EAR		T4145-87291	
V5	20-11330-AM		1	12	PAG 150	8	DIRECT		715330	
V5	20-22510	132mm	1	24	PAG 150	7.75	DIRECT			
V5	20-00175-AM	132mm	2	12	PAG 150	8	METRIC	HTO		
V5	20-00169	133mm	2	24	PAG 150	8	METRIC	VTO	5110541	

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - GM / DELPHI

<p>Model: V5 OEM#: 5110541 Volts: 24 Gr: 2 Dia: 133mm Coil: 2 Mount: METRIC Fig: VTO Oil: PAG 150</p>  <p>20-00169</p>	<p>Model: V5 Volts: 12 Gr: 2 Dia: 132mm Mount: METRIC Fig: HTO Oil: PAG 150</p>  <p>20-00175-AM</p>	<p>Model: R4 OEM#: 1134381 Altmtk: 15-20206 Volts: 12 Gr: 1 Dia: 117mm Coil: 12 Mount: DIRECT Fig: PAD Oil: MINERAL</p> <p>MASSEY FERGUSON 99</p>  <p>20-10403-AM</p>
<p>Model: A6 OEM#: 1131250 Altmtk: 15-2339 Volts: 12 Gr: 1 Dia: 146mm Coil: 2 Mount: METRIC Fig: PAD Oil: MINERAL</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10409</p>	<p>Model: A6 OEM#: 1131250 Altmtk: 15-2339 Volts: 12 Gr: 1 Dia: 146mm Coil: 10 Mount: STANDARD Fig: PAD Oil: MINERAL</p>  <p>20-10409-R</p>	<p>Model: A6 OEM#: 1138012 Volts: 12 Gr: 1 Dia: 143mm Coil: 10 Mount: METRIC Fig: PAD Oil: PAG 150</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10423</p>
<p>Model: A6 OEM#: 1138000 Altmtk: 51-86000A Volts: 24 Gr: 1 Dia: 172mm Coil: 2 Mount: STANDARD Fig: PAD Oil: PAG 150</p> <p>CATERPILLAR 99</p>  <p>20-10425</p>	<p>Model: S6 Volts: 24 Gr: 1 Dia: 172mm Coil: 2 Mount: DIRECT Fig: PAD Oil: PAG 150</p> <p>CATERPILLAR 99 JOHN DEERE 99</p>  <p>20-10425-AM</p>	<p>Model: A6 Volts: 24 Gr: 1 Dia: 172mm Coil: 2 Mount: DIRECT Fig: PAD Oil: MINERAL</p> <p>CATERPILLAR 99 JOHN DEERE 99</p>  <p>20-10427-R</p>
<p>Model: R4 OEM#: 12322328 Altmtk: 15-20228 Volts: 12 Gr: 1 Dia: 137mm Coil: 9 Mount: DIRECT Fig: PAD Oil: PAG 150</p> <p>MASSEY FERGUSON 99</p>  <p>20-10438-AM</p>	<p>Model: H16 OEM#: 1136612 Volts: 12 Gr: 1 Dia: 131mm Coil: 12 Mount: EAR Fig: PAD</p> <p>KOMATSU 99</p>  <p>20-10465</p>	<p>Model: A6 Volts: 12 Gr: 1 Dia: 143mm Coil: 2 Mount: DIRECT Fig: PAD Oil: MINERAL</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10485</p>
<p>Model: A6 Volts: 12 Gr: 1 Dia: 143mm Coil: 10 Mount: DIRECT Fig: PAD Oil: PAG 150</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10493-R</p>	<p>Model: R4 OEM#: 1134348 Altmtk: 15-20224 Volts: 12 Gr: 1 Dia: 125mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 150</p> <p>MASSEY FERGUSON 99</p>  <p>20-10675-AM</p>	<p>Model: A6 Volts: 12 Gr: 1 Dia: 170mm Oil: MINERAL</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10678-R</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™









COMPRESSORS - GM / DELPHI

<p>Model: A6 Volts: 12 Gr: 1 Dia: 146mm Coil: 10 Mount: DIRECT Fig: PAD Oil: MINERAL</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-10840-R</p>	<p>Model: A6 OEM: 1138004 Volts: 24 Gr: 1 Dia: 142mm Coil: 2 Mount: METRIC Fig: PAD Oil: PAG 150</p>  <p>20-10846</p>	<p>Model: A6 OEM: 1138013 Volts: 24 Gr: 1 Dia: 172mm Coil: 2 Mount: DIRECT Fig: PAD Oil: PAG 150</p>  <p>20-10874</p>
<p>Model: A6 Volts: 24 Gr: 1 Dia: 172mm Coil: 2 Mount: STANDARD Fig: PAD Oil: PAG 150</p>  <p>20-10891</p>	<p>Model: HF6 OEM: ER198334 Volts: 12 Gr: 8 Dia: 122mm Mount: EAR Fig: PAD Oil: PAG 100</p>  <p>20-11058</p>	<p>Model: SP10 OEM: 717638_720975 Volts: 12 Gr: 2 Dia: 120mm Coil: 2 Mount: METRIC Fig: PAD Oil: PAG 100</p> <p>KOMATSU 99 MASSEY FERGUSON 99</p>  <p>20-11148</p>
<p>Model: SP10 OEM: T4145-87291 Volts: 12 Gr: 1 Dia: 121mm GL: 45mm Mount: EAR Oil: PAG 100</p>  <p>20-11329</p>	<p>Model: V5 OEM: 715330 Volts: 12 Gr: 1 Mount: DIRECT Oil: PAG 150</p>  <p>20-11330-AM</p>	<p>Model: A6 Volts: 24 Gr: 1 Dia: 127mm Coil: 2 Mount: METRIC Fig: PAD Oil: MINERAL</p>  <p>20-11545</p>
<p>Model: A6 Volts: 24 Gr: 1 Dia: 144mm Coil: 2 Mount: METRIC Fig: PAD Oil: MINERAL</p>  <p>20-11546</p>	<p>Model: A6 Volts: 24 Gr: 1 Dia: 172mm Mount: DIRECT Fig: PAD Oil: MINERAL</p>  <p>20-11547</p>	<p>Model: S6 Volts: 12 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>ALLIS CHALMERS 99 DEUTZ 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>20-11586-AM</p>
<p>Model: S6 Volts: 12 Gr: 1 Dia: 143mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>ALLIS CHALMERS 99</p>  <p>20-11587-AM</p>	<p>Model: S6 Volts: 12 Gr: 1 Dia: 170mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p> <p>ALLIS CHALMERS 99 CASE-IH 99 MASSEY FERGUSON 99</p>  <p>20-11588-AM</p>	<p>Model: S6 Volts: 12 Gr: 1 Dia: 127mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46</p>  <p>20-11590-AM</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates

COMPRESSORS - GM / DELPHI

Model: S6 Volts: 12 Gr: 1 Dia: 127mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46  <p>20-11591-AM</p>	Model: S6 Volts: 12 Gr: 1 Dia: 170mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46  <p>20-11594-AM</p>	Model: S6 Volts: 12 Gr: 8 Dia: 121mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46  <p>20-11596-AM</p>
Model: S6 Volts: 24 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Fig: PAD Oil: PAG 46  <p>20-11597-AM</p>	Model: S6 OEM: TY6771 Volts: 24 Gr: 1 Dia: 146mm Coil: 12 Mount: DIRECT Oil: PAG 46  <p>20-11599-AM</p>	Model: S6 OEM: PB9069 Volts: 24 Gr: 1 Dia: 169mm Coil: 12 Mount: DIRECT Oil: PAG 46  <p>20-11600-AM</p>
Model: A6 Volts: 12 Gr: 1 Dia: 172mm Coil: 2 Mount: STANDARD Fig: PAD Oil: PAG 150  <p>20-11650</p>	Model: V5 Volts: 24 Gr: 1 Dia: 132mm GL: 46.2mm Mount: DIRECT Oil: PAG 150 HYUNDAI 99  <p>20-22510</p>	




COMPRESSORS - MITSUBISHI

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
MSC90T	20-11621-AM	130mm	1	24	PAG 46	8	DIRECT	PAD		



COMPRESSORS - MITSUBISHI

<div><div><div>Model: MSC90T</div><div>Volts: 24</div><div>Gr: 1</div><div>Dia: 130mm</div><div>Coil: 12</div><div>Mount: DIRECT</div><div>Flg: PAD</div><div>Oil: PAG 46</div></div><div>CATERPILLAR 99</div><div></div><div>20-11621-AM</div></div> <td></td> <td></td>		
--	--	--



Santech
Automotive A/C Components™

COMPRESSORS - OMEGA









Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
HP130	20-10242-HP	135mm	2	12	PAG 46	5	EAR	TUBE-O	2521145	488-44070
HP160	20-46120-HP	123mm	8	12	PAG 46	6	EAR	VOR	2521195	488-46120
HP160	20-46222-HP	125mm	2	12	PAG 46	6	EAR	PAD	2521201	488-46222
HP160	20-46210-HP	135mm	2	12	PAG 46	6	EAR	PAD	2521198	488-46210
HP160	20-46212-HP	135mm	2	24	PAG 46	6	EAR	PAD	2521199	488-46212
HP210	20-47242-HP	135mm	2	24	PAG 46	6	DIRECT	PAD	2521565	488-47242
HP210	20-47249-HP	135mm	8	24						

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - OMEGA

<p>Model: HP130 OEM: 2521145 Altmtkt: 488-44070 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: TUBE-O Cyl Head BO Oil: PAG 46</p> <p>CASE-IH 99</p>  <p>20-10242-HP</p>	<p>Model: HP150 OEM: 2521157 Altmtkt: 488-45021 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head CAST Oil: PAG 46</p>  <p>20-45021-HP</p>	<p>Model: HP160 OEM: 2521195 Altmtkt: 488-46120 Volts: 12 Gr: 8 Dia: 123mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>STEIGER 99 WHITE AGCO 99</p>  <p>20-46120-HP</p>
<p>Model: HP160 OEM: 2521198 Altmtkt: 488-46210 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>CASE-IH 99 HESSTON 99 MASSEY FERGUSON 99</p>  <p>20-46210-HP</p>	<p>Model: HP160 OEM: 2521199 Altmtkt: 488-46212 Volts: 24 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>VOLVO 99</p>  <p>20-46212-HP</p>	<p>Model: HP160 OEM: 2521201 Altmtkt: 488-46222 Volts: 12 Gr: 2 Dia: 125mm Cl Type: LEAF SPRING Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>ALLIS CHALMERS 99</p>  <p>20-46222-HP</p>
<p>Model: HP210 OEM: 2521565 Altmtkt: 488-47242 Volts: 24 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: DIRECT Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>KOMATSU 99</p>  <p>20-47242-HP</p>	<p>Model: HP210 Volts: 24 Gr: 8 Dia: 135mm</p> <p>CATERPILLAR 99</p>  <p>20-47249-HP</p>	



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
FLX7	20-14860	125mm	2	12	PAG 100	6.8	EAR	PAD	FLX7	4860
SD6H09	20-10057	125mm	2	24	PAG 100	3.4	EAR	VOR		5073
SD6H11	20-16321	125mm	2	12	PAG 100	4.6	EAR	VOR		6321
SD6H11	20-06355	125mm	2	12	PAG 100	5.5	EAR	VOR	87546525	6355
SD6H14	20-10188-24	119mm	7	24	PAG 100	5.5	EAR	VOR		4514 / 6629
SD6H14	20-10185	125mm	10	12	PAG 100	5.9	EAR	VOR		4508
SD6H14	20-06676	132mm	2	12	PAG 100	5.5	EAR	HOR		6676
SD6H14	20-10086	132mm	2	12	PAG 100	5.5	EAR	VTO		4525 / 6642
SD6H14	20-10180-AM	132mm	2	12	PAG 100	5.9	EAR	HTO		4513 / 6631
SD6H14	20-10186	132mm	2	12	PAG 100	6.8	EAR	VOR		6664 / 4509
SD6H14	20-10186-AM	132mm	2	12	PAG 100	6.8	EAR	VOR		6664 / 4509
SD6H14	20-10018	132mm	2	12	PAG 100	7.1	EAR	HOR		4536 / 6630 / 6676
SD6H14	20-10018-AM	132mm	2	12	PAG 100	7.1	EAR	HOR		4536 / 6630 / 6676
SD6H14	20-04525	132mm	2	12	PAG 100	7.1	EAR	VTO		4525
SD6H14	20-09982-AM	132mm	2	24	PAG 100	5.9	EAR	HOR		6634
SD6H14	20-10183	132mm	2	24	PAG 100	7.1	EAR	VOR		4506 / 6665
SD6H14	20-10088	132mm	2	24	PAG 100	7.1	EAR	VTO		6667
SD6H14	20-05301	146mm	1	24	PAG 100	5.9	DIRECT			5301
SD6H14	20-09983	152mm	1B	12	PAG 100	7.1	EAR	VOR		4528
SD6H14	20-10076	152mm	2	24	PAG 100	5.5	EAR	VFL		
SD6H14	20-10365	152mm	2	24	PAG 100	7.1	EAR	VOR		6590
SD6H14	20-10365-AM	152mm	2	24	PAG 100	7.1	EAR	VOR		6590
SD6H14	20-10370	158mm	1C	12	PAG 100	5.5	EAR	VFL		
SD6H14	20-10187	158mm	1C	12	PAG 100	8.1	EAR	VTO		4511
SD6H14HD	20-10183-AM	132mm	2	24	PAG 100	7.1	EAR	VOR		6665
SD6L14	20-05354	132mm	2	12	POE 68	4.7	EAR	VOR		5354
SD6L14	20-05352	132mm	2	24	PAG 100			HOR		5352
SD6L14	20-05355	132mm	2	24	POE 68	4.7	EAR	VOR		5355
SD7B10	20-10072	115mm	2	12	PAG 46	3.4	EAR	PAD		7170
SD7B10	20-10072-AM	115mm	2	12	PAG 46	3.4	EAR	PAD		7170
SD7H13	20-04032	119mm	8	12	PAG 100	4.6	DIRECT	PAD		4032
SD7H13	20-07301	125mm	2	12	PAG 100	4.6	EAR	HOR		7301
SD7H13	20-10189	125mm	2	12	PAG 100	4.6	EAR	VOR		7312
SD7H13	20-10189-24	125mm	2	24	PAG 100	4.6	EAR	VOR		7312
SD7H13	20-06332	132mm	2	12	PAG 100	6.3	EAR	VTO		6332
SD7H13	20-07351	146mm	1	24	PAG 100	4.6	DIRECT	PAD		7351
SD7H13	20-07360	146mm	1	24	PAG 100	4.6	DIRECT	VOR		7350
SD7H13	20-07360-AM	146mm	1	24	PAG 100	4.6	DIRECT	VOR		7350
SD7H15	20-08148-AM	111mm	4	12	PAG 100	6.8	DIRECT	PAD		8148
SD7H15	20-08279-AM	119mm	4	12	PAG 100	6.4	DIRECT	HOR		8279
SD7H15	20-08173-AM	119mm	4	12	PAG 100	6.8	DIRECT	HOR		8173
SD7H15	20-04328	119mm	6	12	PAG 100	6.8	EAR	VOR		4328
SD7H15	20-04328-AM	119mm	6	12	PAG 100	6.8	EAR	VOR		4328
SD7H15	20-10093	119mm	6	12	PAG 100	8.1	DIRECT	HTO		4641
SD7H15	20-09992	119mm	7	12	PAG 100	10.1	EAR	VOR		4645
SD7H15	20-09994	119mm	8	12	PAG 100	4.6	EAR	HOR		4712
SD7H15	20-09980	119mm	8	12	PAG 100	4.6	EAR	PAD		4707
SD7H15	20-10017	119mm	8	12	PAG 100	5.25	EAR	VOR		4711 / 8103
SD7H15	20-10017-AM	119mm	8	12	PAG 100	5.25	EAR	VOR		4711 / 8103
SD7H15	20-10152	119mm	8	12	PAG 100	8.1	EAR	HTO		7822
SD7H15	20-04766	119mm	8	12	PAG 100	10.1	DIRECT	PAD		4766
SD7H15	20-04739	119mm	8	12	PAG 100	10.1	EAR	HTO		4739
SD7H15	20-18085	119mm	8	24	PAG 100	4.6	EAR	HOR		8085
SD7H15	20-08117-AM	119mm	8	24	PAG 100	5.1	EAR	VOR	61619066012	8117
SD7H15	20-09967	119mm	8	24	PAG 100	5.9	EAR	HOR		4765
SD7H15	20-09968	119mm	8	24	PAG 100	5.9	EAR	HTO		4764
SD7H15	20-09970	119mm	8	24	PAG 100	5.9	EAR	VOR		4762
SD7H15	20-09969	119mm	8	24	PAG 100	5.9	EAR	VTO		4763
SD7H15	20-08144	119mm	8	24	PAG 100	6.8	DIRECT	HTO		8144
SD7H15	20-04034	119mm	10	12	PAG 100	10.1	DIRECT	PAD		4034
SD7H15	20-08244	120mm	6	12	PAG 100	6.4	DIRECT	PAD		8244
SD7H15	20-08244-AM	120mm	6	12	PAG 100	6.4	DIRECT	PAD		8244

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmkt
SD7H15	20-08203	120mm	8	12	PAG 100	8.1	DIRECT	PAD		8203
SD7H15	20-08203-AM	120mm	8	12	PAG 100	8.1	DIRECT	PAD		8203
SD7H15	20-09979	125mm	2	12	PAG 100	4.6	EAR	HOR		4709
SD7H15	20-09979-AM	125mm	2	12	PAG 100	4.6	EAR	HOR		4709
SD7H15	20-09993	125mm	2	12	PAG 100	4.6	EAR	PAD		4708
SD7H15	20-10080	125mm	2	12	PAG 100	4.6	EAR	VOR		4663
SD7H15	20-10151	125mm	2	12	PAG 100	5.1	EAR	HTO		7819
SD7H15	20-10071	125mm	2	12	PAG 100	10.1	EAR	VOR		4627
SD7H15	20-10071-AM	125mm	2	12	PAG 100	10.1	EAR	VOR		4627
SD7H15	20-10045	125mm	2	12	PAG 100	10.1	EAR	VTO		4706
SD7H15	20-09976	125mm	2	24	PAG 100	5.9	EAR	HOR		4742
SD7H15	20-09974	125mm	2	24	PAG 100	5.9	EAR	HTO		4744
SD7H15	20-09977	125mm	2	24	PAG 100	5.9	EAR	VOR		4741
SD7H15	20-09975	125mm	2	24	PAG 100	5.9	EAR	VTO		4743
SD7H15	20-10097	125mm	2	24	PAG 100	9.1	EAR	VOR		4652
SD7H15	20-11236	125mm	6	12	PAG 100	8.1	EAR	PAD	FONN-19D629AA	
SD7H15	20-04897	125mm	6	12	PAG 100	10.1	DIRECT	HOR		4897
SD7H15	20-04156	125mm	10	24	PAG 100	4.6	DIRECT	VOR		4156
SD7H15	20-06095-AM	126mm	12	24					372-9295	6095
SD7H15	20-10069-AM	132mm	2	12	PAG 46	8.1	EAR	VTO		4643
SD7H15	20-04709-AM	132mm	2	12	PAG 100	4.6	EAR	HOR	8039022	4709
SD7H15	20-08018	132mm	2	12	PAG 100	4.6	EAR	VOR		8018
SD7H15	20-10050	132mm	2	12	PAG 100	8.1	EAR	HTO	98462948	4646
SD7H15	20-10050-AM	132mm	2	12	PAG 100	8.1	EAR	HTO	98462948	4646
SD7H15	20-09978	132mm	2	12	PAG 100	8.1	EAR	VOR		4647
SD7H15	20-09978-AM	132mm	2	12	PAG 100	8.1	EAR	VOR		4647
SD7H15	20-10068	132mm	2	12	PAG 100	8.1	EAR	VOR		4664 / 8104
SD7H15	20-10069	132mm	2	12	PAG 100	8.1	EAR	VTO		4643
SD7H15	20-09999	132mm	2	12	PAG 100	8.5	EAR	PAD		
SD7H15	20-04318	132mm	2	12	PAG 100	8.5	EAR	PAD		4318
SD7H15	20-10077	132mm	2	12	PAG 100	10.1	DIRECT	VOR		4626
SD7H15	20-04893	132mm	2	12	PAG 100	10.1	EAR	PAD		4893 / 4717
SD7H15	20-04893-AM	132mm	2	12	PAG 100	10.1	EAR	VOR		4893 / 4717
SD7H15	20-08017	132mm	2	24	PAG 100	4.6	EAR	VOR		8017
SD7H15	20-08017-AM	132mm	2	24	PAG 100	4.6	EAR	VOR		8017
SD7H15	20-10050-24	132mm	2	24	PAG 100	8.1	EAR	HTO		4646
SD7H15	20-08152	132mm	2	24	PAG 100	8.1	EAR	PAD	14506862	8152
SD7H15	20-08053-AM	132mm	2	24	PAG 100	8.1	EAR	VOR	11104512_5700334	8053
SD7H15	20-04467	132mm	6	12	PAG 100	8.5	EAR	PAD		4467
SD7H15	20-10194-AM	132mm	8	12	PAG 100	9.1	EAR	HOR		4637
SD7H15	20-04813	132mm	8	12	PAG 100	10.1	DIRECT	HOR	178-9570	4498 / 4813 / 4806
SD7H15	20-08044-AM	132mm	8	24	PAG 100	5.9	DIRECT	PAD	8191892_8113628_3386861M1	8044
SD7H15	20-18112	132mm	8	24	PAG 100	8.1	DIRECT	PAD		8112
SD7H15	20-04301	132mm	8	24	PAG 100	10.1	DIRECT	PAD	163-0872	4301
SD7H15	20-04301-AM	132mm	8	24	PAG 100	10.1	DIRECT	PAD	163-0872	4301
SD7H15	20-04726	132mm	8	24	PAG 100	10.1	EAR	PAD		4487
SD7H15	20-04726-AM	132mm	8	24	PAG 100	10.1	EAR	PAD		4487
SD7H15	20-10194	133mm	8	12	PAG 100	5.5	EAR	HOR		4637
SD7H15	20-04738	133mm	8	12	PAG 100	9.1	EAR	VOR	82016158 9847944	4738
SD7H15	20-18086	133mm	8	12	PAG 100	10.1	DIRECT	VOR	03-7H15-PV8	4698
SD7H15	20-08174	135mm	1	12	PAG 100	8.5	DIRECT	HTO		8174
SD7H15	20-08133	135mm	1	24	PAG 100	6.8	DIRECT	HTO	500388059	8133
SD7H15	20-07948-AM	135mm	1	24	PAG 100	6.8	EAR	HTO	98462948	7948
SD7H15	20-08036	135mm	2	24	PAG 100	5.9	EAR	HTO		4293U1
SD7H15	20-04402	138mm	1	24	PAG 100	10.1	DIRECT	HOR	4402	4402
SD7H15	20-14604	138mm	1	24	PAG 100	10.1	EAR	PAD	3E1906	4604
SD7H15	20-07952	140mm	2	12	PAG 100	6.4	EAR	PAD		7952
SD7H15	20-07952-AM	140mm	2	12	PAG 100	6.4	EAR	PAD		7952
SD7H15	20-08091	148mm	2	12	PAG 100	210cc	Ear			8091
SD7H15	20-04049	152mm	1	24	PAG 100	6.8	EAR	PAD		4049
SD7H15	20-04479	152mm	1	24	PAG 100	10.1	EAR	PAD		4479

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™
















COMPRESSORS - SANDEN

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmkt
SD7H15	20-04479-AM	152mm	1	24	PAG 100	10.1	EAR	PAD		4479
SD7H15	20-04297	152mm	2	24	PAG 100	7.1	EAR	VOR		4297U1
SD7H15	20-15771	152mm	2	24	PAG 100	8.5	EAR	HTO	86983967	
SD7H15	20-04489	152mm	2	24	PAG 100	9.6	EAR	HTO		4489
SD7H15	20-04409	152mm	2	24	PAG 100	10.1	EAR	VOR	4311_4409	4409
SD7H15	20-04104	152mm	4	12	PAG 100	8.5	DIRECT	H-PAD		4104U
SD7H15	20-04768	152mm	8	12	PAG 100	9.6	DIRECT	HTO	317008A3	4768
SD7H15	20-04768-AM	152mm	8	12	PAG 100	9.6	DIRECT	HTO	317008A3	4768
SD7H15	20-04302	152mm	8	24	PAG 100	10.1	DIRECT	PAD		4302
SD7H15	20-04302-AM	152mm	8	24	PAG 100	10.1	DIRECT	PAD		4302
SD7H15	20-09972	158mm	1C	12	PAG 100	5.9	EAR	VOR		4746
SD7H15	20-09971	158mm	1C	12	PAG 100	5.9	EAR	VTO		4747
SD7H15	20-09973	158mm	1C	24	PAG 100	5.9	EAR	VTO		4745
SD7H15E	20-04021	119mm	8	12	PAG 100	10.1	DIRECT	H-PAD		4021
SD7H15SHD	20-04090	119mm	8	12	PAG 100	10.1	DIRECT	HOR		4090
SD7H15SHD	20-09964	132mm	2	12	PAG 100	9.1	EAR	VOR		4654
SD7H15SHD	20-09965	132mm	2	12	PAG 100	10.1	EAR	HTO		4617
SD7H15SHD	20-09963	138mm	1	12	PAG 100	10.1	EAR	HOR		4661
SD7H15SHD	20-04608	138mm	1	12	PAG 100	10.1	EAR	PAD		4608
SD7H15SHD	20-04608-AM	138mm	1	12	PAG 100	10.1	EAR	PAD		4608
SD7H15SHD	20-14604-AM	138mm	1	24	PAG 100	10.1	EAR	PAD	3E1906	4604
SD7H15SHD	20-04609-AM	152mm	2	12	PAG 100	9.6	EAR	HOR		4478 / 4609
SD7H15SHD	20-04609	152mm	2	12	PAG 100	9.6	EAR	HOR		4609
SD7L15	20-08252	132mm	2	24	POE 68	8.5	EAR	VOR		8252
SD508	20-10102-AM	132mm	2	12	MINERAL	6	EAR	VFL		8390
SD508	20-10106-AM	132mm	2	12	MINERAL	6	EAR	VOR		9285
SD508	20-10147-AM	132mm	2	12	PAG 100	7	EAR	VTO		9519
SD508	20-19571	152mm	2	12	MINERAL	8.1	EAR	HTO	IH1977959	9571
SD508	20-08387-AM	152mm	2	12	PAG 100	5.9	EAR	VFL	4363723	8387
SD508HD	20-10114-AM	132mm	2	12	PAG 100	7	EAR	HTO		9026
SD510	20-10105-AM	132mm	2	12	MINERAL	4.6	EAR	VFL		9103
SD510	20-10118-AM	132mm	2	24	MINERAL	4.6	EAR	VFL		9105
SD510	20-10196-AM	132mm	2	24	PAG 100	4.6	EAR	VOR		9674
SD510	20-04504-AM	138mm	1	12	PAG 100	10.5	EAR	PAD		4504
SD510	20-09149-AM	152mm	2	12	MINERAL	6	EAR	HOR	3386861M1	9149
SD510HD	20-10115-AM	132mm	2	12	MINERAL	6	EAR	VOR		9120



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15E Altmtkt: 4021 Volts: 12 Gr: 8 Dia: 119mm Mount: DIRECT Fig: H-PAD Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04021</p>	<p>Model: SD7H15 Altmtkt: 4034 Volts: 12 Gr: 10 Dia: 119mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GV Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-04034</p>	<p>Model: SD7H15 Altmtkt: 4049 Volts: 24 Gr: 1 Dia: 152mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p>  <p>20-04049</p>
<p>Model: SD7H15SHD Altmtkt: F69-6003-151 Volts: 12 Gr: 12 Dia: 126mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GQ Oil: PAG 100</p> <p>KENWORTH 78-06 KENWORTH 08-09 KENWORTH 11 PETERBILT 88-06 PETERBILT 08-11</p>  <p>20-04078</p>	<p>Model: SD7H15SHD Altmtkt: 4090 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p> <p>KENWORTH 10-12 PETERBILT 11-15 TEREX 99</p>  <p>20-04090</p>	<p>Model: SD7H15 Altmtkt: 4096 Volts: 24 Gr: 8 Dia: 133mm Mount: DIRECT Cyl Head N/A Oil: SP15</p>  <p>20-04095</p>
<p>Model: SD7H15 Altmtkt: 4104U Volts: 12 Gr: 4 Dia: 152mm Coil: 12 Mount: DIRECT Fig: H-PAD Oil: PAG 100</p>  <p>20-04104</p>	<p>Model: SD7H15 CEM: 84356660 Altmtkt: 4105 Volts: 12 Gr: 4 Dia: 152mm Coil: 12 Mount: DIRECT Fig: H 1in-14UNF Cyl Head MD Oil: PAG 100</p>  <p>20-04105</p>	<p>Model: SD7H15SHD CEM: PC2266 Altmtkt: 4111 / 4580 Volts: 24 Gr: 1 Dia: 128mm Mount: DIRECT Fig: HOR Cyl Head KF Oil: PAG 100</p>  <p>20-04111</p>
<p>Model: SD7H15 Altmtkt: 4156 Volts: 24 Gr: 10 Dia: 125mm GL: 65.8mm Coil: 12 Mount: DIRECT Fig: VOR Oil: PAG 100</p>  <p>20-04156</p>	<p>Model: SD7H15 Altmtkt: 4272 Volts: 12 Gr: 2 Dia: 132mm Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-04272</p>	<p>Model: SD7H15 Altmtkt: 4300 Volts: 24 Gr: 8 Dia: 152mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-04300</p>
<p>Model: SD7H15 CEM: 163-0872 Altmtkt: 4301 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04301</p>	<p>Model: SD7H15 CEM: 163-0872 Altmtkt: 4301 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04301-AM</p>	<p>Model: SD7H15 Altmtkt: 4302 Volts: 24 Gr: 8 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04302</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Aftmkt: 4302 Volts: 24 Gr: 8 Dia: 152mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04302-AM</p>	<p>Model: SD7H15 Aftmkt: 4318 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head UK Oil: PAG 100</p> <p>CASE-IH 99 FORD/STERLING 90 FORD/STERLING 95-09</p>  <p>20-04318</p>	<p>Model: SD7H15 Aftmkt: 4328 Volts: 12 Gr: 6 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-04328</p>
<p>Model: SD7H15 OEMt: 4402 Aftmkt: 4402 Volts: 24 Gr: 1 Dia: 138mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head MD Oil: PAG 100</p>  <p>20-04402</p>	<p>Model: SD7H15 OEMt: 4311_4409 Aftmkt: 4409 Volts: 24 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p>  <p>20-04409</p>	<p>Model: SD7H15 Aftmkt: 4467 Volts: 12 Gr: 6 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head UK Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-04467</p>
<p>Model: SD7H15 Aftmkt: 4479 Volts: 24 Gr: 1 Dia: 152mm GL: 39mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GH Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04479</p>	<p>Model: SD7H15 Aftmkt: 4479 Volts: 24 Gr: 1 Dia: 152mm GL: 39mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GH Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04479-AM</p>	<p>Model: SD7H15 Aftmkt: 4489 Volts: 24 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99</p>  <p>20-04489</p>
<p>Model: SD510 Aftmkt: 4504 Volts: 12 Gr: 1 Dia: 138mm GL: 39.5mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QM Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04504-AM</p>	<p>Model: SD6H14 Aftmkt: 4525 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Cyl Head C Oil: PAG 100</p> <p>AGCO 99 ALLIS CHALMERS 99 DEUTZ 99 HESSTON 99 WHITE AGCO 99</p>  <p>20-04525</p>	<p>Model: SD7H15SHD Aftmkt: 4608 Volts: 12 Gr: 1 Dia: 138mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04608</p>
<p>Model: SD7H15SHD Aftmkt: 4608 Volts: 12 Gr: 1 Dia: 138mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04608-AM</p>	<p>Model: SD7H15SHD Aftmkt: 4609 Volts: 12 Gr: 2 Dia: 152mm GL: 23.8mm Coil: 12 Mount: EAR Fig: HOR Cyl Head MD Oil: PAG 100</p> <p>AGCO 99 CASE-IH 99 FORD NEW HOLLAND 99 HESSTON 99 MASSEY FERGUSON 99 MCCORMICK 99</p>  <p>20-04609</p>	<p>Model: SD7H15SHD Aftmkt: 4478 / 4609 Volts: 12 Gr: 2 Dia: 152mm GL: 23.8mm Coil: 12 Mount: EAR Fig: HOR Cyl Head MD Oil: PAG 100</p> <p>AGCO 99 CASE-IH 99 FORD NEW HOLLAND 99 HESSTON 99 MASSEY FERGUSON 99 MCCORMICK 99</p>  <p>20-04609-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 OEM#: 3579878-C1 Altmtk: 4667 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p> <p>KENWORTH 78-06</p>  <p>20-04667</p>	<p>Model: SD7H15 OEM#: 3579878-C1 Altmtk: 4667 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p>  <p>20-04667-AM</p>	<p>Model: SD7H15 Altmtk: 4487 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04726</p>
<p>Model: SD7H15 OEM#: 4487 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-04726-AM</p>	<p>Model: SD7H15 OEM#: 4595 / 4737 Volts: 12 Gr: 8 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p>  <p>20-04737</p>	<p>Model: SD7H15 OEM#: 82016158 Altmtk: 9847944 Volts: 12 Gr: 8 Dia: 133mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-04738</p>
<p>Model: SD7H15 OEM#: 82016158 Altmtk: 9847944 Volts: 12 Gr: 8 Dia: 133mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p>  <p>20-04738-AM</p>	<p>Model: SD7H15 Altmtk: 4739 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HTO Cyl Head KG Oil: PAG 100</p> <p>JCB 99 KENWORTH 78-06 PETERBILT 88-06</p>  <p>20-04739</p>	<p>Model: SD7H15 Altmtk: 4756 Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head CBA Oil: PAG 100</p> <p>FREIGHTLINER 74-08 KENWORTH 77-10 PETERBILT 78-10 VOLVO 77-05</p>  <p>20-04756</p>
<p>Model: SD7H15 Altmtk: 4756 Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head CBA Oil: PAG 100</p>  <p>20-04756-AM</p>	<p>Model: SD7H15 Altmtk: 4766 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head SJ Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 FORD/STERLING 99-09</p>  <p>20-04766</p>	<p>Model: SD7H15 OEM#: 317008A3 Altmtk: 4768 Volts: 12 Gr: 8 Dia: 152mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 GLENER 99 MASSEY FERGUSON 99 STEIGER 99</p>  <p>20-04768</p>
<p>Model: SD7H15 OEM#: 317008A3 Altmtk: 4768 Volts: 12 Gr: 8 Dia: 152mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 GLENER 99 MASSEY FERGUSON 99 STEIGER 99</p>  <p>20-04768-AM</p>	<p>Model: SD7H15 OEM#: 178-9570 Altmtk: 4498 / 4813 / 4806 Volts: 12 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p> <p>AGCO 99 CATERPILLAR 99</p>  <p>20-04813</p>	<p>Model: SD7H15 OEM#: 178-9570 Altmtk: 4498 / 4813 / 4806 Volts: 12 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p>  <p>20-04813-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 CEM: 206RD51M Aftmkt: 4883 Volts: 12 Gr: 6 Dia: 125mm GL: 46mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head MT Oil: PAG 100</p> <p>MACK 76-07 VOLVO 77-05</p>  <p>20-04883</p>	<p>Model: SD7H15 CEM: 206RD51M Aftmkt: 4883 Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head MT Oil: PAG 100</p> <p>VOLVO 77-05</p>  <p>20-04883-AM</p>	<p>Model: SD7H15 Aftmkt: 4893 / 4717 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head VW Oil: PAG 100</p> <p>VOLVO 75-06 VOLVO 99</p>  <p>20-04893</p>
<p>Model: SD7H15 Aftmkt: 4893 / 4717 Volts: 12 Gr: 2 Dia: 132mm GL: 23/39mm Coil: 12 Mount: EAR Fig: VOR Cyl Head VW Oil: PAG 100</p> <p>VOLVO 75-06 VOLVO 99</p>  <p>20-04893-AM</p>	<p>Model: SD7H15 Aftmkt: 4897 Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KCA Oil: PAG 100</p> <p>TEREX 99</p>  <p>20-04897</p>	<p>Model: SD5L14 Aftmkt: 5352 Volts: 24 Gr: 2 Dia: 132mm Fig: HOR Cyl Head SW Oil: PAG 100</p>  <p>20-05352</p>
<p>Model: SD5L14 Aftmkt: 5354 Volts: 12 Gr: 2 Dia: 132mm GL: 39.5mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: POE 68</p>  <p>20-05354</p>	<p>Model: SD5L14 Aftmkt: 5355 Volts: 24 Gr: 2 Dia: 132mm GL: 39.5mm Mount: EAR Fig: VOR Cyl Head FL Oil: POE 68</p>  <p>20-05355</p>	<p>Model: SD510 Aftmkt: 5790 Volts: 12 Gr: 6 Dia: 119mm Coil: 12 Mount: EAR Fig: PAD Cyl Head FL Oil: PAG 100</p>  <p>20-05790-AM</p>
<p>Model: SD7H15 CEM: 87709773 Aftmkt: 6020 Volts: 12 Gr: 10 Dia: 119mm Mount: DIRECT Cyl Head KH Oil: SP10</p>  <p>20-06020</p>	<p>Model: SD7H15 CEM: 372-9295 Aftmkt: 6095 Volts: 24 Gr: 12 Dia: 126mm</p> <p>CATERPILLAR 99</p>  <p>20-06095-AM</p>	<p>Model: SD7H13 Aftmkt: 6332 Volts: 12 Gr: 2 Dia: 132mm Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99</p>  <p>20-06332</p>
<p>Model: SD5H11 CEM: 87546525 Aftmkt: 6355 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p>  <p>20-06355</p>	<p>Model: SD5H11 Aftmkt: 6361 Volts: 12 Gr: 4 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p>  <p>20-06361</p>	<p>Model: SD5H14 Aftmkt: 6676 Volts: 12 Gr: 2 Dia: 132mm Mount: EAR Fig: HOR Cyl Head K Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-06676</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H13 Altmtkt: 7301 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>MASSEY FERGUSON 99</p>  <p>20-07301</p>	<p>Model: SD7H13 Altmtkt: 7351 Volts: 24 Gr: 1 Dia: 146mm Mount: DIRECT Fig: PAD Cyl Head WM Oil: PAG 100</p> <p>KOBELCO 99 LINK-BELT 99</p>  <p>20-07351</p>	<p>Model: SD7H13 Altmtkt: 7351 Volts: 24 Gr: 1 Dia: 146mm Mount: DIRECT Fig: PAD Cyl Head WM Oil: PAG 100</p>  <p>20-07351-AM</p>
<p>Model: SD7H13 Altmtkt: 7350 Volts: 24 Gr: 1 Dia: 146mm GL: 46mm Mount: DIRECT Fig: VOR Oil: PAG 100</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 KOBELCO 99 LINK-BELT 99</p>  <p>20-07360</p>	<p>Model: SD7H13 Altmtkt: 7350 Volts: 24 Gr: 1 Dia: 146mm GL: 46mm Mount: DIRECT Fig: VOR Oil: PAG 100</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 KOBELCO 99 LINK-BELT 99</p>  <p>20-07360-AM</p>	<p>Model: SD7H15 Altmtkt: 7952 Volts: 12 Gr: 2 Dia: 140mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QC Oil: PAG 100</p> <p>AGCO 99 ALLIS CHALMERS 99 FORD NEW HOLLAND 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>20-07952</p>
<p>Model: SD7H15 Altmtkt: 7952 Volts: 12 Gr: 2 Dia: 140mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QC Oil: PAG 100</p> <p>AGCO 99 ALLIS CHALMERS 99 FORD NEW HOLLAND 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>20-07952-AM</p>	<p>Model: SD7H15 Altmtkt: 7975 Volts: 12 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-07975-AM</p>	<p>Model: SD7H15 Altmtkt: 8017 Volts: 24 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p> <p>VOLVO 99</p>  <p>20-08017</p>
<p>Model: SD7H15 Altmtkt: 8017 Volts: 24 Gr: 2 Dia: 132mm GL: 24mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>  <p>20-08017-AM</p>	<p>Model: SD7H15 Altmtkt: 8018 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JDA Oil: PAG 100</p>  <p>20-08018</p>	<p>Model: SD7H15 Altmtkt: 4293U1 Volts: 24 Gr: 2 Dia: 135mm Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-08036</p>
<p>Model: SD7H15 OEM: 8191892_8113628 Altmtkt: 8044 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WV Oil: PAG 100</p>  <p>20-08044</p>	<p>Model: SD7H15 OEM: 8191892_8113628_3386861M1 Altmtkt: 8044 Volts: 24 Gr: 8 Dia: 132mm GL: 44mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WV Oil: PAG 100</p> <p>MASSEY FERGUSON 99</p>  <p>20-08044-AM</p>	<p>Model: SD7H15 OEM: 11104419 Altmtkt: 8045 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head WZ Oil: PAG 100</p>  <p>20-08045</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 OEMt: 11104419 Aftmkt: 8045 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head VZ Oil: PAG 100</p>  <p>20-08045-AM</p>	<p>Model: SD7H15 OEMt: 11104512_ 5700334 Aftmkt: 8053 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>  <p>20-08053-AM</p>	<p>Model: SD7H15 Aftmkt: 8069 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FZ Oil: PAG 100</p>  <p>20-08069</p>
<p>Model: SD7H15 Aftmkt: 8069 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FZ Oil: PAG 100</p>  <p>20-08069-AM</p>	<p>Model: SD7H15 OEMt: 820161581 Aftmkt: 8100 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Cyl Head JE Oil: SP10</p>  <p>20-08100</p>	<p>Model: SD7H15 OEMt: 820161581 Aftmkt: 8100 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>  <p>20-08100-AM</p>
<p>Model: SD7H15 OEMt: 61619066012 Aftmkt: 8117 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FZ Oil: PAG 100</p> <p>JOHN DEERE 99</p>  <p>20-08117-AM</p>	<p>Model: SD7H15 Aftmkt: 8143 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-08143</p>	<p>Model: SD7H15 Aftmkt: 8144 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>JCB 99 TEREX 99</p>  <p>20-08144</p>
<p>Model: SD7H15 Aftmkt: 8144 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-08144-AM</p>	<p>Model: SD7H15 OEMt: 3789035M1 Aftmkt: 8147 Volts: 12 Gr: 4 Dia: 112mm Coil: 12 Mount: DIRECT Fig: H-PAD Cyl Head QC Oil: PAG 100</p>  <p>20-08147-AM</p>	<p>Model: SD7H15 Aftmkt: 8148 Volts: 12 Gr: 4 Dia: 111mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WV Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99</p>  <p>20-08148-AM</p>
<p>Model: SD7H15 OEMt: 14508862 Aftmkt: 8152 Volts: 24 Gr: 2 Dia: 132mm Mount: EAR Fig: PAD Cyl Head VZ Oil: PAG 100</p> <p>VOLVO 99</p>  <p>20-08152</p>	<p>Model: SD7H15 Aftmkt: 8173 Volts: 12 Gr: 4 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-08173</p>	<p>Model: SD7H15 Aftmkt: 8173 Volts: 12 Gr: 4 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-08173-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Altmtkt: 8174 Volts: 12 Gr: 1 Dia: 135mm GL: 51mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-08174</p>	<p>Model: SD7H15 Altmtkt: 8203 Volts: 12 Gr: 8 Dia: 120mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WP Oil: PAG 100</p> <p>JCB 99</p>  <p>20-08203</p>	<p>Model: SD7H15 Altmtkt: 8203 Volts: 12 Gr: 8 Dia: 120mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WP Oil: PAG 100</p>  <p>20-08203-AM</p>
<p>Model: SD7H15 Altmtkt: 8244 Volts: 12 Gr: 6 Dia: 120mm GL: 48mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head QC Oil: PAG 100</p> <p>AGCO 99 MASSEY FERGUSON 99</p>  <p>20-08244</p>	<p>Model: SD7H15 Altmtkt: 8244 Volts: 12 Gr: 6 Dia: 120mm GL: 48mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head QC Oil: PAG 100</p> <p>AGCO 99 MASSEY FERGUSON 99</p>  <p>20-08244-AM</p>	<p>Model: SD7L15 Altmtkt: 8252 Volts: 24 Gr: 2 Dia: 132mm GL: 39.5mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: POE 68</p>  <p>20-08252</p>
<p>Model: SD7H15 OEvt: 87519620 Altmtkt: 8279 Volts: 12 Gr: 4 Dia: 112mm Mount: DIRECT Cyl Head KG Oil: SP10</p>  <p>20-08279</p>	<p>Model: SD7H15 Altmtkt: 8279 Volts: 12 Gr: 4 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-08279-AM</p>	<p>Model: SD508 OEvt: 4363723 Altmtkt: 8387 Volts: 12 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VFL Cyl Head B Oil: PAG 100</p> <p>ALLIS CHALMERS 99 DEUTZ 99 FORD NEW HOLLAND 99 VERSATILE 99</p>  <p>20-08387-AM</p>
<p>Model: SD7H15SHD Altmtkt: 4673 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KC Oil: PAG 100</p>  <p>20-09962</p>	<p>Model: SD7H15SHD Altmtkt: 4661 Volts: 12 Gr: 1 Dia: 138mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KC Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-09963</p>	<p>Model: SD7H15SHD Altmtkt: 4654 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FREIGHTLINER 74-08</p>  <p>20-09964</p>
<p>Model: SD7H15SHD Altmtkt: 4617 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 74-08 GLENER 99 HESSTON 99 MASSEY FERGUSON 99 VERSATILE 99</p>  <p>20-09965</p>	<p>Model: SD7H15SHD Altmtkt: 4600 Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD/STERLING 93-96</p>  <p>20-09966</p>	<p>Model: SD7H15 Altmtkt: 4765 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>TEREX 99</p>  <p>20-09967</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Aftmkt: 4764 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-09968</p>	<p>Model: SD7H15 Aftmkt: 4763 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-09969</p>	<p>Model: SD7H15 Aftmkt: 4762 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p>  <p>20-09970</p>
<p>Model: SD7H15SHD Aftmkt: 4762 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p>  <p>20-09970-AM</p>	<p>Model: SD7H15 Aftmkt: 4747 Volts: 12 Gr: 1C Dia: 158mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-09971</p>	<p>Model: SD7H15 Aftmkt: 4746 Volts: 12 Gr: 1C Dia: 158mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>KENWORTH 01-10 MACK 77-08 PETERBILT 96-06 VOLVO 77-05 WESTERN STAR 87-10</p>  <p>20-09972</p>
<p>Model: SD7H15 Aftmkt: 4745 Volts: 24 Gr: 1C Dia: 158mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-09973</p>	<p>Model: SD7H15 Aftmkt: 4744 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>PETERBILT 78-10</p>  <p>20-09974</p>	<p>Model: SD7H15 Aftmkt: 4743 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-09975</p>
<p>Model: SD7H15 Aftmkt: 4742 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>TAKEUCHI 99</p>  <p>20-09976</p>	<p>Model: SD7H15 Aftmkt: 4741 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>JCB 99</p>  <p>20-09977</p>	<p>Model: SD7H15 Aftmkt: 4647 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JDA Oil: PAG 100</p> <p>CASE IH 99 FORD NEW HOLLAND 99 FREIGHTLINER 74-08 INTERNATIONAL 73-06 JCB 99 KENWORTH 77-10 MACK 89-01</p>  <p>20-09978</p>
<p>Model: SD7H15 Aftmkt: 4647 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JDA Oil: PAG 100</p> <p>CASE IH 99 FORD NEW HOLLAND 99 FREIGHTLINER 77-07 INTERNATIONAL 73-06 JCB 99 KENWORTH 77-10 MACK 89-06</p>  <p>20-09978-AM</p>	<p>Model: SD7H15 Aftmkt: 4709 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 KOBELCO 99 KOMATSU 99</p>  <p>20-09979</p>	<p>Model: SD7H15 Aftmkt: 4709 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-09979-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Altmtkt: 4707 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QC Oil: PAG 100</p>  <p>20-09980</p>	<p>Model: SD5H14 Altmtkt: 6634 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head K Oil: PAG 100</p>  <p>20-09982</p>	<p>Model: SD5H14 Altmtkt: 6634 Volts: 24 Gr: 2 Dia: 132mm Mount: EAR Fig: HOR</p>  <p>20-09982-AM</p>
<p>Model: SD5H14 Altmtkt: 4528 Volts: 12 Gr: 1B Dia: 152mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>STEIGER 99</p>  <p>20-09983</p>	<p>Model: SD7H15 Altmtkt: 4645 Volts: 12 Gr: 7 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JDA Oil: PAG 100</p> <p>INTERNATIONAL 73-10 KENWORTH 77-10 PETERBILT 78-10 WESTERN STAR 94-01</p>  <p>20-09992</p>	<p>Model: SD7H15 Altmtkt: 4708 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QC Oil: PAG 100</p> <p>ALLIS CHALMERS 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>20-09993</p>
<p>Model: SD7H15 Altmtkt: 4712 Volts: 12 Gr: 8 Dia: 119mm GL: 34mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-09994</p>	<p>Model: SD7H15 Altmtkt: 4712 Volts: 12 Gr: 8 Dia: 119mm GL: 34mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-09994-AM</p>	<p>Model: SD7H15 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: PAD Cyl Head QS Oil: PAG 100</p>  <p>20-09999</p>
<p>Model: SD7H15 Altmtkt: 4711 / 8103 Volts: 12 Gr: 8 Dia: 119mm GL: 34mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 KENWORTH 77-10 PETERBILT 95-07</p>  <p>20-10017</p>	<p>Model: SD7H15 Altmtkt: 4711 / 8103 Volts: 12 Gr: 8 Dia: 119mm GL: 34mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 KENWORTH 77-10 PETERBILT 95-07</p>  <p>20-10017-AM</p>	<p>Model: SD5H14 Altmtkt: 4536 / 6630 / 6676 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head K Oil: PAG 100</p>  <p>20-10018</p>
<p>Model: SD5H14 Altmtkt: 4536 / 6630 / 6676 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head K Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-10018-AM</p>	<p>Model: SD7H15 Altmtkt: 4706 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 GEHL 99 TEREX 99 VERSATILE 99</p>  <p>20-10045</p>	<p>Model: SD7H15 CEMT: 98462948 Altmtkt: 4646 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MJ Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 74-08 INGERSOLL RAND 99 MASSEY FERGUSON 99 VERSATILE 99</p>  <p>20-10050</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Aftmkt: 4646 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MJ Oil: PAG 100</p>  <p>20-10050-24</p>	<p>Model: SD7H15 OEM: 98462948 Aftmkt: 4646 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MJ Oil: PAG 100</p> <p>FREIGHTLINER 74-08 INGERSOLL RAND 99 MASSEY FERGUSON 99</p>  <p>20-10050-AM</p>	<p>Model: SD7H15 OEM: 3503470 Aftmkt: 4710 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p>  <p>20-10053</p>
<p>Model: SD5H09 Aftmkt: 5073 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-10057</p>	<p>Model: SD5H14 Aftmkt: 4531 Volts: 12 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p>  <p>20-10066</p>	<p>Model: SD7H15 Aftmkt: 4664 / 8104 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 INTERNATIONAL 73-06 JCB 99 KENWORTH 78-06 MACK 76-06 PETERBILT 88-06</p>  <p>20-10068</p>
<p>Model: SD7H15 Aftmkt: 4643 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 100</p> <p>ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99 WHITE AGCO 99</p>  <p>20-10069</p>	<p>Model: SD7H15 Aftmkt: 4643 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Cyl Head CB Oil: PAG 46</p> <p>ALLIS CHALMERS 99 CASE-IH 99 FIAT 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99 STEIGER 99</p>  <p>20-10069-AM</p>	<p>Model: SD7H15 Aftmkt: 4627 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 77-07 INTERNATIONAL 77-10 JCB 99 KENWORTH 77-10 MACK 77-08 PETERBILT 78-10</p>  <p>20-10071</p>
<p>Model: SD7H15 Aftmkt: 4627 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD NEW HOLLAND 99 INTERNATIONAL 77-10</p>  <p>20-10071-AM</p>	<p>Model: SD7B10 Aftmkt: 7170 Volts: 12 Gr: 2 Dia: 115mm Coil: 12 Mount: EAR Fig: PAD Cyl Head PB Oil: PAG 46</p> <p>FORD NEW HOLLAND 99 MASSEY FERGUSON 99</p>  <p>20-10072</p>	<p>Model: SD7B10 Aftmkt: 7170 Volts: 12 Gr: 2 Dia: 115mm Coil: 12 Mount: EAR Fig: PAD Cyl Head PB Oil: PAG 46</p> <p>FORD NEW HOLLAND 99 MASSEY FERGUSON 99</p>  <p>20-10072-AM</p>
<p>Model: SD5H14 Volts: 24 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VFL Cyl Head E Oil: PAG 100</p>  <p>20-10076</p>	<p>Model: SD7H15 Aftmkt: 4626 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>INTERNATIONAL 97-08 KENWORTH 77-10 MACK 76-08 PETERBILT 78-10 VOLVO 77-06 WESTERN STAR 87-10</p>  <p>20-10077</p>	<p>Model: SD7H15 Aftmkt: 4663 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FORD/STERLING 89-93</p>  <p>20-10080</p>













©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD5H14 Altmtkt: 4525 / 6642 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Cyl Head C Oil: PAG 100</p> <p>AGCO 99 ALLIS CHALMERS 99 DEUTZ 99 HESSTON 99 WHITE AGCO 99</p>  <p>20-10086</p>	<p>Model: SD5H14 Altmtkt: 6667 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Cyl Head C Oil: PAG 100</p> <p>JOHN DEERE 99</p>  <p>20-10088</p>	<p>Model: SD7H15 Altmtkt: 4666 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HOR Cyl Head KC Oil: PAG 100</p> <p>KENWORTH 77-10 PETERBILT 88-06</p>  <p>20-10089</p>
<p>Model: SD7H15 Altmtkt: 4666 Volts: 12 Gr: 8 Dia: 119mm Mount: DIRECT Fig: HOR Cyl Head KC Oil: PAG 100</p>  <p>20-10089-AM</p>	<p>Model: SD7H15 Altmtkt: 4641 Volts: 12 Gr: 6 Dia: 119mm Coil: 12 Mount: DIRECT Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-10093</p>	<p>Model: SD7H15 Altmtkt: 4652 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>FIAT 99 JCB 99 KOBELCO 99 KOMATSU 99 VOLVO 99</p>  <p>20-10097</p>
<p>Model: SD7H15 Altmtkt: 4652 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p>  <p>20-10097-AM</p>	<p>Model: SD508 Altmtkt: 8390 Volts: 12 Gr: 2 Dia: 132mm GL: 23/39mm Coil: 12 Mount: EAR Fig: VFL Cyl Head BO Oil: MINERAL</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 DEUTZ 99 FORD NEW HOLLAND 99 HESSTON 99</p>  <p>20-10102-AM</p>	<p>Model: SD510 Altmtkt: 9103 Volts: 12 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VFL Cyl Head B Oil: MINERAL</p> <p>AGCO 99 CASE-IH 99 DEUTZ 99 HESSTON 99 INTERNATIONAL 77-10 KENWORTH 78-10</p>  <p>20-10105-AM</p>
<p>Model: SD508 Altmtkt: 9285 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FG Oil: MINERAL</p> <p>ALLIS CHALMERS 99 CASE-IH 99 DEUTZ 99 FORD NEW HOLLAND 99 HESSTON 99 INTERNATIONAL 77-10 KENWORTH 01-10</p>  <p>20-10106-AM</p>	<p>Model: SD508 Altmtkt: 9537 Volts: 12 Gr: 7 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FG Oil: MINERAL</p>  <p>20-10107-AM</p>	<p>Model: SD709 Altmtkt: 7402 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p>  <p>20-10112-AM</p>
<p>Model: SD508HD Altmtkt: 9026 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head M Oil: PAG 100</p>  <p>20-10114-AM</p>	<p>Model: SD510HD Altmtkt: 9120 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FG Oil: MINERAL</p> <p>CASE-IH 99 INTERNATIONAL 73-10 MASSEY FERGUSON 99 PETERBILT 78-10</p>  <p>20-10115-AM</p>	<p>Model: SD510 Altmtkt: 9105 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VFL Cyl Head BO Oil: MINERAL</p> <p>CASE-IH 99 JCB 99</p>  <p>20-10118-AM</p>






























©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD508 Aftmkt: 9519 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VTO Oil: PAG 100</p>  <p>20-10147-AM</p>	<p>Model: SD7H15 Aftmkt: 7819 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p>   <p>20-10151</p>	<p>Model: SD7H15 Aftmkt: 7822 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HTO Cyl Head MD Oil: PAG 100</p> <p>KENWORTH 78-06</p>   <p>20-10152</p>
<p>Model: SD508 Aftmkt: 9263 Volts: 12 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VTO Cyl Head N Oil: MINERAL</p>   <p>20-10164-AM</p>	<p>Model: SD5H14 Aftmkt: 4513 / 6631 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head M Oil: PAG 100</p>   <p>20-10180</p>	<p>Model: SD5H14 Aftmkt: 4513 / 6631 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HTO Cyl Head M Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99</p>   <p>20-10180-AM</p>
<p>Model: SD5H14 Aftmkt: 4506 / 6665 Volts: 24 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>VOLVO 99</p>   <p>20-10183</p>	<p>Model: SD5H14HD Aftmkt: 6665 Volts: 24 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>VOLVO 99</p>   <p>20-10183-AM</p>	<p>Model: SD5H14 Aftmkt: 4508 Volts: 12 Gr: 10 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p>   <p>20-10185</p>
<p>Model: SD5H14 Aftmkt: 6664 / 4509 Volts: 12 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 FORD/STERLING 93-95 KENWORTH 77-10</p>   <p>20-10186</p>	<p>Model: SD5H14 Aftmkt: 6664 / 4509 Volts: 12 Gr: 2 Dia: 132mm GL: 23.8mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 KENWORTH 77-10 WHITE AGCO 99</p>   <p>20-10186-AM</p>	<p>Model: SD5H14 Aftmkt: 4511 Volts: 12 Gr: 1C Dia: 158mm Coil: 12 Mount: EAR Fig: VTO Cyl Head C Oil: PAG 100</p> <p>TAKEUCHI 99 VOLVO 84-00 WESTERN STAR 94-01</p>   <p>20-10187</p>
<p>Model: SD5H14 Aftmkt: 4514 / 6629 Volts: 24 Gr: 7 Dia: 119mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p>   <p>20-10188-24</p>	<p>Model: SD7H13 Aftmkt: 7312 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p> <p>CASE-IH 99 FORD NEW HOLLAND 99</p>   <p>20-10189</p>	<p>Model: SD7H13 Aftmkt: 7312 Volts: 24 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>   <p>20-10189-24</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SANDEN

<p>Model: SD7H15 Altmtkt: 4637 Volts: 12 Gr: 8 Dia: 133mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KC Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-10194</p>	<p>Model: SD7H15 Altmtkt: 4637 Volts: 12 Gr: 8 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KC Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-10194-AM</p>	<p>Model: SD510 Altmtkt: 9674 Volts: 24 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FG Oil: PAG 100</p> <p>KOBELOCO 99 VOLVO 99</p>  <p>20-10196-AM</p>
<p>Model: SD6H14 Altmtkt: 6590 Volts: 24 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VOR Cyl Head M Oil: PAG 100</p>  <p>20-10365</p>	<p>Model: SD6H14 Altmtkt: 6590 Volts: 24 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: VOR Cyl Head M Oil: PAG 100</p>  <p>20-10365-AM</p>	<p>Model: SD7H15 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-10366</p>
<p>Model: SD6H14 Volts: 12 Gr: 1C Dia: 158mm Coil: 12 Mount: EAR Fig: VFL Oil: PAG 100</p> <p>VERSATILE 99</p>  <p>20-10370</p>	<p>Model: SD7H15 OEM: FOMIN-19D629AA Volts: 12 Gr: 6 Dia: 125mm Coil: 12 Mount: EAR Fig: PAD Cyl Head UK Oil: PAG 100</p> <p>FORD NEW HOLLAND 99</p>  <p>20-11236</p>	<p>Model: FLX7 OEM: FLX7 Altmtkt: 4420 Volts: 12 Gr: 8 Dia: 119mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head GV Oil: PAG 100</p>  <p>20-14420</p>
<p>Model: SD7H15 OEM: 3E1906 Altmtkt: 4604 Volts: 24 Gr: 1 Dia: 138mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-14604</p>	<p>Model: SD7H15SHD OEM: 3E1906 Altmtkt: 4604 Volts: 24 Gr: 1 Dia: 138mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GK Oil: PAG 100</p> <p>CATERPILLAR 99</p>  <p>20-14604-AM</p>	<p>Model: SD7H15 Altmtkt: 4779 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JD Oil: PAG 100</p> <p>VOLVO 75-06</p>  <p>20-14779</p>
<p>Model: FLX7 OEM: FLX7 Altmtkt: 4860 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: PAD Cyl Head GV Oil: PAG 100</p> <p>GEHL 99</p>  <p>20-14860</p>	<p>Model: SD6H11 Altmtkt: 6321 Volts: 12 Gr: 2 Dia: 125mm Coil: 12 Mount: EAR Fig: VOR Cyl Head FL Oil: PAG 100</p> <p>BOBCAT 99 FORD NEW HOLLAND 99</p>  <p>20-16321</p>	<p>Model: SD7H15 Altmtkt: 8024 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>  <p>20-18024</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



COMPRESSORS - SANDEN

<p>Model: SD7H15 CEM: 477/42400 Attrmkt: 8024 Volts: 12 Gr: 2 Dia: 132mm Coil: 12 Mount: EAR Fig: VOR Cyl Head JE Oil: PAG 100</p>  <p>20-18024-AM</p>	<p>Model: SD7H15 Attrmkt: 8085 Volts: 24 Gr: 8 Dia: 119mm Coil: 12 Mount: EAR Fig: HOR Cyl Head KG Oil: PAG 100</p>  <p>20-18085</p>	<p>Model: SD7H15 CEM: 03-7H15-PV8 Attrmkt: 4698 Volts: 12 Gr: 8 Dia: 133mm Coil: 12 Mount: DIRECT Fig: VOR Cyl Head JD Oil: PAG 100 AGCO 99</p>  <p>20-18086</p>
<p>Model: SD7H15 Attrmkt: 8112 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WZ Oil: PAG 100 VOLVO 99</p>  <p>20-18112</p>	<p>Model: SD7H15 Attrmkt: 8112 Volts: 24 Gr: 8 Dia: 132mm Coil: 12 Mount: DIRECT Fig: PAD Cyl Head WZ Oil: PAG 100</p>  <p>20-18112-AM</p>	<p>Model: SD608 CEM: IH1977959 Attrmkt: 9571 Volts: 12 Gr: 2 Dia: 152mm Coil: 12 Mount: EAR Fig: HTO Cyl Head M Oil: MINERAL CASE-IH 99 FORD NEW HOLLAND 99 HESSTON 99</p>  <p>20-19571</p>




COMPRESSORS - SEIKO SEIKI

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmkt
SS96DL	20-11548	116mm	1	12	PAG 46	7	EAR	PAD		



COMPRESSORS - SEIKO SEIKI

<p>Model: SS96DL Volts: 12 Gr: 1 Dia: 116mm Coil: 3 Mount: EAR Fig: PAD Oil: PAG 46</p> <p>KOMATSU 99</p>  <p>20-11548</p>		
---	--	--



Santech.
Automotive A/C Components™

COMPRESSORS - SELTEC
















Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmkt
TM-08HS	20-42081	123mm	6	12	PAG 46	5	SWING	VOR	103-52081	103-52081
TM-08HS	20-10252	125mm	2	12	PAG 46	5	EAR	HOR	103-52008	103-52008
TM-08HS	20-42017	125mm	2	12	PAG 46	5	SWING	VOR	103-52017	103-52017
TM-08HS	20-52210	135mm	2	12	PAG 100	5	EAR	PAD	103-52210	103-52210
TM-13	20-44299	123mm	6	12	PAG 46	5	EAR	VOR		
TM-13HS	20-44210	135mm	2	12	PAG 46	5	EAR	PAD	103-54210	103-54210
TM-13HS	20-10242	135mm	2	12	PAG 46	5	EAR	VOR	103-54070	103-54070
TM-15HD	20-11542	NA	NA	12	PAG 46	5	EAR	VOR		
TM-15HS	20-45457		1	24	PAG 46			VOR	103-55457	
TM-15HS	20-10275	135mm	2	12	PAG 46	5	EAR	PAD	103-55210	103-55210
TM-15HS	20-45090	135mm	2	24	PAG 46	5	DIRECT	VOR	103-55090	103-55090
TM-15HS	20-45045	152mm	2	12	PAG 46	5	EAR	HOR	103-55045	103-55045
TM-15HS	20-45048	152mm	2	24	PAG 46	5	EAR	HOR	103-55048	103-55048
TM-15XS	20-10368-XD	135mm	2	24	w/o Oil	0	EAR	PAD		103-55931
TM-16HD	20-46405	159mm	2	12	PAG 46	6	EAR	PAD	103-46405	103-46405
TM-16HS	20-46525	119mm	8	24	PAG 46	6	EAR	PAD	103-56525	103-56525
TM-16HS	20-56521-HP	119mm	10	24	PAG 46	6	DIRECT	RH PAD	103-56521	103-56521
TM-16HS	20-46120	123mm	8	12	PAG 46	6	EAR	VOR	103-56120	103-56120
TM-16HS	20-46222	125mm	2	12	PAG 46	6	EAR	PAD	103-56222	103-56222
TM-16HS	20-46202	132mm	8	12	PAG 46	6	EAR	PAD	103-56202	103-56202
TM-16HS	20-46210	135mm	2	12	PAG 46	6	EAR	PAD	103-56210	103-56210
TM-16HS	20-46212	135mm	2	24	PAG 46	6	EAR	PAD	103-56212	103-56212
TM-16HS	20-46204	152mm	2	12	PAG 46	6	EAR	PAD	103-56204	103-56204
TM-16HS	20-46041	152mm	2	12	PAG 46	6	EAR	VOR	103-56041	103-56041
TM-16HS	20-46054	159mm	1B	12	PAG 46	6	EAR	HTO	103-56054	103-56054
TM-21	20-67268	141mm	8	24	PAG 46	6	DIRECT	PAD	103-67268	103-67268
TM-21	20-47252	152mm	1	12	PAG 46	6	DIRECT	PAD	103-47250	103-47250

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSORS - SELTEC

<p>Model: TM-13HS OEM: 103-54070 Afrmt: 103-54070 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>BOBCAT 99 CASE-IH 99 GEHL 99</p>  <p>20-10242</p>	<p>Model: TM-15HS OEM: 103-55011 Afrmt: 103-55011 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>FREIGHTLINER 74-08 INTERNATIONAL 73-06 KENWORTH 78-06 MACK 76-06 PETERBILT 88-06</p>  <p>20-10246</p>	<p>Model: TM-08HS OEM: 103-52008 Afrmt: 103-52008 Volts: 12 Gr: 2 Dia: 125mm Cl Type: LEAF SPRING Coil: 12 Mount: EAR Fig: HOR Cyl Head BO Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-10252</p>
<p>Model: TM-15HS OEM: 103-55210 Afrmt: 103-55210 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>CATERPILLAR 99</p>  <p>20-10275</p>	<p>Model: TM-15HD Volts: 12 Gr: N/A Dia: N/A GL: N/A Cl Type: Direct Drive Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p>  <p>20-11542</p>	<p>Model: TM-08HS OEM: 103-52010 Afrmt: 103-52010 Volts: 12 Gr: 2 Dia: 125mm Cl Type: LEAF SPRING Coil: 12 Mount: EAR Fig: VOR Cyl Head CAST Oil: PAG 46</p>  <p>20-42010</p>
<p>Model: TM-08HS OEM: 103-52017 Afrmt: 103-52017 Volts: 12 Gr: 2 Dia: 125mm Cl Type: LEAF SPRING Coil: 12 Mount: SWING Fig: VOR Cyl Head CAST Oil: PAG 46</p> <p>BOBCAT 99 CATERPILLAR 99</p>  <p>20-42017</p>	<p>Model: TM-08HS OEM: 103-52081 Afrmt: 103-52081 Volts: 12 Gr: 6 Dia: 123mm Cl Type: 3 EYE Coil: 12 Mount: SWING Fig: VOR Cyl Head CAST Oil: PAG 46</p> <p>BOBCAT 99</p>  <p>20-42081</p>	<p>Model: TM-13 Volts: 12 Gr: 6 Dia: 123mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p>  <p>20-44299</p>
<p>Model: TM-15HS OEM: 103-55021 Afrmt: 103-55021 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head CAST Oil: PAG 46</p>  <p>20-45021</p>	<p>Model: TM-15HS OEM: 103-55090 Afrmt: 103-55090 Volts: 24 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: DIRECT Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>GEHL 99</p>  <p>20-45090</p>	<p>Model: TM-16HS OEM: 103-56041 Afrmt: 103-56041 Volts: 12 Gr: 2 Dia: 152mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>FORD NEW HOLLAND 99</p>  <p>20-46041</p>
<p>Model: TM-16HS OEM: 103-56054 Afrmt: 103-56054 Volts: 12 Gr: 1B Dia: 159mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: HTO Cyl Head BO Oil: PAG 46</p> <p>STEIGER 99</p>  <p>20-46054</p>	<p>Model: TM-16HS OEM: 103-56120 Afrmt: 103-56120 Volts: 12 Gr: 8 Dia: 123mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: VOR Cyl Head BO Oil: PAG 46</p> <p>STEIGER 99 WHITE AGCO 99</p>  <p>20-46120</p>	<p>Model: TM-16HS OEM: 103-56202 Afrmt: 103-56202 Volts: 12 Gr: 8 Dia: 132mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p> <p>FORD NEW HOLLAND 99</p>  <p>20-46202</p>








©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - SELTEC

<p>Model: TM-16HS OEM#: 103-56204 Altmtk: 103-56204 Volts: 12 Gr: 2 Dia: 152mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p>  <p>DEUTZ 99 HESSTON 99 MCCORMICK 99 STEIGER 99</p> <p>20-46204</p>	<p>Model: TM-16HS OEM: 103-56210 Altmtk: 103-56210 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p>  <p>CASE-IH 99 HESSTON 99 MASSEY FERGUSON 99</p> <p>20-46210</p>	<p>Model: TM-16HS OEM: 103-56212 Altmtk: 103-56212 Volts: 24 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p>  <p>VOLVO 99</p> <p>20-46212</p>
<p>Model: TM-16HS OEM: 103-56222 Altmtk: 103-56222 Volts: 12 Gr: 2 Dia: 125mm Cl Type: LEAF SPRING Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p>  <p>ALLIS CHALMERS 99</p> <p>20-46222</p>	<p>Model: TM-16HD OEM: 103-46405 Altmtk: 103-46405 Volts: 12 Gr: 2 Dia: 159mm Cl Type: LEAF SPRING Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 46</p>  <p>GEHL 99 TEREX 99</p> <p>20-46405</p>	<p>Model: TM-21 OEM: 103-47250 Altmtk: 103-47250 Volts: 12 Gr: 1 Dia: 152mm Cl Type: 3 EYE Coil: 12 Mount: DIRECT Fig: PAD Cyl Head CAST Oil: PAG 46</p>  <p>CATERPILLAR 99</p> <p>20-47252</p>
<p>Model: TM-08HS OEM: 103-52210 Altmtk: 103-52210 Volts: 12 Gr: 2 Dia: 135mm Cl Type: 3 EYE Coil: 12 Mount: EAR Fig: PAD Cyl Head BO Oil: PAG 100</p>  <p>CATERPILLAR 99</p> <p>20-52210</p>		



Santech
Automotive A/C Components™

COMPRESSORS - YORK

Model	Part #	CL Dia	Grv	Volt	Oil	Oil oz	Mount	Fitting	OEM	Aftmrkt
EF210R	20-10336	W/O	W/O	W/O	PAG 100	14	DIRECT	FLANGE	EF210R-25212	
EF210R	20-10336-G	W/O	W/O	W/O	PAG 100	14	DIRECT	FLANGE	EF210R-25212	
EF210L	20-10331	W/O	W/O	W/O	PAG 100	14	DIRECT	ROTOLOCK	EF210L-25149	
EF210L	20-10331-AM	W/O	W/O	W/O	PCE/PAG 100	14	DIRECT	ROTOLOCK	EF210L-25149	
EF210R	20-10334	W/O	W/O	W/O	PAG 100	14	DIRECT	ROTOLOCK	EF210R-25200	
EF210R	20-10334-AM	W/O	W/O	W/O	PCE/PAG 100	14	DIRECT	ROTOLOCK	EF210R-25200	
ET210L	20-10330	W/O	W/O	W/O	PAG 100	13.5	DIRECT	TUBE-O		
ET210L	20-10330-AM	W/O	W/O	W/O	PCE/PAG 100	13.5	DIRECT	TUBE-O	ET210L-25150	
ET210R	20-10335	W/O	W/O	W/O	PAG 100	14	DIRECT	TUBE-O	ET210R-25189	
ET210R	20-10335-AM	W/O	W/O	W/O	PCE/PAG 100	14	DIRECT	TUBE-O	ET210R-25189	

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSORS - YORK













<p>Model: ET210L Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: TUBE-O Cyl Head LHS Oil: PAG 100</p> <p>CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD NEW HOLLAND 99 FORD/STERLING 66 FORD/STERLING 64-65 FORD/STERLING 67-92</p> <p>20-10330</p>	<p>Model: ET210L OEM: ET210L-25150 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: TUBE-O Cyl Head LHS Oil: POE/PAG 100</p> <p>CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD NEW HOLLAND 99 FORD/STERLING 66 FORD/STERLING 64-65</p> <p>20-10330-AM</p>	<p>Model: EF210L OEM: EF210L-25149 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: ROTOLOCK Cyl Head LHS Oil: PAG 100</p> <p>CASE-IH 99 CATERPILLAR 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD NEW HOLLAND 99</p> <p>20-10331</p>
<p>Model: EF210L OEM: EF210L-25149 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: ROTOLOCK Cyl Head LHS Oil: POE/PAG 100</p> <p>CASE-IH 99 CATERPILLAR 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD NEW HOLLAND 99</p> <p>20-10331-AM</p>	<p>Model: R210L Volts: 12</p> <p>20-10331-R</p>	<p>Model: EF210R OEM: EF210R-25200 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: ROTOLOCK Cyl Head RHS Oil: PAG 100</p> <p>CASE-IH 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD NEW HOLLAND 99 FORD/STERLING 90</p> <p>20-10334</p>
<p>Model: EF210R OEM: EF210R-25200 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: ROTOLOCK Cyl Head RHS Oil: POE/PAG 100</p> <p>CASE-IH 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD/STERLING 90 FORD/STERLING 99-99</p> <p>20-10334-AM</p>	<p>Model: ET210R OEM: ET210R-25189 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: TUBE-O Cyl Head RHS Oil: PAG 100</p> <p>CASE-IH 99 CATERPILLAR 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD/STERLING 66</p> <p>20-10335</p>	<p>Model: ET210R OEM: ET210R-25189 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: TUBE-O Cyl Head RHS Oil: POE/PAG 100</p> <p>CASE-IH 99 CATERPILLAR 99 CHEVY/GMC 77-93 CHEVY/GMC 95-02 CHEVY/GMC 04-06 FORD/STERLING 66</p> <p>20-10335-AM</p>
<p>Model: EF210R OEM: EF210R-25212 Volts: W/O Gr: W/O Dia: W/O Cl Type: W/O Coil: W/O Mount: DIRECT Fig: FLANGE Cyl Head RHS Oil: PAG 100</p> <p>ALLIS CHALMERS 99 FREIGHTLINER 01-03 GLENER 99 KENWORTH 78-06 MASSEY FERGUSON 99</p> <p>20-10336</p>	<p>Model: EF210R OEM: EF210R-25212 Volts: W/O Gr: W/O Dia: W/O Mount: DIRECT Fig: FLANGE Oil: PAG 100</p> <p>ALLIS CHALMERS 99 GLENER 99</p> <p>20-10336-G</p>	

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates













COMPRESSOR GASKET KITS

<p>Type: York/Tecumseh Notes: NITRILE-10 PACK</p>  <p>MT0053</p>	<p>Type: York/Tecumseh Notes: ROTOLOCK PORT SEAL</p>  <p>MT0054</p>	<p>Type: York/Tecumseh Notes: ROTOLOCK NITRILE</p>  <p>MT0055</p>
<p>Notes: GASKET</p>  <p>MT0639</p>	<p>Type: York/Tecumseh Notes: ROTOLOCK PORT SEAL</p>  <p>MT0641</p>	<p>Type: York/Tecumseh Notes: SERVICE VALVE ASSORTMENT</p>  <p>MT0843</p>
<p>Type: Universal Notes: 2PACK</p>  <p>MT1425</p>	<p>Type: Universal Notes: STAT-O-SEAL 17.27MM ID</p>  <p>MT1428</p>	<p>Type: Universal Notes: 2PACK</p>  <p>MT1429</p>
<p>Type: Universal Notes: CHARGING HOSE GASKET 3/16in R12</p>  <p>MT1521</p>	<p>Type: York Notes: 206, 209, 210</p>  <p>MT2080</p>	<p>Type: Satec Model: DKS15BH</p>  <p>MT2112</p>

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



COMPRESSOR GASKET KITS


<p>Type: Seltec Model: DKS15CH Notes: R12 / R134A</p>  <p>MT2113</p>	<p>Type: Seltec Model: DKS16H Notes: R134A</p>  <p>MT2114</p>	<p>Type: GM - HD Model: A6 Notes: R12 / R134A</p>  <p>MT2117</p>
<p>Type: Denso Model: 6E171</p>  <p>MT2137</p>	<p>Type: Ford/Tecumseh Model: HG850/1000</p>  <p>MT2184</p>	<p>Type: Diesel Kiki Model: DKS13G</p>  <p>MT2313</p>
<p>Type: Diesel Kiki Model: DKS13S/15S Notes: FIBER GASKET</p>  <p>MT2314</p>	<p>Type: Diesel Kiki Model: DKS17S Notes: FIBER GASKET</p>  <p>MT2315</p>	<p>Type: Diesel Kiki Model: TM13/TM15HD Notes: FIBER GASKET</p>  <p>MT2370</p>
<p>Notes: PORTS/CONNECT ION ORING KIT</p>  <p>MT9660</p>		

©2017, Omega Environmental Technologies, All Rights Reserved
 Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

COMPRESSOR SHAFT/LIP SEAL KITS

<p>Type: GM Model: A6/R4 STD AND HD, CERAMIC Notes: SHAFT/LIP SEAL</p>  <p>MT2036</p>	<p>Type: GM Model: A6/R4 STD AND HD, METAL Notes: SHAFT/LIP SEAL</p>  <p>MT2037</p>	<p>Type: Sanden Model: SD507/508/510/TR 80 Notes: SHAFT/LIP SEAL FORD NEW HOLLAND 99</p>  <p>MT2043</p>
<p>Type: Sanden Model: SD57/5H/7H SD7V16 SP10_ 6CA17C_ 7SB16C_ DKS13CH/15CH_ DKS17 SS121_ SS96 TM08HD_ TM13/15 Notes: SHAFT/LIP SEAL FORD NEW HOLLAND 99</p>  <p>MT2045</p>	<p>Type: York/Tecumseh Model: 206/210 7/32in Hole Notes: SHAFT/LIP SEAL FORD NEW HOLLAND 99</p>  <p>MT2047</p>	<p>Type: York/Tecumseh Model: 210 (6 Bolt 9/32in Hole) Notes: SHAFT/LIP SEAL</p>  <p>MT2048</p>
<p>Type: York/Tecumseh Model: 210 (5 Bolt) Notes: SHAFT/LIP SEAL</p>  <p>MT2049</p>	<p>Type: York/Tecumseh Model: HG600/850/1000/2 06/209/210 Notes: SHAFT/LIP SEAL FORD NEW HOLLAND 99</p>  <p>MT2160</p>	



Santech.
 Automotive A/C Components™

















COMPRESSOR RELIEF VALVES

 <p>MT0460 Flg Size 3/8"-24 Flg Type Male Captive</p>	 <p>MT1349 Flg Size 3/8"-24 Flg Type Male Non-Captive</p>	 <p>MT1350 Flg Size M10-1.25 Flg Type Male Non-Captive</p>	 <p>MT1351 Flg Size M10-1.50 Flg Type Male Non-Captive</p>
 <p>MT1352 Flg Size M11x1.5 Flg Type Male Non-Captive</p>	 <p>MT1610 Flg Size M10-1.0 Flg Type Male Captive</p>	 <p>MT1611 Flg Size 3/8"-28 Flg Type Male Captive</p>	 <p>MT1613 Flg Size M10-1.0 Flg Type Male Non-Captive</p>
 <p>MT1614 Flg Size M12-1.0 Flg Type Male Non-Captive</p>	 <p>MT1615 Flg Size M11-1.0 Flg Type Male Non-Captive</p>		



Santech
Automotive A/C Components™

COMPRESSOR SEALING WASHER KITS

 <p>MT1209 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 17.07mm Stl ID: 25.35mm Fbr Thk: 2.19mm Stl Thk: 1.22mm</p>	 <p>MT1210 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 15.50mm Stl ID: 23.65mm Fbr Thk: 2.11mm Stl Thk: 1.22mm</p>	 <p>MT1211 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 7.92mm Stl ID: 15.90mm Fbr Thk: 1.98mm Stl Thk: 1.22mm</p>	 <p>MT1212 Comp Typ CHRYSLER Model: GREEN Type: SHAFT/LIP SEAL</p>
 <p>MT1213 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 14.91mm Stl ID: 23.01mm Fbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1214 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 17.15mm Stl ID: 25.07mm Fbr Thk: 2.01mm Stl Thk: 1.22mm</p>	 <p>MT1215 Comp Typ Chrysler Type: SEALING WASHER Type: SLIM LINE Fbr ID: 17.53mm Stl ID: 25.65mm Fbr Thk: 2.01mm Stl Thk: 1.27mm</p>	 <p>MT1216 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 17.91mm Stl ID: 27.99mm Fbr Thk: 1.91mm Stl Thk: 1.22mm</p>
 <p>MT1217 Comp Typ Chrysler Type: TEAR DROP DISCHARGE Notes: Oring MT1333 Fbr ID: 15.11mm</p>	 <p>MT1218 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 11.18mm Stl ID: 19.02mm Fbr Thk: 2.03mm Stl Thk: 1.27mm</p>	 <p>MT1219 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 14.99mm Stl ID: 23.80mm Fbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1220 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 17.15mm Stl ID: 25.30mm Fbr Thk: 2.01mm Stl Thk: 1.22mm</p>
 <p>MT1221 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 19.56mm Stl ID: 29.72mm Fbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1222 Comp Typ GM Type: SEALING WASHER Type: SLIM LINE Fbr ID: 13.31mm Stl ID: 23.70mm Fbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1298 Comp Typ GM Type: TEAR DROP SUCTION Notes: Oring MT0022 Fbr ID: 17.93mm</p>	 <p>MT1299 Comp Typ GM Type: TEAR DROP DISCHARGE Notes: Oring MT0926 Fbr ID: 15.01mm</p>





©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

COMPRESSOR SEALING WASHER KITS









 <p>MT1318 Comp Typ Heavy Duty Type: TEAR DROP DISCHARGE Notes: O-ring MT1320 Rbr ID: 15.49mm</p>	 <p>MT1319 Comp Typ Heavy Duty Type: TEAR DROP SUCTION Notes: O-ring MT1321 Rbr ID: 21.39mm</p>	 <p>MT1322 Comp Typ Heavy Duty Type: SEALING WASHER KIT Notes: O-ring MT1318 and MT1319</p>	 <p>MT1343 Comp Typ GM Type: TEAR DROP SUCTION Notes: O-ring MT0022 Rbr ID: 17.91mm</p>
 <p>MT1425 Comp Typ Heavy Duty Type: SEALING WASHER Rbr ID: 8.26mm Stl ID: 15.95mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1426 Comp Typ Heavy Duty Type: SEALING WASHER Rbr ID: 11.23mm Stl ID: 19.05mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1427 Comp Typ Heavy Duty Type: STAT O SEAL Rbr ID: 14.22mm Stl ID: 23.6mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1428 Comp Typ Heavy Duty Type: SEALING WASHER Rbr ID: 17.27mm Stl ID: 25.25mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>
 <p>MT1587 Comp Typ Heavy Duty Type: SEALING WASHER Rbr ID: 8.16mm Stl ID: 14.28mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT1588 Comp Typ FREIGHTLINER Type: SHAFT/LIP SEAL</p>	 <p>MT1589 Comp Typ Heavy Duty Type: SEALING WASHER Rbr ID: 13.86mm Stl ID: 19.97mm Rbr Thk: 1.91mm Stl Thk: 1.22mm</p>	 <p>MT2159 Comp Typ GM Type: SEALING WASHER KIT</p>
 <p>MT2161 Comp Typ GM Type: SEALING WASHER KIT</p>	 <p>MT2162 Comp Typ GM Type: SEALING WASHER KIT</p>	 <p>MT2166 Comp Typ GM Type: SEALING WASHER SINGLE USE</p>	 <p>MT8000 Comp Typ Universal Type: FLARED WASHER Notes: ID=5.68mm/OD=10.57mm/Thick=3.05mm/#6 Rbr ID: 10.57mm Stl ID: 3.05mm Stl Thk: 5.68mm</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates




COMPRESSOR SEALING WASHER KITS

 <p>MT8001 Comp Typ Universal Type: FLARED WASHER Notes: ID=6.35mm/OD=13.67mm/Thick=3.55mm/#8 Fbr ID: 13.67mm Stl ID: 3.35mm Stl Thk: 6.35mm</p>	 <p>MT8002 Comp Typ Universal Type: FLARED WASHER Notes: ID=9.78mm/OD=16.51mm/Thick=3.55mm/#10 Fbr ID: 16.51mm Stl ID: 3.56mm Stl Thk: 9.78mm</p>	 <p>MT8003 Comp Typ Universal Type: FLARED WASHER Notes: ID=11.96mm/OD=19.05mm/Thick=3.55mm/#12 Fbr ID: 19.05mm Stl ID: 3.35mm Stl Thk: 11.96mm</p>	 <p>MT8009 Comp Typ Universal Type: FLARED FITTING WASHER Notes: ID=4.72mm/OD=9.25mm/Thick=2.18mm/#4 Fbr ID: 4.72mm Fbr Thk: 2.13mm Fbr OD: 9.25mm</p>
 <p>MT9587 Comp Typ GM Type: SLIM LINE BOX KIT</p>	 <p>MT9588 Comp Typ GM Type: SEALING WASHER BOX KIT</p>	 <p>MT9619 Comp Typ Universal Type: SEALING WASHER BOX KIT</p>	 <p>MT9661 Comp Typ Heavy Duty Type: SEALING WASHER/ORING BOX KIT</p>



Santech.
Automotive **A/C** Components™









COMPRESSOR SWITCH

 <p>MT1230</p>			
--	--	--	--



Santech
Automotive A/C Components™

CONDENSERS

<p>Type: Tube & Fin Height: 12.00in Width: 18.00in Depth: 1in Ftg In: #8 MO Ftg Out: #6 MO OEM: 118316C1 CASE-IH 99</p>  <p>24-13692</p>	<p>Type: Tube & Fin Height: 16.00in Width: 19.50in Depth: 1.25in Mount: Yes Ftg In: #8 MO Ftg Out: #6 MO OEM: AL30364 JOHN DEERE 99</p>  <p>24-14683</p>
<p>Type: Tube & Fin Height: 15.25in Width: 20.25in Depth: 1.25in Mount: Yes Ftg In: #8 MO Ftg Out: #6 MO OEM: AL70298A JOHN DEERE 99</p>  <p>24-14684</p>	<p>Type: Parallel Flow OEM: 164-0588 CATERPILLAR 99 KOMATSU 99</p>  <p>24-14689</p>
<p>Type: Tube & Fin Height: 10.00in Width: 36.00in Depth: 2.50in Ftg In: #8 MFL Ftg Out: #8 FFL OEM: 539068R1 CASE-IH 99</p>  <p>24-33661</p>	<p>Type: Parallel Flow Height: 14.00in Width: 15.75in Depth: .75in Ftg Type: Block Ftg In: Block Ftg Out: Block OEM: 3A851-50040 KUBOTA 99</p>  <p>24-33663</p>
<p>Height: 11.50in Width: 22.50in Depth: 1in OEM: 218-6807 CATERPILLAR 99</p>  <p>24-33664</p>	<p>Type: Parallel Flow Height: 19.75in Width: 37.00in Depth: 1in Ftg In: #8 MO Ftg Out: #6 MO OEM: 7VW8126 CATERPILLAR 99</p>  <p>24-33679</p>






©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™











CONDENSERS

<p>Type: Tube & Fin Height: 17.25in Width: 25.50in Depth: 1.75in Fig Type: Oring Fig In: #8 MO Fig Out: #6 MO OEM: AH87966 JOHN DEERE 99</p>  <p>24-33693</p>	<p>Type: Tube and Fin Height: 17.5in Width: 38.25in OEM: 3853558F92 CATERPILLAR 13-16</p>  <p>24-33705</p>
<p>OEM: 216-0804 CATERPILLAR 99</p>  <p>24-33707</p>	<p>OEM: 353-8584 CATERPILLAR 99</p>  <p>24-33708</p>
<p>Type: Tube & Fin Height: 10.00in Width: 43.50in Depth: 3.50in</p>  <p>24-41530</p>	



Santech
Automotive A/C Components™

EVAPORATORS

<p>Type: PLATE FIN OEM: 86890262 FORD NEW HOLLAND 99</p>  <p>27-19519</p>	<p>Type: PLATE FIN Height: 205mm Width: 267mm Depth: 92mm OEM: FB1H 19860 AB Afrmk: YK-174 KOMATSU 99</p>  <p>27-33177</p>	<p>Type: PLATE FIN OEM: 245-7836</p>  <p>27-33880</p>
 <p>27-33913</p>	<p>Type: PLATE FIN Height: 250mm Width: 235mm Depth: 48mm OEM: KH-R13620</p>  <p>27-33957</p>	<p>Type: PLATE FIN OEM: 446600-0992 KOMATSU 99</p>  <p>27-33973</p>
<p>OEM: 3A851-72100 KUBOTA 99</p>  <p>27-34051</p>	<p>OEM: 121590A3</p>  <p>27-50011</p>	<p>Type: TUBE & FIN FREIGHTLINER 00-05</p>  <p>27-50047</p>
<p>Type: Heat Cool OEM: 199075C2 CASE-IH 99</p>  <p>27-50076</p>		



Santech.
Automotive A/C Components™

EXPANSION VALVES - Block Valve

Liquid In	Liquid Out	Suction In	Suction Out	SuperHeat	Tons	OEM	Part #
3/8in	1/2in	1/2in	5/8in	5	2		31-30956-AM
3/8in	1/2in	1/2in	5/8in	5	2.0		31-30912-AM
3/8in	1/2in	1/2in	5/8in	6.3	2		31-30975
3/8in	1/2in	1/2in	5/8in	7.9	2	81874718	31-30937-AM
3/8in	1/2in	1/2in	5/8in	8	1.5		31-30901-AM
3/8in	1/2in	1/2in	5/8in	8	1.5	540056BSM	31-31009-AM
3/8in	1/2in	1/2in	5/8in	8	2		31-30901-P-AM
3/8in	1/2in	1/2in	5/8in	8	2	329-408	31-30991-AM
3/8in	1/2in	1/2in	5/8in	8	2	86639749	31-30905-AM
3/8in	1/2in	3/4in	3/4in	8	1		31-30908-AM
3/8in	1/2in	5/8in	3/4in			87314524	31-31332
3/8in	1/2in	5/8in	3/4in	1	2	20443850	31-31234
3/8in	1/2in	5/8in	3/4in	1.5	2	FE57575	31-30918-AM
3/8in	1/2in	5/8in	3/4in	4.5	2.0	AL207288	31-31358
3/8in	1/2in	5/8in	3/4in	5	2	82023542	31-31199
3/8in	1/2in	5/8in	3/4in	5.5	1.5	BOA-A4965	31-31047
3/8in	1/2in	5/8in	3/4in	5.5	1.5	BOA-A4965	31-31047-AM
3/8in	1/2in	5/8in	3/4in	5.5	2	64-118-362-851	31-30926
3/8in	1/2in	5/8in	3/4in	7	2	929-504	31-30997-AM
3/8in	1/2in	5/8in	3/4in	8	1.5	324334	31-31055-AM
3/8in	1/2in	5/8in	3/4in	8	2	201-830-03-84	31-30903-AM
3/8in	1/2in	5/8in	3/4in	8	2	FE174764	31-30992-AM
3/8in	1/2in	5/8in	5/8in	-2	1	BOA93674	31-31021-AM
3/8in	1/2in	5/8in	5/8in	5	2		31-30927-AM
3/8in	1/2in	5/8in	5/8in	5	2	BOA8032100269	31-31019-AM
3/8in	1/2in	5/8in	5/8in	12	2	VCC88000030	31-31020-AM
3/8in	1/2in	5/8in	5/8in	14.4	2	AL77579	31-31025
3/8in	3/4in	3/4in	3/4in	4	1.5	88515-04060	31-31043
3/8in	3/4in	3/4in	3/4in	4	1.5	T0070-94120	31-31200
3/8in	3/4in	3/4in	3/4in	6	1.5	130-0263	31-31239
3/8in	3/4in	3/4in	3/4in	8	1.5	88515-20100	31-30935
3/8in	3/4in	3/4in	3/4in	8	1.5	88515-20100	31-30935-AM
3/8in	5/8in	3/4in	3/4in	-2	1	3A581-72170	31-31218
3/8in	5/8in	3/4in	3/4in	4.0	1.0	AN51515-A0400	31-31295
3/8in	5/8in	5/8in	5/8in	0.5	1.5	14509331	31-31292

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

EXPANSION VALVES - Block Valve

<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 8 Tons: 1.5 Rlgmt: R134a Atmkt: 38901</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 CATERPILLAR 99 DEUTZ 99 FORD NEW HOLLAND 99 FORD/STERLING 77-98 FREIGHTLINER 77-84</p> <p>31-30901-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 8 Tons: 2 Rlgmt: R134a Atmkt: 71F8301</p> <p>ALLIS CHALMERS 99 CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99 FORD/STERLING 77-04 FREIGHTLINER 77-84 FREIGHTLINER 94-97 INTERNATIONAL 84-99</p> <p>31-30901-P-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 6.3 Tons: 2 Rlgmt: R12 OEM: 126-830-02-84 Atmkt: 38602</p> <p>31-30902-AM</p>
<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 8 Tons: 2 Rlgmt: R134a OEM: 201-830-03-84 Atmkt: 38750</p> <p>FORD NEW HOLLAND 99</p> <p>31-30903-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 8 Tons: 2 Rlgmt: R134a OEM: 86639749</p> <p>FORD NEW HOLLAND 99</p> <p>31-30905-AM</p>	<p>Fig: FLANGE Liq In: 3/8in Liq Out: 1/2in Suc In: 3/4in Suc Out: 3/4in SH: 8 Tons: 1 Rlgmt: R134a</p> <p>MASSEY FERGUSON 99</p> <p>31-30908-AM</p>
<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 5 Tons: 2.0 Rlgmt: R134a Atmkt: 38879</p> <p>CATERPILLAR 99 INTERNATIONAL 94-07 KENWORTH 82-06</p> <p>31-30912-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 1.5 Tons: 2 Rlgmt: R134a OEM: RE57575 Atmkt: 38892</p> <p>FORD NEW HOLLAND 99 JOHN DEERE 99 KENWORTH 07-10 PETERBILT 77-86 PETERBILT 95-06 TEREX 99</p> <p>31-30918-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 5.5 Tons: 2 Rlgmt: R134a OEM: 64-118-362-851 Atmkt: 38866</p> <p>CATERPILLAR 99 JCB 99</p> <p>31-30926</p>
<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 5 Tons: 2 Rlgmt: R134a Atmkt: 38880</p> <p>ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 FREIGHTLINER 94-05 JCB 99 JOHN DEERE 99 KENWORTH 97-07 KOMATSU 99</p> <p>31-30927-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 8 Tons: 1.5 Rlgmt: R134a OEM: 88515-20100</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 JOHN DEERE 99 MASSEY FERGUSON 99 WHITE AGCO 99</p> <p>31-30935</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 8 Tons: 1.5 Rlgmt: R134a OEM: 88515-20100 Atmkt: 38884</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 HITACHI 99 JOHN DEERE 99 KOMATSU 99</p> <p>31-30935-AM</p>
<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 7.9 Tons: 2 Rlgmt: R134a OEM: 81874718 Atmkt: 38669</p> <p>CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99</p> <p>31-30937-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 6 Tons: 2 Rlgmt: R134a OEM: 386535A1</p> <p>31-30939-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 5 Tons: 2 Rlgmt: R134a Atmkt: 38878</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 CATERPILLAR 99 DEUTZ 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99</p> <p>31-30956-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™

EXPANSION VALVES - Block Valve

<p>Fig: O-RING Liq In: 3/8in Liq Out: 5/8in Suc In: 3/4in Suc Out: 3/4in SH: 7 Tons: 1.5 Rlgmt: R134a OEM: 88515-52040 Altmt: 39048</p>  <p>31-30967</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 6.3 Tons: 2 Rlgmt: R12 Altmt: 38620</p>  <p>31-30975</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 8 Tons: 2 Rlgmt: R134a OEM: 329-408</p>  <p>31-30991-AM</p>
<p>Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 8 Tons: 2 Rlgmt: R134a OEM: RE174764</p>  <p>31-30992-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 7 Tons: 2 Rlgmt: R134a OEM: 929-504</p>  <p>31-30997-AM</p>	<p>Fig: FLANGE Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 3.5 Tons: 1.5T Rlgmt: R134a OEM: AT180998</p>  <p>31-31000-AM</p>
<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 1/2in Suc Out: 5/8in SH: 8 Tons: 1.5 Rlgmt: R134a OEM: 54006BSM</p>  <p>31-31009-AM</p>	<p>Fig: SPRINGLOCK Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 5 Tons: 2 Rlgmt: R134a OEM: BOA8032100269 Altmt: 1618</p>  <p>31-31019-AM</p>	<p>Fig: SPRINGLOCK Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 12 Tons: 2 Rlgmt: R134a OEM: VCC88000030 Altmt: 39163</p>  <p>31-31020-AM</p>
<p>Fig: SPRINGLOCK Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: -2 Tons: 1 Rlgmt: R134a OEM: BOA93674</p>  <p>31-31021-AM</p>	<p>Fig: FLANGE Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 5/8in SH: 14.4 Tons: 2 Rlgmt: R134a OEM: AL77579 Altmt: 38822</p>  <p>31-31025</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 4 Tons: 1.5 Rlgmt: R134a OEM: 88515-04060 Altmt: 39195</p>  <p>31-31043</p>
<p>Fig: SEALING WASHER Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 5.5 Tons: 1.5 Rlgmt: R134a OEM: BOA-A4965</p>  <p>31-31047</p>	<p>Fig: SEALING WASHER Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 5.5 Tons: 1.5 Rlgmt: R134a OEM: BOA-A4965 Altmt: 1619</p>  <p>31-31047-AM</p>	<p>Fig: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 8 Tons: 1.5 Rlgmt: R134a OEM: 324334</p>  <p>31-31055-AM</p>












©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

EXPANSION VALVES - Block Valve

<p>Ptg: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 5 Tons: 2 Rfgmt: R134a OEM: 82023542</p> <p>CASE-IH 99 FORD NEW HOLLAND 99 JCB 99</p>  <p>31-31199</p>	<p>Ptg: FLANGE Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 4 Tons: 1.5 Rfgmt: R134a OEM: T0070-94120 Altmt: 1665</p> <p>KOMATSU 99 KUBOTA 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>31-31200</p>	<p>Ptg: O-RING Liq In: 3/8in Liq Out: 5/8in Suc In: 3/4in Suc Out: 3/4in SH: -2 Tons: 1 Rfgmt: R134a OEM: 3A581-72170</p> <p>CATERPILLAR 99 KOMATSU 99</p>  <p>31-31218</p>
<p>Ptg: O-RING Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 1 Tons: 2 Rfgmt: R134a OEM: 20443850 Altmt: 1622</p> <p>FORD NEW HOLLAND 99 INTERNATIONAL 07-12 KENWORTH 11 MACK 08-14 PETERBILT 11 VOLVO 02-10</p>  <p>31-31234</p>	<p>Ptg: O-RING Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 6 Tons: 1.5 Rfgmt: r134a OEM: 130-0263</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 KOMATSU 99</p>  <p>31-31239</p>	<p>Ptg: O-RING Liq In: 3/8in Liq Out: 3/4in Suc In: 3/4in Suc Out: 3/4in SH: 7.5 Tons: 1.5 Rfgmt: R134a OEM: 72438216</p>  <p>31-31241</p>
<p>Ptg: O-RING Liq In: 3/8in Liq Out: 5/8in Suc In: 5/8in Suc Out: 5/8in SH: 0.5 Tons: 1.5 OEM: 14509331</p> <p>VOLVO 99</p>  <p>31-31292</p>	<p>Ptg: SEALING WASHER Liq In: 3/8in Liq Out: 5/8in Suc In: 3/4in Suc Out: 3/4in SH: 4.0 Tons: 1.0 OEM: AN51515-A0400</p> <p>FORD NEW HOLLAND 99 KOBELCO 99 KOMATSU 99 LINK-BELT 99</p>  <p>31-31295</p>	<p>Ptg: SEALING WASHER Liq In: 3/8in Liq Out: 5/8in Suc In: 3/4in Suc Out: 3/4in SH: 4 Tons: 1.5 OEM: KHR13660</p>  <p>31-31298</p>
<p>Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in OEM: 87314524</p> <p>FORD NEW HOLLAND 99</p>  <p>31-31332</p>	<p>Liq In: 3/8in Liq Out: 1/2in Suc In: 5/8in Suc Out: 3/4in SH: 4.5 Tons: 2.0 Rfgmt: R134a OEM: AL207288</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 JOHN DEERE 99</p>  <p>31-31358</p>	



Santech
Automotive A/C Components™

EXPANSION VALVES - RIGHT ANGLE

Type	Inlet	Outlet	Cap Length	Eq. Length	Eq. Ftg	Superheat	Tons	Part #
FLARE	3/8in	1/2in	8in	10in	1/4in FFL	10	2	31-10959
FLARE	3/8in	1/2in	10in	12in	1/4in FFL	7	1.5	31-10964-AM
FLARE	3/8in	1/2in	12in	-	-	4.2	1.5	31-10714
FLARE	3/8in	1/2in	12in	-	-	8	1.5	31-10924-AM
FLARE	3/8in	1/2in	12in	16in	1/4in FFL	10	2	31-10961-AM
FLARE	3/8in	1/2in	12in	33.5in	1/4in FOR	4.5	1.5	31-10925-AM
FLARE	3/8in	1/2in	18in	18in	1/4in FFL	7.5	1.5	31-10703-AM
FLARE	3/8in	1/2in	19in	16.5in	1/4in FFL	8	2	31-10966
FLARE	3/8in	1/2in	19in	31in	1/4in FFL	8	1.5	31-10978-AM
FLARE	3/8in	1/2in	30in	-	-	12	1.5	31-10901-AM
FLARE	3/8in	1/2in	30in	18in	1/4in FFL	9	1.5	31-10920-AM
FLARE	3/8in	1/2in	40in	41in	1/4in FFL	9	2	31-10965-AM
O-RING								31-42708
O-RING	3/8in	1/2in	5in			10	1.5	31-10990-AM
O-RING	3/8in	1/2in	5in	-	-	10	1.5	31-10718-AM
O-RING	3/8in	1/2in	6in	4in	1/4in FOR	4	2	31-10958-AM
O-RING	3/8in	1/2in	8.5in	11in	1/4in FOR		2	31-12146
O-RING	3/8in	1/2in	8in			7	2	31-10997
O-RING	3/8in	1/2in	8in			7	2	31-10997-AM
O-RING	3/8in	1/2in	8in			8	2.5	31-10753
O-RING	3/8in	1/2in	8in	-	-	6.5	1.5	31-10706
O-RING	3/8in	1/2in	8in	-	-	8	1.5	31-10001
O-RING	3/8in	1/2in	8in	-	-	11	1.5	31-10903-AM
O-RING	3/8in	1/2in	8in	9in	1/4in FOR	3.5	1.5	31-10735
O-RING	3/8in	1/2in	10in	12in	1/4in FOR	10	1.5	31-10700
O-RING	3/8in	1/2in	10in	12in	1/4in FOR	10	1.5	31-10700-AM
O-RING	3/8in	1/2in	10in	12in	12mm FOR	13	1.5	31-10707
O-RING	3/8in	1/2in	12in			5.3	1.5	31-10945
O-RING	3/8in	1/2in	12in	-	-	3.5	1.5	31-10717
O-RING	3/8in	1/2in	12in	-	-	5	2	31-10939-AM
O-RING	3/8in	1/2in	12in	-	-	8	2	31-10902-AM
O-RING	3/8in	1/2in	12in	11in	1/4in FOR	8	1.5	31-10941-AM
O-RING	3/8in	1/2in	12in	12in	1/4in FOR	20	1.5	31-10908-AM
O-RING	3/8in	1/2in	12in	13in	1/4in MOR	8	1.5	31-10951-AM
O-RING	3/8in	1/2in	12in	13in	1/4in MOR	16	2	31-10969
O-RING	3/8in	1/2in	12in	13in	1/4in MOR	16	2	31-10969-AM
O-RING	3/8in	1/2in	12in	15in	1/4in FFL	8	4	31-10993-AM
O-RING	3/8in	1/2in	12in	16in	1/4in FOR	7	2	31-10928-AM
O-RING	3/8in	1/2in	12in	16in	1/4in FOR	9	2	31-10960-AM
O-RING	3/8in	1/2in	13in	-	-	8	1.5	31-12147
O-RING	3/8in	1/2in	14in	12in	1/4in FOR	8	1.5	31-10970-AM
O-RING	3/8in	1/2in	15in			12	2	31-10716-AM
O-RING	3/8in	1/2in	16in	11in	1/4in FOR	8	1.5	31-10751
O-RING	3/8in	1/2in	16in	16in	1/4in FOR	8	2	31-10913-AM
O-RING	3/8in	1/2in	19in	-	-	8	1.5	31-10933-AM
O-RING	3/8in	1/2in	19in	19in	1/4in FOR	3.5	2	31-12143
O-RING	3/8in	1/2in	20in	-	-	8	1.5	31-10912-AM
O-RING	3/8in	1/2in	20in	16.5in	1/4in FOR	9	1.5	31-10904-AM
O-RING	3/8in	1/2in	20in	17in	1/4in FOR	5	1.5	31-10931-AM
O-RING	3/8in	1/2in	24in	-	-	8	1.5	31-10710-AM
O-RING	3/8in	1/2in	30in	18in	1/4in MOR	12	1.5	31-10971-AM
O-RING	3/8in	1/2in	33in	31in	1/4in MOR	8	1.5	31-10963
O-RING	3/8in	1/2in	33in	33in	1/4in MOR	10	2	31-10956-AM
O-RING	3/8in	1/2in	33in	33in	1/4in MOR	10	2	31-12148
O-RING	3/8in	1/2in	33in	33in	1/4in MOR	11	1.5	31-10943-AM
O-RING	5/16in	1/2in	7.5in	-	-	9	1.5	31-10003
O-RING	5/16in	1/2in	7in	8in	1/4in FOR	6	1	31-12118
O-RING	5/16in	1/2in	8in	-	-	9	1.5	31-10709
O-RING	5/16in	1/2in	8in	9in	1/4in FOR	11	1.5	31-12109
O-RING	5/16in	1/2in	9in	9in	1/4in FOR	8	1.5	31-10004
O-RING	5/16in	1/2in	9in	10in	1/4in FOR	5	1.5	31-10713-AM
O-RING	5/16in	1/2in	10in	12in	1/4in FOR	4	1.5	31-12116

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

EXPANSION VALVES - RIGHT ANGLE

Type	Inlet	Outlet	Cap Length	Eq. Length	Eq. Ftg	Superheat	Tons	Part #
O-RING	5/16in	1/2in	13in	-	-	5	1.5	31-12145
O-RING	5/16in	1/2in	15in	34in	1/4in FOR	8	1.5	31-10712
O-RING	5/16in	1/2in	17in	-	-	4.5	1.5	31-10006
O-RING	14mm	20mm	9in			-1	1.5	31-10730
O-RING	14mm	20mm	9in	9in	1/4in FOR	7.5	1.5	31-12110-AM
O-RING	14mm	20mm	11in	10in	1/4in FOR	6	1.5	31-12136
O-RING	16mm	20mm	5in			3	1.5	31-31084
O-RING	16mm	20mm	5in			3	1.5	31-31087
O-RING	16mm	20mm	6in	4in	1/4in FOR	5	1.5	31-10947
O-RING	16mm	20mm	7in			4.5	1.5	31-12122
O-RING	16mm	20mm	7in			8	0.5	31-10999
O-RING	16mm	20mm	8in			4.5	1.5	31-10724
O-RING	16mm	20mm	8in	12in	12mm FOR	9	1.5	31-10002
O-RING	16mm	20mm	8in	12in	12mm FOR	9	1.5	31-10704
O-RING	16mm	20mm	9.25in			-3	1.5	31-31031
O-RING	16mm	20mm	9in			1	1.5	31-31030
O-RING	16mm	20mm	10in			3.5	1.5	31-10745
O-RING	16mm	20mm	10in	13in	12mm FOR	5	1.5	31-31076
O-RING	16mm	20mm	11in			-3	1.5	31-10937
O-RING	16mm	20mm	11in			3.5	1	31-12130
O-RING	16mm	20mm	11in			3.5	1.5	31-31037
O-RING	16mm	20mm	11in			8	1.5	31-10728
O-RING	16mm	20mm	11in	9in	1/4in FOR	3.5	2	31-12139
O-RING	16mm	20mm	11in	9in	12mm FOR	1.5	1.5	31-10738
O-RING	16mm	20mm	11in	9in	12mm FOR	3.7	1.5	31-10736
O-RING	16mm	20mm	11in	9in	12mm FOR	7	1.5	31-10725
O-RING	16mm	20mm	11in	12in	12mm FOR	3.5	1.5	31-12117
O-RING	16mm	20mm	11in	13in	12mm FOR	8	1.5	31-12113
O-RING	16mm	20mm	12in	-	-	4.5	1.5	31-10988-AM
O-RING	16mm	20mm	12in	9in	12mm FOR	3.7	1.5	31-10744
O-RING	16mm	20mm	12in	13in	12mm FOR	3.5	1.5	31-10739
O-RING	16mm	20mm	12in	13in	12mm FOR	5	1.5	31-12138
O-RING	16mm	20mm	12in	33in	12mm FOR	8	1.5	31-12105
O-RING	16mm	20mm	16in			12	1.5	31-31082
O-RING	16mm	20mm	17in	-	-	12	1.5	31-12127-AM
O-RING	16mm	20mm	17in	25in	FLANGE	5	1.5	31-10740
O-RING	16mm	22mm	8in			2.7	1.5	31-10748
O-RING	16mm	22mm	8in			3.5	1	31-31151
O-RING	16mm	22mm	8in			8.5	1	31-12129
O-RING	16mm	22mm	8in	35in	FLANGE	4	1.5	31-10742
O-RING	16mm	22mm	9in	53in	FLANGE	5	1.5	31-10741
O-RING	16mm	22mm	10in			6.5	1.5	31-10747
O-RING	16mm	22mm	11in			2.7	1.5	31-12114
O-RING	16mm	22mm	11in			4.2	1.5	31-10731
O-RING	16mm	22mm	11in			4.2	1.5	31-12106
O-RING	16mm	22mm	11in	10in	12mm FOR	4	1	31-10729
O-RING	16mm	22mm	11in	10in	12mm FOR	5.5	1.5	31-10726
O-RING	16mm	22mm	11in	35in	12mm FOR	3	1.5	31-10727
O-RING	16mm	22mm	13in	-	-	0.5	1	31-12140
O-RING	16mm	22mm	14in	-	-	1.5	1	31-10743
O-RING	16mm	22mm	15in			2.5	1.5	31-10749
O-RING	16mm	22mm	16in	12in	12mm FOR	8	1.5	31-12112
O-RING	18mm	20mm	17in	-	-	4.5	2	31-10987-AM
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

EXPANSION VALVES - RIGHT ANGLE

<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 8in Eq Lng: - Eq Fg: - Atmkt: 38683</p> <p>FREIGHTLINER 77-84 INGERSOLL RAND 99 INTERNATIONAL 77-87 TEREX 99 VOLVO 90-95 VOLVO 99</p>  <p>31-10001</p>	<p>Fig: O-RING Inlet: 16mm Outlet: 20mm SH: 9 Tons: 1.5 Rlgmt: R12 C-Type: BULB C-Lng: 8in Eq Lng: 12in Eq Fg: 12mm FOR OEM: 80220 ST7 A11 Atmkt: 38637</p>  <p>31-10002</p>	<p>Fig: O-RING Inlet: 5/16in Outlet: 1/2in SH: 9 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 7.5in Eq Lng: - Eq Fg: - OEM: 88515 16040 Atmkt: 38616</p> <p>MASSEY FERGUSON 99</p>  <p>31-10003</p>
<p>Fig: O-RING Inlet: 5/16in Outlet: 1/2in SH: 4.5 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 17in Eq Lng: - Eq Fg: - Atmkt: 38616</p>  <p>31-10006</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 10 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 10in Eq Lng: 12in Eq Fg: 1/4in FOR Atmkt: 38607</p>  <p>31-10700</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 7.5 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 18in Eq Lng: 18in Eq Fg: 1/4in FFL</p> <p>CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99 INTERNATIONAL 77-84 JOHN DEERE 99 KENWORTH 77-00 KENWORTH 07-10</p>  <p>31-10703-AM</p>
<p>Fig: O-RING Inlet: 16mm Outlet: 20mm SH: 9 Tons: 1.5 Rlgmt: R12 C-Type: BULB C-Lng: 8in Eq Lng: 12in Eq Fg: 12mm FOR OEM: 80220-ST7-A11 Atmkt: 38637</p>  <p>31-10704</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 6.5 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 8in Eq Lng: - Eq Fg: -</p> <p>TEREX 99 VOLVO 99</p>  <p>31-10706</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 13 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 10in Eq Lng: 12in Eq Fg: 12mm FOR</p>  <p>31-10707</p>
<p>Fig: O-RING Inlet: 5/16in Outlet: 1/2in SH: 9 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 8in Eq Lng: - Eq Fg: - OEM: 88515-16040 Atmkt: 38616</p> <p>MASSEY FERGUSON 99</p>  <p>31-10709</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 24in Eq Lng: - Eq Fg: - Atmkt: 15-5196</p> <p>MASSEY FERGUSON 99</p>  <p>31-10710-AM</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 4.2 Tons: 1.5 Rlgmt: R12 C-Type: BULB C-Lng: 12in Eq Lng: - Eq Fg: -</p>  <p>31-10714</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 12 Tons: 2 Rlgmt: R134a C-Type: STRAIGHT C-Lng: 15in OEM: 52460953 Atmkt: 15-5426</p>  <p>31-10716-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 3.5 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: - Eq Fg: -</p>  <p>31-10717</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in</p>  <p>31-10722</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

EXPANSION VALVES - RIGHT ANGLE

<p>Fig: O-RING Inlet: 16mm Outlet: 22mm SH: 1.5 Tons: 1 Rlgmt: R134a C-Type: BULB C-Lng: 14in Eq Lng: - Eq Ftg: - OEM: STC3140 Attrkt: 39159</p> <p>KOBELCO 99 KOMATSU 99 KUBOTA 99</p>  <p>31-10743</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 12 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 30in Eq Lng: - Eq Ftg: -</p> <p>ALLIS CHALMERS 99 HESSTON 99 VERSATILE 99 WHITE AGCO 99</p>  <p>31-10901-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 2 Rlgmt: R134a C-Type: BULB C-Lng: 12in Eq Lng: - Eq Ftg: - Attrkt: 38733</p>  <p>31-10902-AM</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 11 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 8in Eq Lng: - Eq Ftg: -</p>  <p>31-10903-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 9 Tons: 1.5 Rlgmt: R12 C-Type: COIL C-Lng: 20in Eq Lng: 16.5in Eq Ftg: 1/4in FOR</p> <p>FORD NEW HOLLAND 99 HESSTON 99 INTERNATIONAL 73-93 MASSEY FERGUSON 99</p>  <p>31-10904-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 20 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: 12in Eq Ftg: 1/4in FOR OEM: 544976C1 Attrkt: 38611</p> <p>FORD NEW HOLLAND 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>31-10908-AM</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 20in Eq Lng: - Eq Ftg: - OEM: D5UZ-19949-A</p> <p>MASSEY FERGUSON 99 VOLVO 90-95</p>  <p>31-10912-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 2 Rlgmt: R134a C-Type: COIL C-Lng: 16in Eq Lng: 16in Eq Ftg: 1/4in FOR</p> <p>ALLIS CHALMERS 99 CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99 HESSTON 99 JOHN DEERE 99 MASSEY FERGUSON 99</p>  <p>31-10913-AM</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 9 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 30in Eq Lng: 18in Eq Ftg: 1/4in FFL OEM: A22-14423-000</p> <p>JOHN DEERE 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>31-10920-AM</p>
<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: - Eq Ftg: - OEM: A22-14420-001 Attrkt: 71P8210</p> <p>ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99</p>  <p>31-10924-AM</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 4.5 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 12in Eq Lng: 33.5in Eq Ftg: 1/4in FOR</p>  <p>31-10925-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 7 Tons: 2 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: 16in Eq Ftg: 1/4in FOR OEM: 544976C1 Attrkt: 38872</p> <p>CASE-IH 99 CATERPILLAR 99 FIAT 99 FORD NEW HOLLAND 99 HESSTON 99</p>  <p>31-10928-AM</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 5 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 20in Eq Lng: 17in Eq Ftg: 1/4in FOR Attrkt: 71P8100</p> <p>CASE-IH 99</p>  <p>31-10931-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 19in Eq Lng: - Eq Ftg: - OEM: F2UZ-19849-A Attrkt: YG-314</p> <p>MASSEY FERGUSON 99</p>  <p>31-10933-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 5 Tons: 2 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: - Eq Ftg: - Attrkt: 1640</p>  <p>31-10939-AM</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

EXPANSION VALVES - RIGHT ANGLE



<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 12in Eq Lng: 11in Eq Fg: 1/4in FOR Aftmkt: 38877</p> <p>JOHN DEERE 99</p>  <p>31-10941-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 11 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 33in Eq Lng: 33in Eq Fg: 1/4in MOR</p>  <p>31-10943-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 12in Eq Lng: 13in Eq Fg: 1/4in MOR</p> <p>INTERNATIONAL 77-00 MACK 82-93 VOLVO 84-04</p>  <p>31-10951-AM</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 10 Tons: 2 Rlgmt: R12 C-Type: BULB C-Lng: 33in Eq Lng: 33in Eq Fg: 1/4in MOR Aftmkt: 15-5488</p>  <p>31-10956-AM</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 10 Tons: 2 Rlgmt: R134a C-Type: COIL C-Lng: 8in Eq Lng: 10in Eq Fg: 1/4in FFL Aftmkt: 38604</p>  <p>31-10959</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 9 Tons: 2 Rlgmt: R12 C-Type: COIL C-Lng: 12in Eq Lng: 16in Eq Fg: 1/4in FOR Aftmkt: 38609</p> <p>FORD NEW HOLLAND 99</p>  <p>31-10960-AM</p>
<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 10 Tons: 2 Rlgmt: R12 C-Type: BULB C-Lng: 12in Eq Lng: 16in Eq Fg: 1/4in FFL Aftmkt: 38874</p>  <p>31-10961-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 33in Eq Lng: 31in Eq Fg: 1/4in MOR</p> <p>FREIGHTLINER 77-84</p>  <p>31-10963</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 7 Tons: 1.5 Rlgmt: R12 C-Type: COIL C-Lng: 10in Eq Lng: 12in Eq Fg: 1/4in FFL Aftmkt: 38606</p> <p>MASSEY FERGUSON 99</p>  <p>31-10964-AM</p>
<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 9 Tons: 2 Rlgmt: R12 C-Type: COIL C-Lng: 40in Eq Lng: 41in Eq Fg: 1/4in FFL</p> <p>FORD NEW HOLLAND 99</p>  <p>31-10965-AM</p>	<p>Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 2 C-Type: Coil C-Lng: 19in Eq Lng: 16.5in Eq Fg: 1/4in FFL</p>  <p>31-10966</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 16 Tons: 2 Rlgmt: R134a C-Type: BULB C-Lng: 12in Eq Lng: 13in Eq Fg: 1/4in MOR</p>  <p>31-10969</p>
<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 16 Tons: 2 Rlgmt: R134a C-Type: BULB C-Lng: 12in Eq Lng: 13in Eq Fg: 1/4in MOR OEM: D70Z-19849-A Aftmkt: 38864</p> <p>FORD NEW HOLLAND 99</p>  <p>31-10969-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 14in Eq Lng: 12in Eq Fg: 1/4in FOR Aftmkt: 38844</p>  <p>31-10970-AM</p>	<p>Fig: O-RING Inlet: 3/8in Outlet: 1/2in SH: 12 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 30in Eq Lng: 18in Eq Fg: 1/4in MOR OEM: 4694475-C1 Aftmkt: 38729</p> <p>FORD NEW HOLLAND 99 INTERNATIONAL 86-94</p>  <p>31-10971-AM</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



EXPANSION VALVES - RIGHT ANGLE

<p> Fig: FLARE Inlet: 3/8in Outlet: 1/2in SH: 8 Tons: 1.5 Rlgmt: R134a C-Type: COIL C-Lng: 19in Eq Lng: 31in Eq Fig: 1/4in FFL ALLIS CHALMERS 99 CASE-IH 99 DEUTZ 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99 JOHN DEERE 99 </p>  <p>31-10978-AM</p>	<p> Fig: O-RING Inlet: 16mm Outlet: 22mm SH: 0.5 Tons: 1 Rlgmt: R134a C-Type: COIL C-Lng: 13in Eq Lng: - Eq Fig: - OEM: T1065-72170 KUBOTA 99 </p>  <p>31-12140</p>	<p> Fig: O-RING Inlet: 5/16in Outlet: 1/2in SH: 5 Tons: 1.5 Rlgmt: R134a C-Type: BULB C-Lng: 13in Eq Lng: - Eq Fig: - OEM: 70000-67459 </p>  <p>31-12145</p>
<p>3/8" Bulb Clamp</p>  <p>31-42702</p>	<p>Fig: O-RING TXV Filter Screen</p>  <p>31-42708</p>	



Santech.
Automotive A/C Components™











EXPANSION VALVE - ORIFICE TUBES

Color	Diameter	Type	OEM	Aftermarket	Part #
BLACK	0.057in	ORIFICE TUBE	21999762	15-33197	MT1080-1
BLACK & RED		VOV	ABP N83 308389, 55036182	15-5611	MT0628
BLACK & WHITE		VOV			MT0630
BLACK & WHITE		VOV	FD82-19D990A, ZZMO61179,	YG-319, 320, 321, 322, 32	MT0629
BLACK & WHITE	0.072in	ORIFICE TUBE		15-5378	MT0098-1
BLUE	0.067in	ORIFICE TUBE	XC4H-19860AA	YG-345	MT0092-1
BROWN	0.047in	ORIFICE TUBE		YG-320	MT0095-1
DARK GREY & WHITE	0.072in	ORIFICE TUBE		15-33410	MT1079-1
GREEN	0.052in	ORIFICE TUBE		YG-347	MT0096-1
GREY	0.072in	ORIFICE TUBE			MT1243-1
GREY & WHITE	0.062in	ORIFICE TUBE		15-31053	MT0924-1
GREY & WHITE	0.072in	ORIFICE TUBE	443-271-191A		MT0309-1
ORANGE		ORIFICE TUBE	8EO-820-177		MT1246-1
ORANGE	0.057in	ORIFICE TUBE		YG-298	MT0094-1
ORANGE & WHITE		ORIFICE TUBE		15-31134	MT0923-1
ORANGE & WHITE	0.057in	ORIFICE TUBE	5101886AA		MT1244-1
PURPLE	0.062in	ORIFICE TUBE	3548044-C1, 55036182	BOA80-305-00-949	MT0091-1
RED	0.062in	ORIFICE TUBE		YG-346	MT0093-1
WHITE	0.072in	ORIFICE TUBE		15-5151	MT0097-1
YELLOW	0.062in	ORIFICE TUBE		15-3079	MT1245-1
YELLOW	0.062in	ORIFICE TUBE		15-5653	MT0099-1
YELLOW & WHITE	0.062in	ORIFICE TUBE		15-5612	MT0324-1
YELLOW & WHITE	0.062in	ORIFICE TUBE		15-5653	MT0347
YELLOW & WHITE	0.062in	ORIFICE TUBE		15-5653	MT0347-1



Santech
Automotive A/C Components™













EXPANSION VALVE - ORIFICE TUBES

<p>Type: ORIFICE TUBE Color: BLUE Dia: 0.067in OEM: XC4H-19860AA Attrmkt: YG-345 Notes: FORD</p> <p>FORD/STERLING 98-09</p>  <p>MT0092-1</p>	<p>Type: ORIFICE TUBE Color: RED Dia: 0.062in Attrmkt: YG-346 Notes: EVAP MOUNT</p> <p>AGCO 99 CATERPILLAR 99 FORD/STERLING 98-09 JCB 99 JOHN DEERE 99 KENWORTH 07-10 PETERBILT 94-10 VOLVO 99</p>  <p>MT0093</p>	<p>Type: ORIFICE TUBE Color: RED Dia: 0.062in Attrmkt: YG-346 Notes: FORD</p> <p>AGCO 99 CATERPILLAR 99 FORD/STERLING 98-09 JCB 99 JOHN DEERE 99 KENWORTH 07-10 PETERBILT 94-10 VOLVO 99</p>  <p>MT0093-1</p>
<p>Type: ORIFICE TUBE Color: BROWN Dia: 0.047in Attrmkt: YG-320 Notes: EVAP MOUNT</p> <p>CATERPILLAR 99 JOHN DEERE 99</p>  <p>MT0095</p>	<p>Type: ORIFICE TUBE Color: BROWN Dia: 0.047in Attrmkt: YG-320 Notes: FORD</p> <p>CATERPILLAR 99 JOHN DEERE 99</p>  <p>MT0095-1</p>	<p>Type: ORIFICE TUBE Color: WHITE Dia: 0.072in Attrmkt: 15-5151 Notes: EVAP MOUNT</p> <p>INTERNATIONAL 85-07 JOHN DEERE 99</p>  <p>MT0097</p>
<p>Type: ORIFICE TUBE Color: WHITE Dia: 0.072in Attrmkt: 15-5151 Notes: GM</p> <p>INTERNATIONAL 85-07 JOHN DEERE 99</p>  <p>MT0097-1</p>	<p>Type: ORIFICE TUBE Color: YELLOW Dia: 0.062in OEM: 52473660, 8A0-820-177AA Attrmkt: 15-30973 Notes: EVAP MOUNT</p> <p>CATERPILLAR 99</p>  <p>MT0099</p>	<p>Type: ORIFICE TUBE Color: YELLOW Dia: 0.062in Attrmkt: 15-5653 Notes: VOLVO</p> <p>CATERPILLAR 99</p>  <p>MT0099-1</p>
<p>Type: MASTERTECH KIT Color: MULTIPLE COLORS Notes: TUBES & REPAIR</p>  <p>MT9663</p>		



Santech.
Automotive A/C Components™

ELECTRICAL - RELAYS

<p>Volts: 24 Term: 5 OEM: 0-332-209-211 Altmt: V23234A0004X05 Type: SPDT Color: BLACK Special: HVAC SYSTEM</p> <p>JOHN DEERE 99</p>  <p>30-13428</p>	<p>Volts: 12 Amps: 40 Term: 5 OEM: 0-322-209-161 Altmt: V23234A1001X04 Color: Metal/White Special: Mini w/Bkt HVAC</p> <p>FREIGHTLINER 74-00 INTERNATIONAL 86-93 KENWORTH 73-14 PETERBILT 73-14 WESTERN STAR 88-95</p>  <p>MT0223</p>	<p>Volts: 12 Amps: 30/40 Term: 4 Type: SPST Color: Black Special: Mini w/Bkt w/o Resistor NOSP</p>  <p>MT0224</p>
<p>Volts: 12 Term: 5 OEM: 90987-04004 90987-98032 Color: Black Special: Micro w/o Bracket Comp. Clutch A/C Control Blower Power Rad. Fan</p>  <p>MT0225</p>	<p>Volts: 12 Term: 5 Color: Black Special: w/Bkt Comp. Control Blower HVAC 40/30 Amps w/o Resistor Pigtail: MT0903</p>  <p>MT0320</p>	<p>Volts: 12 Amps: 40 Term: 5 OEM: 0-332-204-101 Altmt: ABP N83 320000 Type: SPDT w/Diode Color: Black Special: Mini w/Bkt Comp. Clutch Throttle Cond. Fan Accessory Rad. Fan Horn Blower System Rear Defogger Pigtail: MT0903</p>  <p>MT0475</p>
<p>Volts: 12 Amps: 40/30 Term: 5 Type: SPDT Color: Black Special: w/o Resistor w/o Bracket Clutch Comp. Control Throttle Cutoff Eng. Cooling Fan Blower HVAC Rear Defogger Pigtail: MT0911</p>  <p>MT0531</p>	<p>Volts: 12 Amps: 40/30 Term: 5 Type: SPDT Color: Black Special: w/Resistor w/o Bracket Comp. Control Throttle Cutoff Cond. Fan Accessory Eng. Cooling Fan Horn Blower HVAC Rear Defogger Pigtail: MT0911</p>  <p>MT0532</p>	<p>Volts: 12 Amps: 40/30 Term: 4 OEM: 90244312 Altmt: 15-8257 Type: SPST Color: Black Special: w/Resistor w/o Bracket NOSP Clutch Comp. Control Eng. Cooling Fan Blower HVAC Pigtail: MT0911</p>  <p>MT0533</p>
<p>Volts: 12 Amps: 20 Term: 4 OEM: 0-332-011-007 Altmt: V23374A1601X00 Type: SPST Color: Black Special: Micro Comp. Control Cond. Fan Accessory Eng. Cooling Fan Blower HVAC</p>  <p>MT0956</p>	<p>Volts: 12 Amps: 30 Term: 4 Color: Black Comp. Control Eng. Cooling Fan Pigtail: MT0911</p>  <p>MT0957</p>	<p>Volts: 12 Term: 4 OEM: 12088567 Altmt: 15-8571 Color: Gray Special: Mini Comp. Control Eng. Cooling Fan Accessory Fuel Pump Horn Blower HVAC Rear Defogger</p>  <p>MT0959</p>

























©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

ELECTRICAL - RELAYS

<p>Volts: 12 Term: 5 CEM: 12077866 Aftmkt: 15-50448 Color: Black Special: Mini Comp. Control Cond. Fan Eng Cooling Fan Horn HVAC</p>   <p>MT0967</p>	<p>Volts: 12 Term: 4 Aftmkt: 15-8733 Type: GM Color: Gray Special: Mini Pin Comp. Control Accessory Eng Cooling Fan Blower HVAC Rear Defogger</p>   <p>MT1027</p>	<p>Volts: 12 Term: 5 CEM: 15328865 Aftmkt: 36009 Color: Black Special: Mini Pin Eng Cooling Fan Blower Rear Defogger</p>   <p>MT1029</p>
<p>Volts: 24 Amps: 20/15 Term: 5 CEM: AC-2594 Aftmkt: ES56128-1 Color: Black Special: w/Brkt HVAC</p> <p>KENWORTH 77-14 PETERBILT 87-14 WESTERN STAR 88-95</p>   <p>MT1367</p>	<p>Volts: 12 Amps: 40 Term: 5 CEM: A220111101022 Aftmkt: E807527 Color: Black Special: w/Diode w/o Brkt Eng Cooling Fan HVAC</p> <p>FREIGHTLINER 74-00</p>   <p>MT1382</p>	<p>Volts: 12 Term: 4 Color: Black Special: w/o Brkt Accessory Eng. Cooling Fan HVAC</p>   <p>MT1389</p>
<p>Volts: 12 Term: 5 Color: Black Special: w/Brkt Comp. Control Blower HVAC</p>   <p>MT1445</p>	<p>Volts: 12 Term: 4 Color: Black Special: w/o Brkt HVAC</p>   <p>MT1448</p>	<p>Volts: 12 Term: 5 Type: Dual Output Color: Black Special: w/o Brkt HVAC</p>   <p>MT1449</p>
<p>Volts: 12 Term: 5 Type: Dual Output Color: Black Special: w/o Brkt HVAC</p>   <p>MT1450</p>	<p>Volts: 24 Term: 5 Color: Black Special: w/Brkt HVAC</p>   <p>MT1452</p>	<p>Volts: 12 Term: 5 Type: Dual Output Color: Black Special: w/Brkt HVAC</p>   <p>MT1453</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

ELECTRICAL - RELAYS

<div><div><div><div><div><div></div></div></div><div><div></div><div></div></div></div><div><div><div></div></div><div><div></div></div></div><div><div></div></div><div><div></div></div></div><div><div></div></div><div><div></div></div></div> <div><div></div></div> <div><div></div></div>
--

Volts: 12

Term: 4

OEM#: 5L3Z-14N089-AA

Color: Black

Special: Mini Pin

Comp. Control

HVAC
















MT1541



Santech
Automotive A/C Components™

ELECTRICAL - RESISTORS

<p>Volts: 12 Pins: 3 OEM: M912</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 KOBELCO 99</p>  <p>33-31902</p>	<p>Volts: 12 Pins: 4 OEM: C913</p> <p>FORD NEW HOLLAND 99 VERSATILE 99</p>  <p>33-31903</p>	<p>Volts: 12 Pins: 3 OEM: 3130684 Attrkt: 11-1004</p> <p>CASE-IH 99 JOHN DEERE 99</p>  <p>33-31917</p>
<p>Volts: 12 Pins: 4 OEM: AF90771</p> <p>JOHN DEERE 99</p>  <p>33-31929</p>	<p>Volts: 12 Pins: 4</p> <p>CASE-IH 99</p>  <p>33-31983</p>	<p>Volts: 12 Pins: 3 OEM: RD536470 Attrkt: 35888 Cndr: Spade HD Truck</p> <p>FREIGHTLINER 74-15 INTERNATIONAL 77-88 INTERNATIONAL 90-93 KENWORTH 80-14 MACK 02-10 PETERBILT 87-14 VOLVO 75-14 WESTERN STAR 87-10</p>  <p>MT0972</p>
<p>Volts: 12 Pins: 4 Attrkt: 20907 Cndr: Spade Freightliner CA1020</p> <p>FREIGHTLINER 78-11 VOLVO 75-14</p>  <p>MT1356</p>	<p>Volts: 12 Pins: 3 Cndr: Spade Peterbilt HD 651580</p> <p>TERMINAL VIEW</p>  <p>MT1357</p>	<p>Volts: 12 Pins: 3 Attrkt: 20906 Cndr: Spade HD Truck</p> <p>KENWORTH 73-96 MACK 80-97 PETERBILT 73-96 VOLVO 75-14</p>  <p>MT1358</p>
<p>Volts: 12 Pins: 4 OEM: 506552C1 Attrkt: 20904 Cndr: Spade Navistar HD Truck</p> <p>INTERNATIONAL 74-00</p>  <p>MT1361</p>	<p>Volts: 12 Pins: 5 Cndr: Spade Freightliner HD</p>  <p>MT1362</p>	<p>Volts: 12 Pins: 3 Cndr: Spade Kenworth, Volvo, White</p> <p>INTERNATIONAL 91-02 KENWORTH 91-11 PETERBILT 91-09</p>  <p>MT1363</p>
<p>Volts: 12 Pins: 4 Cndr: Spade Mack HD</p> <p>KENWORTH 94-14 PETERBILT 95-14 VOLVO 84-06</p>  <p>MT1364</p>		

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

ELECTRICAL - PIGTAILS & WIRE HARNESS

<p>Type: Clutch Coil Term: Diode Notes: With inline diode for A/C Clutch Coil 12v 50A Red to 12v Power Green to 12v Coil Qty: 1</p>  <p>MT0129</p>	<p>Type: Clutch Coil Notes: Female to Male Spade GM 12" Coil Extension Female to Male Spade Qty: 1</p>  <p>MT0130</p>	<p>Type: Clutch Coil Notes: w/Diode Qty: 1</p>  <p>MT0132</p>
<p>Type: Clutch Coil TermType: Pin Term: 2 Notes: w/Diode 8mm pin coil Qty: 1</p>  <p>MT0133</p>	<p>Type: LPCO Switch Material: Copper TermType: Spade Term: 2 Con. Lng: 6in Wire Gg: 14 Notes: 12v 2 Blade Qty: 1</p>  <p>MT0139</p>	<p>Type: Trinary Switch Qty: 1</p>  <p>MT0870</p>
<p>Type: Bosch Relay Material: Copper TermType: Spade Term: 4/5 Con. Lng: 6in Wire Gg: 16 Notes: w/Bracket Qty: 1</p>  <p>MT0911</p>	<p>Type: Harness Repair Kit Material: Steel TermType: Switch Term: 2 Notes: Refrigerant Sensor GM Qty: 1</p>  <p>MT1324</p>	<p>Type: Mini Pin Relay Material: Steel TermType: Mini Pins Notes: GM Square Qty: 1</p>  <p>MT1325</p>
<p>Type: Blower Relay Material: Steel TermType: Standard Pins Notes: GM Square Qty: 1</p>  <p>MT1326</p>	<p>Type: GM Relay Material: Steel TermType: Pin Term: 5 Con. Lng: 6in Notes: Rectangle Qty: 1</p>  <p>MT1327</p>	<p>Type: Switch Material: Copper TermType: Spade Term: 5 Con. Lng: 6in Wire Gg: 14 Notes: Indak AMC 85-68 Qty: 1</p>  <p>MT1345</p>













©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

ELECTRICAL - PIGTAILS & WIRE HARNESS

<p>Type: Fuse Holder Notes: 30amp Snap in Type</p>  <p>MT1388</p>	<p>Type: Fuse Holder Material: Copper TermType: Bare Wire Term: 2 Notes: For 30amp In-Line Maxi Blade #6 Wire Qty: 1</p>  <p>MT1434</p>	<p>Type: Weatherpack Material: Steel TermType: Pin Term: 2 Notes: Male Mates with MT1691 Qty: 1</p>  <p>MT1690</p>
<p>Type: Weatherpack Material: Steel TermType: Pin Term: 2 Notes: Female Mates with MT1690 Qty: 1</p>  <p>MT1691</p>	<p>Type: Metri-Pak Material: Steel TermType: Pin Term: 2 Notes: Male Mates with MT1693 Qty: 1</p>  <p>MT1692</p>	<p>Type: Metri-Pak Material: Steel TermType: Pin Term: 2 Notes: Female Mates with MT1692 Qty: 1</p>  <p>MT1693</p>
<p>Type: Packard Material: Steel TermType: Spade Term: 2 Notes: 2 Lead Male - Female Qty: 1</p>  <p>MT1694</p>	<p>Type: Packard Material: Steel TermType: Spade Term: 2 Notes: 2 Lead Male - Female Qty: 1</p>  <p>MT1695</p>	<p>Type: Packard Material: Steel TermType: Pin Term: 2 Notes: 2 Pin Soft Con. Male-Fem Pin Qty: 1</p>  <p>MT1696</p>
<p>Type: Weatherpack Material: Steel TermType: Pin Term: 1 Notes: Male Mates w/MT1698 Qty: 1</p>  <p>MT1697</p>	<p>Type: Weatherpack Material: Steel TermType: Pin Term: 1 Notes: Female Mates w/MT1697 Qty: 1</p>  <p>MT1698</p>	<p>Type: Bullet Connector Material: Steel TermType: Bullet Term: 1 Notes: Male x Female Qty: 1</p>  <p>MT1699</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates





ELECTRICAL - PIGTAILS & WIRE HARNESS

<div><div><div>Type: Blower Resistor Material: Steel TermType: Pin Term: 4 Con. Lng: 12in Wire Gg: 16 Notes: 12v Qty: 1</div><div></div><div>MT3401</div></div></div> <div><div><div>Type: Pressure Sensor Material: Steel TermType: Pin Term: 3 Con. Lng: 6in Wire Gg: 14 Qty: 1</div><div></div><div>MT4074</div></div></div> <div></div>



ELECTRICAL SENSORS

<p>Type: Refrigerant Temp Sensor</p> <p>INTERNATIONAL 01-13</p>   <p>MT1323</p>		
---	--	--



Santech.
Automotive A/C Components™

ELECTRICAL SWITCHES-BINARY

Normal Position	Fitting	Open	Closed	Closed	Open	Part #
	7/16-20	250psi	350psi	40psi	30psi	29-R7050
Closed	3/8-24 M	250psi	375psi		28psi	MT0353
Closed	3/8-24 M	265psi	380psi		28psi	MT0374
Closed	M10-1.25 F	437psi	227psi	269psi	323psi	MT1911
Open	3/8-24 M	320psi	227psi	28psi		MT0319
Open	3/8-24 M	398psi	312psi	28psi		MT0201
Open	3/8-24 M	454psi	275psi	28psi		MT1481
Open	7/16-20 FFL	270/330psi	120psi	40psi	15/30psi	MT1377
Open	7/16-20 FFL	398psi	312psi	28psi		MT0316
Open	7/16-20 FFL	454psi	275psi	28psi		MT1482
Open	7/16/20	28psi	30psi	290psi	380psi	MT1045
Open	M10-1.25 F	318psi	227psi	28psi		MT1910
Open	M10-1.25 F	330psi	225psi	28psi		MT1366
Open	M10-1.25 F	400psi	225psi	27psi		MT1914
Open	M11-1.0 M	451psi	375psi		28psi	MT0354

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

ELECTRICAL SWITCHES-BINARY


<p>Type: BINARY Open: 250psi Clsd: 350psi Open: 40psi Open: 30psi Fig: 7/16-20</p> <p>KOBELCO 99 MACK 76-06 VOLVO 99</p>  <p>29-R7050</p>	<p>Type: Binary Norm: Open Open: 398psi Clsd: 312psi Clsd: 28psi Fig: 3/8-24 M Pigtail: MT0139 Oring: MT0245</p>  <p>MT0201</p>	<p>Type: Binary Norm: Open Open: 398psi Clsd: 312psi Clsd: 28psi Fig: 7/16-20 FFL Pigtail: MT0139</p>  <p>MT0316</p>
<p>Type: Binary Norm: Open Open: 320psi Clsd: 227psi Clsd: 28psi Fig: 3/8-24 M Pigtail: MT0139 Oring: MT0245</p>  <p>MT0319</p>	<p>Type: Binary Norm: Closed Open: 250psi Clsd: 375psi Open: 28psi Fig: 3/8-24 M Oring: MT0245 OEM: ABP N83 318109</p> <p>CATERPILLAR 99</p>  <p>MT0353</p>	<p>Type: Binary Norm: Open Open: 451psi Clsd: 375psi Open: 28psi Fig: M11-1.0 M Oring: MT0004 OEM: 88645-34010</p> <p>KOBELCO 99 KUBOTA 99</p>  <p>MT0354</p>
<p>Type: Binary Norm: Closed Open: 265psi Clsd: 380psi Open: 28psi Fig: 3/8-24 M Pigtail: MT0139 Oring: MT0245</p>  <p>MT0374</p>	<p>Type: Binary Color: Silver/Black Norm: Open Open: 28psi Clsd: 30psi Open: 290psi Open: 380psi Fig: 7/16/20 Pigtail: MT10139</p>  <p>MT1045</p>	<p>Type: Binary Norm: Open Open: 330psi Clsd: 225psi Clsd: 28psi Fig: M10-1.25 F Pigtail: MT0139 Oring: MT0004</p> <p>FREIGHTLINER 94-03 JOHN DEERE 99</p>  <p>MT1366</p>
<p>Type: Binary Color: Silver Norm: Open Open: 270/330psi Clsd: 120psi Clsd: 40psi Open: 15/30psi Fig: 7/16-20 FFL Pigtail: MT0870 Oring: MT0245/MT151 9 Attrkt: 71R-7050</p> <p>MACK 88-06</p>  <p>MT1377</p>	<p>Type: Binary Norm: Open Open: 454psi Open: 275psi Clsd: 28psi Fig: 3/8-24 M Pigtail: MT0139 Oring: MT0245</p>  <p>MT1481</p>	<p>Type: Binary Norm: Open Open: 454psi Clsd: 275psi Clsd: 28psi Fig: 7/16-20 FFL Pigtail: MT0139</p>  <p>MT1482</p>
<p>Type: Binary Norm: Open Open: 318psi Clsd: 227psi Clsd: 28psi Fig: M10-1.25 F Pigtail: MT1693</p> <p>MACK 89-15</p>  <p>MT1910</p>	<p>Type: Binary Color: Green Norm: Closed Open: 437psi Clsd: 227psi Clsd: 269psi Open: 323psi Fig: M10-1.25 F Fan Norm Closed Oring: MT0004 OEM: F58Z-19D694-A / F3DH-19D694AA</p> <p>FREIGHTLINER 03-15</p>  <p>MT1911</p>	<p>Type: Binary Norm: Open Open: 400psi Clsd: 225psi Clsd: 27psi Fig: M10-1.25 F OEM: 79PSD41 / K3013701</p> <p>KENWORTH 06-08</p>  <p>MT1914</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates












ELECTRICAL SWITCHES-BINARY

Type:	Binary Retrofit Kit		
MT4028			



ELECTRICAL SWITCHES-BLOWER

<p>Type: Rotary Fig: Spade Pigtail: MT1345</p> <p>CASE-IH 99 GLENER 99 HESSTON 99 JOHN DEERE 99 MCCORMICK 99</p>  <p>MT0463</p>	<p>Type: Lever Fig: Spade</p> <p>KENWORTH 80-06 MACK 80-96</p>  <p>MT0734</p>	<p>Type: Rotary Fig: Spade</p> <p>CASE-IH 99 MACK 79-93 WESTERN STAR 87-10</p>  <p>MT0739</p>
<p>Type: Rotary Fig: Spade</p> <p>FREIGHTLINER 91-10 INTERNATIONAL 01-10 KENWORTH 80-06 MACK 79-96 MACK 05-08 VOLVO 86-92 WESTERN STAR 87-10</p>  <p>MT1253</p>	<p>Type: Rotary Fig: Spade</p>  <p>MT1254</p>	<p>Type: Lever OEM: ABP N83 323008</p>  <p>MT1355</p>
<p>Type: Rotary</p> <p>HESSTON 99</p>  <p>MT1360</p>	<p>Type: Lever OEM: ABP N83 322000</p> <p>KENWORTH 80-06</p>  <p>MT1365</p>	<p>Type: Lever</p> <p>INTERNATIONAL 82-00</p>  <p>MT1924</p>



Santech.
Automotive A/C Components™

ELECTRICAL SWITCHES-PRESSURE






Type	Color	Fitting	Position	Closed	Open	Part #
COOLING FAN		1/4 FFL		265psi	180psi	MT1906
COOLING FAN		1/4 FFL	Open	260psi	174psi	MT1903
COOLING FAN	Black	1/4 FFL		250psi	190psi	MT1908
COOLING FAN	Black	M10-1.25 F		260psi	200psi	MT1904
Cooling Fan	Black	3/8-24 F	Closed	150psi	215psi	MT1227
Cooling Fan	Black	3/8-24 M	Open	318psi	260psi	MT1019
Cooling Fan	Green	7/16-20 FFL	Open	260psi	210psi	MT1493
Cooling Fan	Green	7/16-20 FFL	Open	275psi	190psi	MT0747
Cooling Pres Sw.	Yellow	M10-125 F	Closed	240psi	310psi	MT1916
HIGH						29-30741
HIGH						29-42709
HIGH		7/16-20 FFL		350psi	375psi	29-30740
HIGH		10mm	Closed	3psi	18psi	29-30322
HIGH		10mm	Closed	5psi	18psi	29-30323
HIGH	Red	M10-1.25F	Closed	240psi	285psi	MT1909
High	Black	3/16-20 FFL	Closed	225psi	300psi	MT0749
High	Black	7/16-20 FFL	Closed	234psi	333psi	MT1476
High	Black	7/16-20 FFL	Closed	256psi	376psi	MT1479
High	Black	M10-1.25 F	Closed	300psi	250psi	MT1907
High	Black	M10-1.25 F	Open	300psi	250psi	MT1905
High	Green	1/8-NPT27 M	Closed	310psi	451psi	MT0307
High	Green	7/16-20 FFL	Closed	200psi	300psi	MT0318
High	Green	7/16-20 FFL	Closed	250psi	375psi	MT1063
High	Green	7/16-20 FFL	Closed	300psi	400psi	MT0317
High	Green	7/16-20 FFL	Open	300psi	200psi	MT0383
High	Green	7/16-20 FFL	Open	375psi	250psi	MT1494
High	Red	1/4 FFL	Closed	190psi	375psi	MT1912
High	Red	7/16-20 FOR	Closed	240psi	280psi	MT1917
High	Red	M10-1.25 F	Closed	225psi	275psi	MT1921
LOW		3/8-24 M	Open	32.7psi	29.9psi	29-30000
LOW		10mm		22psi	7psi	29-30709
Low	Black	1/4 FFL	Open	34psi	6psi	MT1900
Low	Black	1/8-NPT27 M	Open	28psi	20psi	MT1064
Low	Black	3/8-24 F	Open	26psi	25psi	MT0499
Low	Black	3/8-24 M	Open	14psi	13psi	MT1491
Low	Black	3/8-24 M	Open	30psi	29psi	MT0372
Low	Black	3/8-24 M	Open	45psi	20psi	MT0227
Low	Black	7/16-20 FFL	Open	11psi	3psi	MT1477
Low	Black	7/16-20 FFL	Open	28psi	5psi	MT1475
Low	Black	7/16-20 FFL	Open	40psi	8psi	MT1478
Low	Black	M10-1.25 F	Open	34psi	6psi	MT1901
Low	Black	M12-1.5 F	Open	20psi	10psi	MT0799
Low	Dark Gray	M12-1.5 F	Open	44psi	21psi	MT1915
Low	Green	1/4 FFL	Open	31psi	6psi	MT1913
Low	Green	7/16-20 FFL	Open	40psi	10psi	MT0750
Low	Green	7/16-20 FFL	Open	65psi	25psi	MT0762
Low	Green	M10-1.25 F	Open	35psi	10psi	MT1902
Low	White	M12-1.5 F	Open	44psi	21psi	MT1918

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

ELECTRICAL SWITCHES-PRESSURE

<p>Type: LOW Fig: 3/8-24 M Norm: Open Clsd: 32.7psi Open: 29.9psi CASE-IH 99</p>  <p>29-30000</p>	<p>Type: HIGH Fig: 7/16-20 FFL Norm: Closed Clsd: 330psi Open: 230psi</p>  <p>29-30120</p>	<p>Type: LOW Fig: 10mm Clsd: 22psi Open: 7psi FORD NEW HOLLAND 99</p>  <p>29-30709</p>
<p>Type: HIGH Fig: 7/16-20 FFL Clsd: 350psi Open: 375psi OEM: 114-5333 CATERPILLAR 99</p>  <p>29-30740</p>	<p>Type: HIGH VOLVO 99</p>  <p>29-30741</p>	<p>Type: LOW Norm: Closed OEM: 122579A1 CASE-IH 99 MCCORMICK 99</p>  <p>29-33145</p>
<p>Type: HIGH JOHN DEERE 99</p>  <p>29-42709</p>	<p>Type: Low Color: Black Fig: 3/8-24 M Norm: Open Clsd: 45psi Open: 20psi OEM: MB167524 Pigtail: MT0139 Oring: MT0245 ALLIS CHALMERS 99 FREIGHTLINER 94-03 WHITE AGCO 99</p>  <p>MT0227</p>	<p>Type: High Color: Green Fig: 1/8-NPT27 M Norm: Closed Clsd: 310psi Open: 451psi OEM: 64-53-1-386-371 Pigtail: INCL</p>  <p>MT0307</p>
<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Closed Clsd: 300psi Open: 400psi OEM: 2022820 Pigtail: INCL CASE-IH 99 MCCORMICK 99</p>  <p>MT0317</p>	<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Closed Clsd: 200psi Open: 300psi Pigtail: INCL MASSEY FERGUSON 99 STEIGER 99</p>  <p>MT0318</p>	<p>Type: Low Color: Black Fig: 3/8-24 M Norm: Open Clsd: 30psi Open: 29psi OEM: 4773763 Pigtail: MT0139 Oring: MT0245 KENWORTH 73-14 PETERBILT 73-14</p>  <p>MT0372</p>
<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 300psi Open: 200psi Pigtail: INCL FREIGHTLINER 90-93</p>  <p>MT0383</p>	<p>Type: Low Color: Black Fig: 3/8-24 F Norm: Open Clsd: 26psi Open: 25psi OEM: 339488 Altmtk: 15-2147 Pigtail: MT0139 Oring: MT0242 STEIGER 99</p>  <p>MT0499</p>	<p>Type: Cooling Fan Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 275psi Open: 190psi Pigtail: INCL</p>  <p>MT0747</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

ELECTRICAL SWITCHES-PRESSURE

<p>Type: Cooling Fan Color: Black Fig: 7/16-20 FFL Norm: Open Clsd: 250psi Open: 100psi KENWORTH 08-14 PETERBILT 08-14</p>  <p>MT0748</p>	<p>Type: High Color: Black Fig: 3/16-20 FFL Norm: Closed Clsd: 225psi Open: 300psi Pigtail: INCL MACK 95-01</p>  <p>MT0749</p>	<p>Type: Low Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 40psi Open: 10psi OEM: 176217 Pigtail: INCL</p>  <p>MT0750</p>
<p>Type: Low Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 65psi Open: 25psi OEM: 3746432 Pigtail: INCL CASE-IH 99 STEIGER 99</p>  <p>MT0762</p>	<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Closed Clsd: 250psi Open: 350psi OEM: 3503544 Pigtail: INCL</p>  <p>MT0763</p>	<p>Type: Low Color: Black Fig: M12-1.5 F Norm: Open Clsd: 20psi Open: 10psi OEM: 25604951 Altmt: 15-2876 Oring: MT0245</p>  <p>MT0799</p>
<p>Type: Cooling Fan Color: Black Fig: 3/8-24 M Norm: Open Clsd: 318psi Open: 260psi OEM: 4383188 Oring: MT0245</p>  <p>MT1019</p>	<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Closed Clsd: 250psi Open: 375psi Pigtail: INCL CASE-IH 99 KENWORTH 73-14 PETERBILT 73-14</p>  <p>MT1063</p>	<p>Type: Low Color: Black Fig: 1/8-NPT27 M Norm: Open Clsd: 28psi Open: 20psi OEM: JLM1260 Oring: MT0190</p>  <p>MT1064</p>
<p>Type: Cooling Fan Color: Black Fig: 3/8-24 F Norm: Closed Clsd: 150psi Open: 215psi Pigtail: INCL</p>  <p>MT1227</p>	<p>Type: Low Color: Black Fig: 7/16-20 FFL Norm: Open Clsd: 28psi Open: 5psi Pigtail: MT0139</p>  <p>MT1475</p>	<p>Type: High Color: Black Fig: 7/16-20 FFL Norm: Closed Clsd: 234psi Open: 333psi Pigtail: MT0139</p>  <p>MT1476</p>
<p>Type: Low Color: Black Fig: 7/16-20 FFL Norm: Open Clsd: 11psi Open: 3psi Pigtail: MT0139</p>  <p>MT1477</p>	<p>Type: Low Color: Black Fig: 7/16-20 FFL Norm: Open Clsd: 40psi Open: 4psi OEM: 5264648 Pigtail: MT0139</p>  <p>MT1478</p>	<p>Type: High Color: Black Fig: 7/16-20 FFL Norm: Closed Clsd: 256psi Open: 378psi Pigtail: MT0139</p>  <p>MT1479</p>
















©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

ELECTRICAL SWITCHES-PRESSURE








<p>Type: Low Color: Black Fig: 3/8-24 M Norm: Open Clsd: 14psi Open: 13psi OEM: 5264648 Pigtail: MT0139 Oring: MT0245</p>  <p>MT1491</p>	<p>Type: Cooling Fan Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 260psi Open: 210psi</p>  <p>MT1493</p>	<p>Type: High Color: Green Fig: 7/16-20 FFL Norm: Open Clsd: 375psi Open: 250psi Pigtail: INCL</p>  <p>MT1494</p>
<p>Type: Low Color: Black Fig: 1/4 FFL Norm: Open Clsd: 34psi Open: 6psi Pigtail: MT1694</p> <p>FREIGHTLINER 91-99 INTERNATIONAL 77-00 KENWORTH 81-99 MACK 79-93</p>  <p>MT1900</p>	<p>Type: Low Color: Black Fig: M10-1.25 F Norm: Open Clsd: 34psi Open: 6psi Pigtail: MT1694 Oring: MT0004</p>  <p>MT1901</p>	<p>Type: Low Color: Green Fig: M10-1.25 F Norm: Open Clsd: 35psi Open: 10psi Pigtail: MT1695 Oring: MT0004</p>  <p>MT1902</p>
<p>Type: COOLING FAN Fig: 1/4 FFL Norm: Open Clsd: 260psi Open: 174psi</p> <p>FREIGHTLINER 91-03</p>  <p>MT1903</p>	<p>Type: COOLING FAN Color: Black Fig: M10-1.25 F Norm: Open Clsd: 260psi Open: 200psi Oring: MT0004</p>  <p>MT1904</p>	<p>Type: High Color: Black Fig: M10-1.25 F Norm: Open Clsd: 300psi Open: 250psi Altmtk: 71R-6210 Pigtail: MT1691 Oring: MT0004</p> <p>FREIGHTLINER 94-05</p>  <p>MT1905</p>
<p>Type: COOLING FAN Fig: 1/4 FFL Clsd: 265psi Open: 180psi</p> <p>FREIGHTLINER 94-00 INTERNATIONAL 73-15</p>  <p>MT1906</p>	<p>Type: High Color: Black Fig: M10-1.25 F Norm: Closed Clsd: 300psi Open: 250psi OEM: A22-45194-001 Pigtail: MT1691 Oring: MT0004</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 94-15 JOHN DEERE 99 WESTERN STAR 87-15</p>  <p>MT1907</p>	<p>Type: COOLING FAN Color: Black Fig: 1/4 FFL Clsd: 250psi Open: 190psi Pigtail: MT1690</p>  <p>MT1908</p>
<p>Type: HIGH Color: Red Fig: M10-1.25F Norm: Closed Clsd: 240psi Open: 285psi OEM: K301-382 Pigtail: MT1693</p>  <p>MT1909</p>	<p>Type: High Color: Red Fig: 1/4 FFL Norm: Closed Clsd: 190psi Open: 375psi Pigtail: INCL</p>  <p>MT1912</p>	<p>Type: Low Color: Green Fig: 1/4 FFL Norm: Open Clsd: 31psi Open: 6psi</p>  <p>MT1913</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



ELECTRICAL SWITCHES-PRESSURE

<p>Type: Low Color: Dark Gray Fig: M12-1.5 F Norm: Open Clsd: 44psi Open: 21psi Pigtail: MT1626 Oring: MT0245</p> <p>INTERNATIONAL 10-14 KENWORTH 95-12 PETERBILT 95-12</p>   <p>MT1915</p>	<p>Type: Cooling Pres Sw. Color: Yellow Fig: M10-125 F Norm: Closed Clsd: 240psi Open: 310psi Pigtail: MT1431 Oring: MT0004</p> <p>KENWORTH 95-14 PETERBILT 95-14</p>   <p>MT1916</p>	<p>Type: High Color: Red Fig: 7/16-20 FOR Norm: Closed Clsd: 240psi Open: 280psi OEM: 2035274-C1 Pigtail: MT1691 Oring: MT0242</p>  <p>MT1917</p>
<p>Type: Low Color: White Pos: Open Fig: M12-1.5 F Norm: Open Clsd: 44psi Open: 21psi Pigtail: MT1431 Oring: MT0245</p> <p>KENWORTH 08-13 PETERBILT 08-13</p>   <p>MT1918</p>	<p>Type: High Color: Red Fig: M10-1.25 F Norm: Closed Clsd: 225psi Open: 275psi OEM: 3521729C1 Pigtail: MT1691</p> <p>INTERNATIONAL 01-05</p>  <p>MT1921</p>	



Santech
Automotive A/C Components™

ELECTRICAL SWITCHES-THERMOSTAT
















Type	Cap Length	Cold Off	Cold On	Mfg #	Part #
LEVER	18in	24°F	34°F	A10-7006-057	32-30910
PRESET	21.5in	31°F	39°F		32-20917
PRESET	24in	31°F	39°F	A46-3122-030	32-20901
PRESET	24in	34°F	38°F		32-20916
Preset	8in	30°F	39°F	A46-3129-030	MT0624
Preset	19in				MT0746
Preset	24in	27°F	37°F	9533N411	32-20913
Preset	24in	27°F	37°F	A46-3111-030	32-20912
ROTARY				9533N230	32-10921
ROTARY	24in	26°F	33°F	A10-6491-000	32-10905
ROTARY	36in	26°F	33°C	A10-6493-000	32-10902
ROTARY	36in	26°F	33°F		32-10902-AM
ROTARY	36in	26°F	33°F	9533N397	32-10902-E
ROTARY	36in	28°F	35°F	A10-7061-030	32-10912
ROTARY	36in	ADJ.	ADJ.	A45-1039-030	32-10920
ROTARY	42in	26°F	33°F	A10-6494-057	32-10901
ROTARY	48in	26°F	33°F	9533N399	32-10904-E
Rotary	16in	26°F	33°F	A10-6490-057	32-10903
Rotary	24in	26°F	33°F	9533N395	32-10905-E
Rotary	34in				MT0899
Rotary	48in	26°F	33°F	A10-6495-057	32-10904

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

ELECTRICAL SWITCHES-THERMOSTAT

<p>Type: ROTARY Cap Lng: 42in Cold Off: 26°F Cold On: 33°F Mfg# A10-6494-057</p> <p>HESSTON 99 STEIGER 99</p>  <p>32-10901</p>	<p>Type: ROTARY Cap Lng: 36in Cold Off: 26°F Cold On: 33°C Mfg# A10-6493-000</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 78-81 JCB 99</p>  <p>32-10902</p>	<p>Type: ROTARY Cap Lng: 36in Cold Off: 26°F Cold On: 33°F</p> <p>CATERPILLAR 99 FREIGHTLINER 78-81 INTERNATIONAL 74-81 PETERBILT 77-86 PETERBILT 91-94 VOLVO 90-93 WESTERN STAR 87-96</p>  <p>32-10902-AM</p>
<p>Type: ROTARY Cap Lng: 36in Cold Off: 26°F Cold On: 33°F Mfg# 9533N397</p> <p>CASE-IH 99 CATERPILLAR 99 MCCORMICK 99</p>  <p>32-10902-E</p>	<p>Type: Rotary Cap Lng: 16in Cold Off: 26°F Cold On: 33°F Mfg# A10-6490-057</p> <p>CASE-IH 99 HESSTON 99 STEIGER 99</p>  <p>32-10903</p>	<p>Type: Rotary Cap Lng: 48in Cold Off: 26°F Cold On: 33°F Mfg# A10-6495-057</p> <p>CASE-IH 99 FREIGHTLINER 78-88 MASSEY FERGUSON 99</p>  <p>32-10904</p>
<p>Type: ROTARY Cap Lng: 48in Cold Off: 26°F Cold On: 33°F Mfg# 9533N399</p> <p>ALLIS CHALMERS 99 CASE-IH 99 JCB 99 JOHN DEERE 99</p>  <p>32-10904-E</p>	<p>Type: ROTARY Cap Lng: 24in Cold Off: 26°F Cold On: 33°F Mfg# A10-6491-000</p> <p>CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99 GLENER 99 JOHN DEERE 99 MASSEY FERGUSON 99 VERSATILE 99</p>  <p>32-10905</p>	<p>Type: Rotary Cap Lng: 24in Cold Off: 26°F Cold On: 33°F Mfg# 9533N395</p> <p>WHITE AGCO 99</p>  <p>32-10905-E</p>
<p>Type: ROTARY Cap Lng: 36in Cold Off: 28°F Cold On: 35°F Mfg# A10-7061-030</p> <p>CASE-IH 99</p>  <p>32-10912</p>	<p>Type: ROTARY Cap Lng: 36in Cold Off: ADJ. Cold On: ADJ. Mfg# A45-1039-030</p> <p>JOHN DEERE 99</p>  <p>32-10920</p>	<p>Type: ROTARY Mfg# 9533N230</p> <p>FORD NEW HOLLAND 99</p>  <p>32-10921</p>
<p>Type: PRESET Cap Lng: 24in Cold Off: 31°F Cold On: 39°F Mfg# A46-3122-030</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 FREIGHTLINER 81-88 JOHN DEERE 99 KENWORTH 86-02 PETERBILT 77-14 WESTERN STAR 87-15</p>  <p>32-20901</p>	<p>Type: Preset Cap Lng: 24in Cold Off: 27°F Cold On: 37°F Mfg# A46-3111-030</p> <p>FORD NEW HOLLAND 99 INTERNATIONAL 89-10</p>  <p>32-20912</p>	<p>Type: Preset Cap Lng: 24in Cold Off: 27°F Cold On: 37°F Mfg# 9533N411</p> <p>FORD NEW HOLLAND 99 FREIGHTLINER 90-10 JOHN DEERE 99 VERSATILE 99 VOLVO 94-04</p>  <p>32-20913</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



ELECTRICAL SWITCHES-THERMOSTAT

<p>Type: PRESET Cap Lng: 24in Cold Off: 34°F Cold On: 38°F</p> <p>CASE-IH 99 CATERPILLAR 99 STEIGER 99</p>  <p>32-20916</p>	<p>Type: PRESET Cap Lng: 21.5in Cold Off: 31°F Cold On: 39°F</p>  <p>32-20917</p>	<p>Type: LEVER Cap Lng: 18in Cold Off: 26°F Cold On: 66°F Mfg# 71R2600</p>  <p>32-30909</p>
<p>Type: LEVER Cap Lng: 18in Cold Off: 24°F Cold On: 34°F Mfg# A10-7006-057</p> <p>BOBCAT 99</p>  <p>32-30910</p>	<p>Type: Preset Cap Lng: 8in Cold Off: 30°F Cold On: 39°F Mfg# A46-3129-030</p>  <p>MT0624</p>	<p>Type: Preset Cap Lng: 19in</p>  <p>MT0746</p>
<p>Type: Rotary Cap Lng: 72in Cold Off: 28°F Cold On: 34°F Mfg# A45-1077-030</p> <p>WESTERN STAR 87-96</p>  <p>MT0760</p>	<p>Type: Rotary Cap Lng: 34in</p>  <p>MT0899</p>	



Santech.
Automotive A/C Components™

ELECTRICAL SWITCHES-TRINARY

Normal Position	Fitting	HPCO	LPCO	Fan Normal	Fan	Part #
		260psi	406psi		29psi	29-11007
Open	3/8-24 M	Open 384psi	Open 28psi	Open	Closed 213psi	MT0385
Open	3/8-24 M	Open 426psi	Open 28psi	Open	Closed 227psi	MT0384
Open	7/16-20 F	Open 328psi	Open 22psi	Closed	Closed 230psi	MT1378
Open	7/16-20 F	Open 340psi	Open 20psi	Open	Closed 240psi	MT1379

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates





ELECTRICAL SWITCHES-TRINARY

<div> <div> Type: TRINARY HPCO: 260psi LPCO: 406psi Fan: 29psi Term: 82019426 CASE-IH 99 </div> <div>  </div> <div> 29-11007 </div> </div>	<div> <div> Type: TRINARY Color: Black HPLP-Nor Open HPCO: Open 426psi LPCO: Open 28psi Fan Norm Open Fan: Closed 227psi Flg: 3/8-24 M Term: 4 Pigtail: INCL Oring: MT0245 OEMt: 92137-1E400 </div> <div>  </div> <div> MT0384 </div> </div>	<div> <div> Type: TRINARY Color: Black HPLP-Nor Open HPCO: Open 384psi LPCO: Open 28psi Fan Norm Open Fan: Closed 213psi Flg: 3/8-24 M Term: 4 Pigtail: INCL Oring: MT0245 </div> <div>  </div> <div> MT0385 </div> </div>
<div> <div> Type: TRINARY HPLP-Nor Open HPCO: Open 328psi LPCO: Open 22psi Fan Norm Closed Fan: Closed 230psi Flg: 7/16-20 F Term: 4 Pigtail: MT0870 Oring: MT0245/MT151 9 FREIGHTLINER 94-03 KENWORTH 81-97 WESTERN STAR 87-15 </div> <div>  </div> <div> MT1378 </div> </div>	<div> <div> Type: TRINARY HPLP-Nor Open HPCO: Open 340psi LPCO: Open 20psi Fan Norm Open Fan: Closed 240psi Flg: 7/16-20 F Term: 4 Pigtail: MT0870 Oring: MT0245/MT151 9 FREIGHTLINER 94-03 INTERNATIONAL 73-15 KENWORTH 81-14 KOMATSU 99 MACK 80-00 PETERBILT 95-14 </div> <div>  </div> <div> MT1379 </div> </div>	



ELECTRICAL SWITCHES-TRANSDUCER

<p>Color: Black/Silver Fig: M11-1.0 Thread: Male @100psi 1.34v @200psi 2.25v @300psi 3.16v @400psi 4.07v Sat. Vlt 4.57v Sat. psi 455psi Pigtail: MT4084 Oring: MT0326</p>   <p>MT1618</p>		
--	--	--



Santech
Automotive A/C Components™

FAN ASSEMBLIES
















Dia.	Volts	Motor	Push/Pull	Rvsble	Blade Type	Watts	Height	Width	Depth	OEM	Part #
9.00in	12	STANDARD	PULLER	NO	STRAIGHT		9.00in				25-14836
9.00in	12	STANDARD	PUSHER	YES	STRAIGHT	80W	10.25in	9.50in	3.25in	810028	25-14824
10.00in	12	STANDARD	PULLER	YES	STRAIGHT	140W	11.25in	10.50in	2.00in	30100360	25-14802-S
10.00in	12	STANDARD	PUSHER	NO	SKEWED	140W	11.25in	10.50in	2.00in	30100320	25-14812-S
10.00in	24	HIGH PERF	PUSHER	NO	PADDLE	225W	11.25in	10.50in	2.00in	VA15-BP70/LL-395	25-14930-S
11.00in	12	HD MOTOR	PULLER	YES	STRAIGHT	140W	12.25in	11.50in	2.00in	VA09-AP8/C-27A	25-14852-S
11.00in	24	HIGH PERF	PUSHER	NO	STRAIGHT	225W	12.50in	12.00in	3.75in	VA03-BP70/LL-37A	25-14922
11.00in	24	HIGH PERF	PUSHER	NO	STRAIGHT	225W	12.50in	12.00in	3.75in	VA03-BP70/LL-37S	25-14921
11.00in	24	WATERPROOF	PULLER	NO	STRAIGHT	225W	11.00in	10.50in	2.00in	VA11-BP7/C-29A	25-14926-24-S
12.00in	12	STANDARD	PULLER	YES	SKEWED	90W	13.25in	12.50in	2.50in	VA09-AP12/C-54A	25-14815-S
12.00in	24	HIGH PERF	PULLER	NO	STRAIGHT	225W				VA34-BP70/LL-36A	25-14931-S
12.00in	24	LONG LIFE			SKEWED	225W				VA10-BP70/LL-61A	25-14933-S
14.00in	12	STANDARD	PUSHER	NO	SKEWED	160W	15.00in	14.50in	3.50in	VA08-AP71/LL-53S	25-14948-S
16.00in	24	STANDARD	PULLER	NO	STRAIGHT	225W	16.25in	15.75in	2.00in	VA18-BP51/C-41A	25-14929-S

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

FAN ASSEMBLIES

<p>STRAIGHT Dia: 16.00in Volts: 12 Motor: STANDARD Push/Pul: PUSHER Rev.: YES Watts: 130W Height: 16.25in Width: 15.75in Depth: 2.00in OEM: TA16S1006</p>  <p>25-14729</p>	<p>STRAIGHT Dia: 10.00in Volts: 12 Motor: STANDARD Push/Pul: PULLER Rev.: YES Watts: 140W Height: 11.25in Width: 10.50in Depth: 2.00in OEM: 30100360 CATERPILLAR 99</p>  <p>25-14802-S</p>	<p>SKEWED Dia: 9.00in Volts: 12 Motor: STANDARD Push/Pul: PUSHER Rev.: NO Watts: 140W Height: 9.75in Width: 9.75in Depth: 2.00in OEM: VA07-AP8/C-58S</p>  <p>25-14810-S</p>
<p>SKEWED Dia: 10.00in Volts: 12 Motor: STANDARD Push/Pul: PUSHER Rev.: NO Watts: 140W Height: 11.25in Width: 10.50in Depth: 2.00in OEM: 30100320 JCB 99</p>  <p>25-14812-S</p>	<p>SKEWED Dia: 12.00in Volts: 12 Motor: STANDARD Push/Pul: PULLER Rev.: YES Watts: 90W Height: 13.25in Width: 12.50in Depth: 2.50in OEM: VA09-AP12/C-54A JOHN DEERE 99</p>  <p>25-14815-S</p>	<p>STRAIGHT Dia: 9.00in Volts: 12 Motor: STANDARD Push/Pul: PUSHER Rev.: YES Watts: 80W Height: 10.25in Width: 9.50in Depth: 3.25in OEM: 810028 KOMATSU 99</p>  <p>25-14824</p>
<p>STRAIGHT Dia: 9.00in Volts: 12 Motor: STANDARD Push/Pul: PULLER Rev.: NO Height: 9.00in CATERPILLAR 99</p>  <p>25-14836</p>	<p>STRAIGHT Dia: 11.00in Volts: 12 Motor: HD MOTOR Push/Pul: PUSHER Rev.: YES Watts: 140W Height: 12.25in Width: 11.50in Depth: 2.00in OEM: VA09-AP8/C-27S</p>  <p>25-14842-S</p>	<p>STRAIGHT Dia: 11.00in Volts: 12 Motor: HD MOTOR Push/Pul: PULLER Rev.: YES Watts: 140W Height: 12.25in Width: 11.50in Depth: 2.00in OEM: VA09-AP8/C-27A TEREX 99</p>  <p>25-14852-S</p>
<p>STRAIGHT Dia: 11.00in Volts: 24 Motor: HIGH PERF Push/Pul: PUSHER Rev.: NO Watts: 225W Height: 12.50in Width: 12.00in Depth: 3.75in OEM: VA03-BP70/LL-37S Aftmkt: 30102559</p>  <p>25-14921</p>	<p>STRAIGHT Dia: 11.00in Volts: 24 Motor: HIGH PERF Push/Pul: PUSHER Rev.: NO Watts: 225W Height: 12.50in Width: 12.00in Depth: 3.75in OEM: VA03-BP70/LL-37A Aftmkt: 30102564 FORD NEW HOLLAND 99</p>  <p>25-14922</p>	<p>STRAIGHT Dia: 11.00in Volts: 24 Motor: WATERPROOF Push/Pul: PULLER Rev.: NO Watts: 225W Height: 11.00in Width: 10.50in Depth: 2.00in OEM: VA11-BP7/C-29A Aftmkt: 30100368</p>  <p>25-14926-24-S</p>
<p>STRAIGHT Dia: 16.00in Volts: 24 Motor: STANDARD Push/Pul: PULLER Rev.: NO Watts: 225W Height: 16.25in Width: 15.75in Depth: 2.00in OEM: VA18-BP51/C-41A Aftmkt: 30100356</p>  <p>25-14929-S</p>	<p>PADDLE Dia: 10.00in Volts: 24 Motor: HIGH PERF Push/Pul: PUSHER Rev.: NO Watts: 225W Height: 11.25in Width: 10.50in Depth: 2.00in OEM: VA15-BP70/LL-395 Aftmkt: 30102544 CATERPILLAR 99</p>  <p>25-14930-S</p>	<p>STRAIGHT Dia: 12.00in Volts: 24 Motor: HIGH PERF Push/Pul: PULLER Rev.: NO Watts: 225W Height: 11.25in Width: 10.50in Depth: 2.00in OEM: VA34-BP70/LL-36A Aftmkt: 30102554</p>  <p>25-14931-S</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates











FAN ASSEMBLIES

<p>Dia: SKEWED 12.00in Volts: 24 Motor: LONG LIFE Watts: 225W CEMt: VA10-BP70/LL- 61A Attrmkt: 30102542 CATERPILLAR 99</p>  <p>25-14933-S</p>	<p>Dia: SKEWED 14.00in Volts: 12 Motor: STANDARD Push/Pul: PUSHER Rev.: NO Watts: 160W Height: 15.00in Width: 14.50in Depth: 3.50in CEMt: VA08-AP71LL- 53S FORD NEW HOLLAND 99</p>  <p>25-14948-S</p>	
--	---	--



FITTINGS - COMPRESSOR

 <p>21-10223 DENSO TOP PAD</p>	 <p>21-10224 DENSO 10PA15/17C</p>	 <p>21-10232 DENSO 6E171</p>	 <p>35-10006 Oring DENSO 6E171 MALE ALUMINUM Thread: 7/8-14 Fig: 5/8 Hose: #10 Port: R12</p>
 <p>35-10007 Oring DENSO 6E171 MALE ALUMINUM Thread: 3/4-16 Fig: 1/2 Hose: #8 Port: R12</p>	 <p>35-10043</p>	 <p>35-18283 ORING VERTICAL MALE STEEL Thread: 3/4-7/8 Fig: #8x10 Hose: #8X10</p>	 <p>35-38505 90DEG STEEL Hose: #8</p>



Santech
Automotive A/C Components™

FITTINGS - HEATER

 <p>35-H1902 Angle: STRAIGHT Material: STEEL Ftg: 1/2 MPT Hose: 5/8in</p>	 <p>35-H1903 Angle: STRAIGHT Material: STEEL Ftg: 3/8 MPT Hose: 5/8in</p>	 <p>35-H1904 Angle: STRAIGHT Material: STEEL Ftg: 1/2in Hose: 3/4in</p>	 <p>35-H1907 Angle: STRAIGHT Material: STEEL Ftg: 3/4in Hose: 5/8in</p>
 <p>35-H1908 Angle: STRAIGHT Material: STEEL Hose: 5/8in</p>	 <p>35-H1909 Angle: STRAIGHT Material: STEEL Hose: 3/4in</p>	 <p>35-H1914 Angle: STRAIGHT Material: STEEL Ftg: 1/2 Long MPT Hose: 5/8in</p>	 <p>35-H1915 Angle: STRAIGHT Material: STEEL Hose: 1/2in</p>
 <p>35-H1919 Angle: STRAIGHT Material: STEEL Hose: 1in</p>	 <p>35-H1923 Angle: STRAIGHT Material: STEEL Ftg: 1/2 MPT Hose: 5/8in</p>	 <p>35-H1926 Angle: STRAIGHT Material: STEEL Ftg: 3/4 MPT Hose: 1in</p>	 <p>35-H1931 Angle: STRAIGHT Material: STEEL Ftg: 5/8 tube Hose: 5/8in</p>
 <p>35-H1936 Angle: 90DEG Material: STEEL Ftg: 3/8 MPT Hose: 5/8in</p>	 <p>35-H1937 Angle: 90DEG Material: STEEL Ftg: 1/2 MPT Hose: 5/8in</p>	 <p>35-H1945 Angle: TEE Material: STEEL Ftg: 5/8in x 5/8in Hose: 1/2in</p>	 <p>35-H1948 Angle: 90DEG Material: STEEL Ftg: 1/2in Hose: 5/8in</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™
















FITTINGS - HEATER

 <p>35-H1953 Angle: TEE Material: STEEL Ftg: 3/4in x 3/4in Hose: 5/8in</p>	 <p>35-H1954 Angle: TEE Material: STEEL Ftg: 5/8in x 5/8in Hose: 5/8in</p>		
--	--	--	--



Santech
Automotive A/C Components™

FITTINGS - RETROFIT & ADAPTER

<p>Type: ADAPTER Angle: STRAIGHT Material: STEEL Ftg Type: FLARE/ORING Ftg: #6</p>  <p>35-16240</p>	<p>Type: BLOCK OFF</p>  <p>MT0052</p>	<p>Type: SERVICE PORT Ftg Type: RETROFIT Thread: 7/16-20 Ftg: M15-1.0 F</p>  <p>MT0108</p>
 <p>MT0111</p>	<p>Type: SERVICE PORT Ftg Type: RETROFIT Thread: 3/8-24 Ftg: M15-1.0 F</p>  <p>MT0112</p>	<p>Type: SERVICE PORT Ftg Type: Low Side Thread: 7/1in</p>  <p>MT0141</p>
<p>Type: SERVICE PORT Ftg Type: High Side Thread: 3/8in</p>  <p>MT0142</p>	<p>Type: R134a Low Side Retrofit F Angle: 90DEG Material: ALUMINUM Ftg Type: Retro Adapter Thread: 7/16-20F</p>  <p>MT0147</p>	<p>Type: R134a High Side Retro Ftg Angle: 90DEG Material: ALUMINUM</p>  <p>MT0148</p>
<p>Angle: 90DEG Material: ALUMINUM</p>  <p>MT0149</p>	<p>Type: REPLACEMENT VALVE Thread: 3/8-24 Notes: with valve</p>  <p>MT0150</p>	<p>Type: HS REPLACEMENT VALVE Material: ALUMINUM Ftg Type: M1.5-1.0 M Notes: O-Ring MT0162, Cap MT0193</p>  <p>MT0178-1</p>
<p>Type: ADAPTER Ftg Type: ADAPTER Thread: 1/2 FFL Ftg: 1/4 MFL Notes: Gasket MT0722</p>  <p>MT0432</p>	<p>Type: CONVERSION</p>  <p>MT1346</p>	<p>Type: CONVERSION</p>  <p>MT1347</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

FITTINGS - RETROFIT & ADAPTER







<p>Type: CONVERSION Thread: 3/8-24 F Fig: M11-1.5 M</p>  <p>MT1348</p>	<p>Type: ADAPTER</p>  <p>MT1498</p>	<p>Type: DRIER FITTING Material: BRASS Fig Type: RETROFIT Thread: 3/8-28 UNF Fig: 7/16-20 MF Notes: w/ Valve Core</p>  <p>MT1519</p>
<p>Type: ADAPTER</p>  <p>MT1520</p>	<p>Type: SERVICE VALVE Angle: STRAIGHT Gender: MALE Thread: 1/8 NPT M Fig: 7/16-20 MF Notes: w/ Valve Core</p>  <p>MT1522</p>	<p>Type: ADAPTER Thread: M10-1.25 F Fig: M10-1.5 M</p>  <p>MT1548</p>
<p>Type: ADAPTER Thread: 3/8-24 F Fig: 3/8-24 M</p>  <p>MT1549</p>	<p>Type: CONVERSION Fig Type: SANDEN Thread: M10-1.25 F Fig: M10-1.0 M</p>  <p>MT1604</p>	<p>Type: CONVERSION Gender: MALE / FEMALE Thread: 3/8-24 F Fig: 3/8-28 M</p>  <p>MT1605</p>
<p>Type: SWITCH PORT Thread: 3/8-24 M Fig: M10-1.25 MF Notes: O-ring - MT0245</p>  <p>MT1606</p>	<p>Type: SWITCH PORT Thread: 3/8-24 M Fig: M12-1.5 MF Hose: O-Ring - MT0245</p>  <p>MT1607</p>	<p>Type: LS SERVICE PORT Thread: 3/8-24 M Hose: O-Ring MT0245, Cap MT0063</p>  <p>MT1608</p>
<p>Type: HS SERVICE PORT Thread: 3/8-24 M Notes: O-Ring MT0245, Cap MT0067</p>  <p>MT1609</p>	<p>Type: LS ADAPTER Thread: 1/4in</p>  <p>MT1617</p>	<p>Type: SERVICE COUPLER Thread: 14mm Notes: to LS Service Port</p>  <p>MT1790</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates







FITTINGS - RETROFIT & ADAPTER

Type: KIT Flg Type Universal  <p>MT4003</p>	Type: KIT Flg Type Universal  <p>MT4023</p>	Type: SERVICE PORT Angle: STRAIGHT Flg Type 16mm Thread: 7/16in  <p>MT4030</p>
Type: SERVICE PORT Angle: STRAIGHT Flg Type H/L  <p>MT4031</p>	Type: SERVICE PORT Angle: STRAIGHT Flg Type 16mm Thread: 7/16in  <p>MT4032</p>	Type: SERVICE PORT Notes: Retrofit Fitting Assortment  <p>MT9640</p>



IDLER PULLEYS & ECCENTRICS

<p>Gr: PV8 Dia: 3.0in Length: - Type: IDLER PULLEY Material: PLASTIC OD: 3.0in ID: 1.25in</p>  <p>38-33409</p>	<p>Gr: FLAT 5/8in Dia: 3.0in Length: - Type: IDLER PULLEY Material: Metal OD: 3.0in ID: 1.813in</p>  <p>38-33466</p>	<p>Gr: FLAT 1in Dia: 3.50in Length: - Type: IDLER PULLEY Material: Metal OD: 3.50in ID: 1in</p>  <p>38-89064</p>
<p>Gr: 1 1/2in Dia: 3.3875in Length: - Type: IDLER PULLEY Material: Metal OD: 3.3875in ID: 1.563in</p>  <p>38-89106-P</p>		



ACCUMULATORS

Diameter	Length	Inlet	Outlet	SP	SV	OEM	Part #
3.50in	9.00in	1-1/16 FO	1-1/16 FO			33221	37-23505
3.50in	9.00in	1/2 FO	1/2 MO				37-23580
3.50in	9.75in	3/4 MO	3/4 MO				37-23540



Santech.
Automotive **A/C** Components™

ACCUMULATORS

<p>Dia: 3.50in Length: 9.00in Fig In: 27mm FO Fig Out: 27mm MO Cond/Dr: 2724945 OEM: 15-1630</p>  <p>37-23280</p>	<p>Dia: 3.50in Length: 9.00in Fig In: 1-1/16 FO Fig Out: 1-1/16 FO Cond/Dr: 176-3900 OEM: 33221</p> <p>JOHN DEERE 99</p>  <p>37-23505</p>	<p>Dia: 3.50in Length: 9.75in Fig In: 3/4 MO Fig Out: 3/4 MO Cond/Dr: 186-6189</p> <p>CATERPILLAR 99</p>  <p>37-23540</p>
<p>Dia: 3.50in Length: 9.00in Fig In: 1/2 FO Fig Out: 1/2 MO Cond/Dr: AT190809</p> <p>JOHN DEERE 99</p>  <p>37-23580</p>	<p>Cond/Dr: 308-2583</p>  <p>37-23600</p>	



Santech
Automotive A/C Components™

RECEIVER DRIERS

Dia.	Length	Inlet	Outlet	SG	SP	SV	MI	PRV	PS	OEM	Part #
											37-13371-AM
											37-13745
											37-19893
2.00in	7.00in	3/8 MO	3/8 FO								37-10933
2.25in	5.75in	PAD	PAD								37-19827
2.25in	7.50in	PAD	PAD								37-19010
2.25in	8.00in	3/8 MO	3/8 MO	TOP	SIDE						37-40004-AM
2.25in	10.00in	PAD	PAD							83018	37-18035
2.50in	6.00in	18mm MO	18mm MO	TOP							37-14006-AM
2.50in	6.00in	PAD	PAD								37-13872-AM
2.50in	6.50in	3/8 MO	1/2 MO								37-13999-AM
2.50in	6.50in	3/8 MO	3/8 MO								37-14333
2.50in	6.75in	1/2 MF	1/2 MF							N/A	37-10865
2.50in	7.50in	3/8 MO	1/2 MO								37-13642-AM
2.50in	8.00in	3/8 MF	5/16 BARB	TOP		TOP	TOP				37-13590
2.50in	8.00in	3/8 MF	5/16 BARB	TOP		TOP	TOP				37-13590-AM
2.50in	8.00in	3/8 MO	3/8 FO							9380039	37-13460
2.50in	8.00in	3/8 MO	3/8 FO	TOP	SIDE					085630-00	37-13481
2.50in	8.00in	3/8 MO	3/8 FO	TOP	TOP	TOP	TOP				37-10874
2.50in	8.00in	3/8 MO	3/8 MO	TOP	TOP						37-10810-AM
2.50in	8.00in	3/8 MO	3/8 MO	TOP	TOP			SIDE			37-13459-AM
2.50in	8.00in	3/8 MO	3/8 MO	TOP	TOP	TOP	TOP			N/A	37-10840-AM
2.50in	8.25in	3/8 MO	3/8 FO								37-13372
2.50in	10.75in	PAD	PAD								37-14014-AM
2.50in	11.00in	3/8 MO	1/2 MO								37-10839-AM
2.50in	14.00in	QD	QD							33464	37-13998-AM
2.75in	7.75in	3/8 MO	3/8 MO	TOP	SIDE						37-18037
2.75in	8.00in	5/16 MO	3/8 MO	TOP	3/8in - 24 UNF						37-19891
2.75in	10.00in	3/8 MO	3/8 MO	TOP	SIDE			SIDE			37-13511
2.75in	11.00in	14mm MO	14mm MO	TOP							37-18020
3.00in	10.50in	3/8 MO	3/8 MO	TOP	SIDE			SIDE			37-13571-AM
3.00in	6.25in	3/8 MO	3/8 MO					SIDE		74-R2536	37-10872-AM
3.00in	6.25in	3/8 MO	3/8 MO	TOP	SIDE			SIDE			37-13556-AM
3.00in	6.380in	3/8 MO	3/8 MO								37-14336
3.00in	7.00in	3/8 MO	3/8 MO	TOP		TOP	TOP	SIDE			37-13594
3.00in	7.00in	3/8 MO	3/8 MO	TOP		TOP	TOP	SIDE			37-13594-AM
3.00in	8.25in	3/8 MF	3/8 MF								37-13589-AM
3.00in	8.25in	3/8 MO	3/8 FO	SIDE				TOP		E525092	37-14003
3.00in	8.25in	3/8 MO	3/8 MO		2	FSP	2 TOP	YES			37-13445-AM
3.00in	8.25in	3/8 MO	3/8 MO	SIDE	TOP			SIDE			37-13239
3.00in	8.25in	3/8 MO	3/8 MO	SIDE	TOP			SIDE			37-13239-AM
3.00in	8.25in	3/8 MO	3/8 MO	TOP	TOP			SIDE			37-13611-AM
3.00in	8.50in	3/8 MO	3/8 MO	SIDE	SIDE	SIDE	SIDE			33995	37-13554
3.00in	8.75in	3/8 MO	3/8 FO	TOP	SIDE	SIDE	SIDE				37-13584
3.00in	9.00in	3/8 MO	3/8 MO	TOP				SIDE			37-10862-AM
3.00in	9.00in	3/8 MO	3/8 MO	TOP		SIDE					37-13732-AM
3.00in	9.00in	3/8 MO	3/8 FO	TOP						82007131	37-10880-AM
3.00in	9.00in	3/8 MO	3/8 MO								37-13593-AM
3.00in	9.00in	3/8 MO	3/8 MO	Side							37-14335
3.00in	9.00in	3/8 MO	3/8 MO	TOP							37-13878
3.00in	9.00in	3/8 MO	3/8 MO	TOP				SIDE		33307	37-10862
3.00in	9.00in	3/8 MO	3/8in FOR			16mm					37-10906
3.00in	9.00in	PAD	PAD								37-13651
3.00in	9.25in	3/8 MO	3/8 MO	TOP		TOP	TOP	SIDE			37-13559-AM
3.00in	9.25in	3/8 MO	3/8 MO	TOP		SIDE	SIDE	SIDE			37-13712-AM
3.00in	9.25in	3/8 MO	3/8 MO	TOP	SIDE		TOP	SIDE			37-13607-AM
3.00in	9.50in	3/8 MF	3/8 MF	TOP		TOP	TOP				37-13587
3.00in	9.50in	3/8 MF	3/8 MF	TOP		TOP	TOP				37-13587-AM
3.00in	9.75in	3/8 MO	3/8 FO	TOP			TOP	SIDE			37-13740-AM
3.00in	9.75in	3/8 MO	3/8 MO	TOP		SIDE	TOP				37-13756-AM
3.00in	10.00in	1/2 MO	3/8 MO	TOP				SIDE		70965	37-13583

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

RECEIVER DRIERS







Dia.	Length	Inlet	Outlet	SG	SP	SV	MI	PRV	PS	OEM	Part #
3.00in	10.00in	3/8 MO	3/8 MO	TOP		SIDE	TOP			83702	37-13457-AM
3.00in	10.00in	3/8 MO	3/8 MO	SIDE		TOP	TOP	SIDE			37-13595-AM
3.00in	10.25in	3/8 MO	3/8 FO								37-13515
3.00in	10.50in	3/8 MO	3/8 MO	TOP		TOP	TOP				37-13598-AM
3.00in	11.25in	PAD	PAD							N/A	37-10900
3.00in	11.50in	3/8 FO	3/8 MO								37-13749-AM
3.00in	11.50in	3/8 FO	3/8 MO								37-13987-AM
3.00in	14.00in	3/8 FSL	3/8 FSL				SIDE			82000471	37-13649-AM
3.50in	9.50in	3/4 FO	3/4 FO								37-14326-AM
3.50in	9.75in	3/4 MO	3/4 MO								37-14327
4.00in	6.00in	3/8 MF	3/8 MF	TOP				TOP			37-13517
4.00in	6.50in	3/8 MF	3/8 MF								37-13470-AM
4.00in	6.75in	3/8 MF	3/8 MF								37-14000-AM
4.00in	6.75in	3/8 MF	3/8 MF	SIDE							37-14000
4.00in	6.75in	3/8 MF	3/8 MF	SIDE				SIDE		33306	37-13497-AM
4.00in	6.75in	3/8 MO	3/8 MO								37-13471-AM
4.00in	7.25in	3/8 MO	3/8 MO				TOP	SIDE			37-13477-AM
4.00in	7.25in	3/8 MO	3/8 MO								37-14330
4.00in	7.25in	3/8 MO	3/8 MO	TOP				SIDE			37-13588
4.00in	7.25in	3/8 MO	3/8 MO	TOP				SIDE			37-13588-AM
4.00in	7.25in	3/8 MO	3/8 MO	TOP			TOP	SIDE		402527/402708	37-13477
4.00in	7.50in	3/8 FO	3/8 MO	SIDE							37-13464-AM
4.00in	7.50in	3/8 FO	3/8 MO	SIDE							37-13464
4.00in	7.50in	3/8 FO	3/8 MO	SIDE						07-5002A	37-10851
4.00in	7.50in	3/8 MO	3/8 MO								37-10864-AM
4.00in	7.50in	QD	3/8 M								37-13737-AM
4.00in	7.75in	3/8 MF	3/8 MF							74R3506	37-13472-AM
4.00in	7.75in	3/8 MO	3/8 FO								37-10863-AM
4.00in	7.75in	3/8 MO	3/8 MO								37-13579-AM
4.00in	7.75in	3/8 MO	3/8 MO	TOP	SIDE		TOP	SIDE		33528	37-13478-AM
4.00in	7.75in	QD	QD	TOP			TOP	SIDE			37-13485
4.00in	7.75in	QD	QD	TOP	SIDE		TOP	SIDE		9W0549	37-13565-AM
4.00in	8.00in	3/8 FO	3/8 FO								37-13591
4.00in	8.00in	3/8 FO	3/8 MO								37-10858-AM
4.00in	8.00in	3/8 FO	3/8 MO	SIDE	SIDE						37-13743
4.00in	8.00in	3/8 FO	3/8 MO	SIDE	SIDE						37-13743-AM
4.00in	8.00in	3/8 MF	3/8 MF					SIDE			37-13475
4.00in	8.25in	3/8 MF	3/8 MF								37-13475-AM
4.00in	8.50in	3/8 FO	3/8 MO								37-13710
4.00in	9.00in	3/8 FO	3/8 FO	TOP/SIDE			TOP				37-13541-AM
4.00in	9.00in	3/8 FO	3/8 MO								37-13739-AM
4.25in	7.75in	3/8 FO	3/8 MO								37-13986-AM
4in	6in	1/2in MO	3/8in MO	TOP	SIDE 1/4" FL		TOP	SIDE			37-19860

©2017, Omega Environmental Technologies, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

RECEIVER DRIERS

<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 BARB Fig Out: 3/8 BARB Port: TOP PS: 4.00ci Cond/Dr: ABP N83 319170 OEM: 33280</p>  <p>37-10801-3</p>	<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 BARB Fig Out: 3/8 BARB PS: 4.0ci Cond/Dr: ABP N83 319170</p>  <p>37-10801-3-AM</p>	<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 MF Fig Out: 3/8 MF Port: TOP PS: 4.00ci Cond/Dr: 02-7104445 OEM: 33318</p>  <p>37-10802-K</p>
<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: TOP SP: TOP SV: TOP Cond/Dr: MASSEY FERGUSON 99 OEM: 33280</p>  <p>37-10810-AM</p>	<p>Dia: 2.50in Length: 11.00in Fig In: 3/8 MO Fig Out: 1/2 MO Cond/Dr: CATERPILLAR 99 OEM: 257-3227</p>  <p>37-10839-AM</p>	<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: TOP SP: TOP SV: TOP Cond/Dr: FORD NEW HOLLAND 99 OEM: JCB 99</p>  <p>37-10840-AM</p>
<p>Dia: 4.00in Length: 7.50in Fig In: 3/8 FO Fig Out: 3/8 MO Port: SIDE PS: 10.00ci Cond/Dr: FORD NEW HOLLAND 99 OEM: JOHN DEERE 99</p>  <p>37-10851</p>	<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP Cond/Dr: 088273-00 OEM: 402816</p>  <p>37-10852-AM</p>	<p>Dia: 4.00in Length: 8.00in Fig In: 3/8 FO Fig Out: 3/8 MO PS: 10.00ci Cond/Dr: 70268464 OEM: ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 HESSTON 99 JOHN DEERE 99 STEIGER 99</p>  <p>37-10858-AM</p>
<p>Dia: 3.00in Length: 9.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP M: SIDE PS: 6.00ci Cond/Dr: K251-459 OEM: 33307</p>  <p>37-10862</p>	<p>Dia: 3.00in Length: 9.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP M: SIDE PS: 6.0ci Cond/Dr: K251-459</p>  <p>37-10862-AM</p>	<p>Dia: 4.00in Length: 7.75in Fig In: 3/8 MO Fig Out: 3/8 FO PS: 12.00ci Cond/Dr: 1990758C2 OEM: CASE-IH 99 MCCORMICK 99</p>  <p>37-10863-AM</p>


©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

RECEIVER DRIERS

<p> Dia: 4.00in Length: 7.50in Flg In: 3/8 MO Flg Out: 3/8 MO Cond/Dr: 74R3536 CATERPILLAR 99 FORD NEW HOLLAND 99 MASSEY FERGUSON 99 </p>  <p>37-10864-AM</p>	<p> Dia: 2.50in Length: 6.75in Flg In: 1/2 MF Flg Out: 1/2 MF PS: 16.00ci Cond/Dr: 101-303/212006 OEM: N/A VERSATILE 99 </p>  <p>37-10865</p>	<p> Dia: 3.00in Length: 6.25in Flg In: 3/8 MIO Flg Out: 3/8 MIO MI: SIDE Cond/Dr: ABP N83.319210 OEM: 74-R2536 CATERPILLAR 99 FORD NEW HOLLAND 99 MACK 79-01 </p>  <p>37-10872-AM</p>
<p> Dia: 2.50in Length: 8.00in Flg In: 3/8 MO Flg Out: 3/8 FO Port: TOP SG: TOP SP: TOP SV: TOP Cond/Dr: UNIVERSAL ALLIS CHALMERS 99 HESSTON 99 WHITE AGCO 99 </p>  <p>37-10874</p>	<p> Dia: 3.00in Length: 9.00in Flg In: 3/8 MO Flg Out: 3/8 FO Port: TOP Cond/Dr: 82007131 / 82012480 OEM: 82007131 FORD NEW HOLLAND 99 </p>  <p>37-10880-AM</p>	<p> Dia: 3.00in Length: 11.25in Flg In: PAD Flg Out: PAD Cond/Dr: 11104567 OEM: N/A VOLVO 99 </p>  <p>37-10900</p>
<p> Dia: 3.00in Length: 9.00in Flg In: 3/8 MO Flg Out: 3/8in FOR SP: 16mm VOLVO 99 </p>  <p>37-10906</p>	<p> Dia: 2.00in Length: 7.00in Flg In: 3/8 MO Flg Out: 3/8 FO Cond/Dr: 85812053 FORD NEW HOLLAND 99 </p>  <p>37-10933</p>	<p> Dia: 3.00in Length: 8.25in Flg In: 3/8 MO Flg Out: 3/8 MO Port: SIDE SG: TOP MI: SIDE PS: 4.40ci Cond/Dr: 18-01800 ALLIS CHALMERS 99 INTERNATIONAL 73-84 JOHN DEERE 99 PETERBILT 77-93 WHITE AGCO 99 </p>  <p>37-13239</p>
<p> Dia: 3.00in Length: 8.25in Flg In: 3/8 MO Flg Out: 3/8 MO Port: SIDE SG: TOP MI: SIDE PS: 4.40ci Cond/Dr: 18-01800 ALLIS CHALMERS 99 INTERNATIONAL 73-84 JOHN DEERE 99 MASSEY FERGUSON 99 PETERBILT 77-93 WHITE AGCO 99 </p>  <p>37-13239-AM</p>	<p> Cond/Dr: 87343822 FORD NEW HOLLAND 99 </p>  <p>37-13371-AM</p>	<p> Dia: 2.50in Length: 8.25in Flg In: 3/8 MO Flg Out: 3/8 FO PS: 4.00ci Cond/Dr: 96-00-37-84-80 ALLIS CHALMERS 99 FORD NEW HOLLAND 99 MASSEY FERGUSON 99 </p>  <p>37-13372</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

RECEIVER DRIERS

<p>Dia: 3.00in Lngth: 8.25in Fig In: 3/8 MO Fig Out: 3/8 MO SG: 2 SP: FSP SV: 2 TOP MI: YES Cond/Dr: A22-34675-000/A22-37199-000</p> <p>CASE-IH 99 FIAT 99 FORD NEW HOLLAND 99 FREIGHTLINER 89-02 HESSTON 99 PETERBILT 93-99 VOLVO 99</p>  <p>37-13445-AM</p>	<p>Dia: 3.00in Lngth: 10.00in Fig In: 3/8 MIO Fig Out: 3/8 MIO Port: TOP SP: SIDE SV: TOP Cond/Dr: 61506-3406 OEMt: 83702</p> <p>CATERPILLAR 99</p>  <p>37-13457-AM</p>	<p>Dia: 2.50in Lngth: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: TOP MI: SIDE PS: 6.0ci Cond/Dr: A22-14425-002</p> <p>VOLVO 99</p>  <p>37-13459-AM</p>
<p>Dia: 2.50in Lngth: 8.00in Fig In: 3/8 MO Fig Out: 3/8 FO PS: 4.00ci Cond/Dr: 9480039 OEMt: 9380039</p>  <p>37-13460</p>	<p>Dia: 4.00in Lngth: 7.50in Fig In: 3/8 FO Fig Out: 3/8 MO Port: SIDE PS: 12.00ci Cond/Dr: AF59780/RE491 69</p> <p>JOHN DEERE 99</p>  <p>37-13464</p>	<p>Dia: 4.00in Lngth: 7.50in Fig In: 3/8 FO Fig Out: 3/8 MIO Port: SIDE PS: 12.0ci Cond/Dr: AF59780 / RE49169</p> <p>JOHN DEERE 99</p>  <p>37-13464-AM</p>
<p>Dia: 3.00in Lngth: 6.25in Fig In: 3/8 MIO Fig Out: 3/8 MIO Port: TOP MI: SIDE Cond/Dr: RD5-4855-0 OEMt: 402496</p> <p>PETERBILT 77-86</p>  <p>37-13469-AM</p>	<p>Dia: 4.00in Lngth: 6.75in Fig In: 3/8 MF Fig Out: 3/8 MF Port: TOP MI: SIDE PS: 9.00ci Cond/Dr: 111218-C1</p>  <p>37-13470</p>	<p>Dia: 4.00in Lngth: 6.50in Fig In: 3/8 MF Fig Out: 3/8 MF Cond/Dr: 111218-C1</p> <p>CASE-IH 99</p>  <p>37-13470-AM</p>
<p>Dia: 4.00in Lngth: 6.75in Fig In: 3/8 MO Fig Out: 3/8 MO Cond/Dr: 544983C1</p> <p>CASE-IH 99</p>  <p>37-13471-AM</p>	<p>Dia: 4.00in Lngth: 7.75in Fig In: 3/8 MF Fig Out: 3/8 MF Cond/Dr: 6P1309 OEMt: 74R3506</p> <p>CATERPILLAR 99</p>  <p>37-13472-AM</p>	<p>Dia: 4.00in Lngth: 8.00in Fig In: 3/8 MF Fig Out: 3/8 MF MI: SIDE PS: 6.00ci Cond/Dr: AF84591</p> <p>JOHN DEERE 99 WHITE AGCO 99</p>  <p>37-13475</p>












©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™

RECEIVER DRIERS

<p>Dia: 4.00in Lngth: 8.25in Fig In: 3/8 MF Fig Out: 3/8 MF Cond/Dr: AH854591</p> <p>JOHN DEERE 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>37-13475-AM</p>	<p>Dia: 4.00in Lngth: 7.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SV: TOP M: SIDE PS: 9.00ci Cond/Dr: 402527 OEM: 402527/402708</p> <p>VERSATILE 99</p>  <p>37-13477</p>	<p>Dia: 4.00in Lngth: 7.25in Fig In: 3/8 M/O Fig Out: 3/8 M/O SV: TOP M: SIDE PS: 9.0ci Cond/Dr: 402527</p> <p>VERSATILE 99</p>  <p>37-13477-AM</p>
<p>Dia: 4.00in Lngth: 7.75in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE SV: TOP M: SIDE Cond/Dr: 5V5698 OEM: 33528</p> <p>CATERPILLAR 99</p>  <p>37-13478-AM</p>	<p>Dia: 2.50in Lngth: 8.00in Fig In: 3/8 MO Fig Out: 3/8 FO Port: TOP SG: SIDE PS: 4.40ci Cond/Dr: UNIVERSAL OEM: 085630-00</p>  <p>37-13481</p>	<p>Dia: 4.00in Lngth: 7.75in Fig In: QD Fig Out: QD Port: TOP SV: TOP M: SIDE PS: 12.00ci Cond/Dr: 106-5532</p> <p>CATERPILLAR 99</p>  <p>37-13485</p>
<p>Dia: 4.00in Lngth: 6.75in Fig In: 3/8 MF Fig Out: 3/8 MF Port: SIDE M: SIDE PS: 3.50ci Cond/Dr: 539049-R1 OEM: 33306</p> <p>AGCO 99 CASE-IH 99 HESSTON 99 JOHN DEERE 99</p>  <p>37-13497-AM</p>	<p>Dia: 2.75in Lngth: 10.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE M: SIDE PS: 13.20ci Cond/Dr: JA1110</p> <p>CASE-IH 99 CATERPILLAR 99 FREIGHTLINER 84-89 KENWORTH 87-93 KOBELCO 99 MACK 75-98 PETERBILT 87-93 VOLVO 77-83 VOLVO 96-97</p>  <p>37-13511</p>	<p>Dia: 3.00in Lngth: 10.25in Fig In: 3/8 MO Fig Out: 3/8 FO PS: 2.20ci Cond/Dr: 40-71-007</p> <p>FORD NEW HOLLAND 99 HESSTON 99</p>  <p>37-13515</p>
<p>Dia: 4.00in Lngth: 6.00in Fig In: 3/8 MF Fig Out: 3/8 MF Port: TOP M: TOP PS: 9.00ci Cond/Dr: 3500-1</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13517</p>	<p>Dia: 4.00in Lngth: 9.00in Fig In: 3/8 FO Fig Out: 3/8 FO Port: TOP/SIDE SV: TOP PS: 16.00ci Cond/Dr: AT162848</p> <p>JOHN DEERE 99</p>  <p>37-13541-AM</p>	<p>Dia: 3.00in Lngth: 8.50in Fig In: 3/8 MO Fig Out: 3/8 MO Port: SIDE SG: SIDE SP: SIDE SV: SIDE Cond/Dr: 1620153 OEM: 33985</p> <p>CATERPILLAR 99 DEUTZ 99 JOHN DEERE 99 VOLVO 96 VOLVO 98-04 VOLVO 99</p>  <p>37-13554</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

RECEIVER DRIERS

<p>Dia: 3.00in Lngth: 9.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: SIDE SG: SIDE SP: SIDE SV: SIDE Cond/Dr: 1089855 CEM: 33998</p>  <p>37-13555</p>	<p>Dia: 3.00in Lngth: 6.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE MI: SIDE PS: 4.00ci Cond/Dr: 18-02345</p> <p>BOBCAT 99 DEUTZ 99 MASSEY FERGUSON 99 TEREX 99</p>  <p>37-13556-AM</p>	<p>Dia: 3.00in Lngth: 9.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: TOP SV: TOP MI: SIDE Cond/Dr: 61510-0008</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 KOMATSU 99 MACK 06-15</p>  <p>37-13559-AM</p>
<p>Dia: 4.00in Lngth: 7.75in Fig In: QD Fig Out: QD Port: TOP SG: SIDE SV: TOP MI: SIDE PS: 12.00ci Cond/Dr: 9W0549 CEM: 9W0549</p> <p>CATERPILLAR 99</p>  <p>37-13565-AM</p>	<p>Dia: 3.00in Lngth: 10.50in Fig In: 3/8 MIO Fig Out: 3/8 MIO Port: TOP SG: SIDE MI: SIDE PS: 18.0ci Cond/Dr: 9827053</p> <p>CASE-IH 99 CATERPILLAR 99 FORD NEW HOLLAND 99 PETERBILT 87-93 VERSATILE 99 VOLVO 96 VOLVO 98-04</p>  <p>37-13571-AM</p>	<p>Dia: 4.00in Lngth: 7.75in Fig In: 3/8 MO Fig Out: 3/8 MO Cond/Dr: 5V5698</p> <p>ALLIS CHALMERS 99 FORD NEW HOLLAND 99 GLENER 99 HESSTON 99 JOHN DEERE 99 MASSEY FERGUSON 99 WHITE AGCO 99</p>  <p>37-13579-AM</p>
<p>Dia: 3.00in Lngth: 10.00in Fig In: 1/2 MO Fig Out: 3/8 MO Port: TOP MI: SIDE Cond/Dr: 70965 CEM: 70965</p> <p>FORD NEW HOLLAND 99 VERSATILE 99</p>  <p>37-13583</p>	<p>Dia: 3.00in Lngth: 8.75in Fig In: 3/8 MO Fig Out: 3/8 FO Port: TOP SG: SIDE SP: SIDE SV: SIDE Cond/Dr: 1089854</p> <p>VOLVO 99</p>  <p>37-13584</p>	<p>Dia: 3.00in Lngth: 9.50in Fig In: 3/8 MF Fig Out: 3/8 MF Port: TOP SP: TOP SV: TOP PS: 12.00ci Cond/Dr: 60-5818-T4</p> <p>AGCO 99 CASE-IH 99 JCB 99 MASSEY FERGUSON 99 STEIGER 99</p>  <p>37-13587</p>
<p>Dia: 3.00in Lngth: 9.50in Fig In: 3/8 MF Fig Out: 3/8 MF Port: TOP SP: TOP SV: TOP PS: 12.00ci Cond/Dr: 60-5818-T4</p> <p>AGCO 99 CASE-IH 99 JCB 99 MASSEY FERGUSON 99 STEIGER 99</p>  <p>37-13587-AM</p>	<p>Dia: 4.00in Lngth: 7.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP MI: SIDE Cond/Dr: E4NN-19825-AA</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13588</p>	<p>Dia: 4.00in Lngth: 7.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP MI: SIDE Cond/Dr: E4NN-19825-AA</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13588-AM</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™

RECEIVER DRIERS

<p>Dia: 3.00in Lngth: 8.25in Fig In: 3/8 MF Fig Out: 3/8 MF Cond/Dr: 30-3347710</p> <p>AGCO 99 ALLIS CHALMERS 99 DEUTZ 99 MASSEY FERGUSON 99 VERSATILE 99 WHITE AGCO 99</p>  <p>37-13589-AM</p>	<p>Dia: 2.50in Lngth: 8.00in Fig In: 3/8 MF Fig Out: 5/16 BARB Port: TOP SP: TOP SV: TOP Cond/Dr: 25-195/1-7778</p> <p>FORD NEW HOLLAND 99 STEIGER 99</p>  <p>37-13590</p>	<p>Dia: 2.50in Lngth: 8.00in Fig In: 3/8 MF Fig Out: 5/16 BARB Port: TOP SP: TOP SV: TOP Cond/Dr: 25-195/1-7778</p> <p>FORD NEW HOLLAND 99 STEIGER 99</p>  <p>37-13590-AM</p>
<p>Dia: 4.00in Lngth: 8.00in Fig In: 3/8 FO Fig Out: 3/8 FO PS: 10.00ci Cond/Dr: 70268464</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13591</p>	<p>Dia: 3.00in Lngth: 7.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: TOP SV: TOP M: SIDE PS: 6.00ci Cond/Dr: 3712495M1</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 JOHN DEERE 99 MASSEY FERGUSON 99 STEIGER 99 WHITE AGCO 99</p>  <p>37-13594</p>	<p>Dia: 3.00in Lngth: 7.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: TOP SV: TOP M: SIDE PS: 6.00ci Cond/Dr: 3712495M1</p> <p>AGCO 99 ALLIS CHALMERS 99 CASE-IH 99 FORD NEW HOLLAND 99 JOHN DEERE 99 MASSEY FERGUSON 99 STEIGER 99 WHITE AGCO 99</p>  <p>37-13594-AM</p>
<p>Dia: 3.00in Lngth: 10.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: SIDE SP: TOP SV: TOP M: SIDE PS: 12.00ci Cond/Dr: K251-521</p> <p>PETERBILT 88-93 VOLVO 99</p>  <p>37-13595-AM</p>	<p>Dia: 3.00in Lngth: 10.50in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: TOP SV: TOP Cond/Dr: 088250-00</p> <p>GLENER 99 MASSEY FERGUSON 99 PETERBILT 93-95 PETERBILT 06 VOLVO 99 WHITE AGCO 99</p>  <p>37-13598-AM</p>	<p>Dia: 3.00in Lngth: 9.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE SV: TOP M: SIDE PS: 8.00ci Cond/Dr: 221FD312</p> <p>CATERPILLAR 99 INTERNATIONAL 73-94 KOMATSU 99 MACK 83-06</p>  <p>37-13607-AM</p>
<p>Dia: 3.00in Lngth: 8.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: TOP M: SIDE PS: 12.00ci Cond/Dr: A22-287960-0</p> <p>DEUTZ 99 FORD NEW HOLLAND 99 FREIGHTLINER 78-89 GLENER 99 KENWORTH 88-93 VOLVO 96</p>  <p>37-13611-AM</p>	<p>Dia: 2.50in Lngth: 7.00in Fig In: PAD Fig Out: PAD Cond/Dr: 8524814530/897 1678400 OEM: 83050</p>  <p>37-13636</p>	<p>Dia: 2.50in Lngth: 7.50in Fig In: 3/8 MO Fig Out: 1/2 MO Cond/Dr: V70966</p> <p>FORD NEW HOLLAND 99 VERSATILE 99</p>  <p>37-13642-AM</p>













©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

RECEIVER DRIERS

<p>Dia: 2.50in Length: 9.50in Fig In: 3/8 MO Fig Out: 3/8 MO SG: SIDE Cond/Dr: RDS-7064-0</p>  <p>37-13646-AM</p>	<p>Dia: 3.00in Length: 14.00in Fig In: 3/8 FSL Fig Out: 3/8 FSL SV: SIDE Cond/Dr: D8NN-19825-AC OEM: 82000471</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13649-AM</p>	<p>Dia: 3.00in Length: 6.50in Fig In: 3/8 MO Fig Out: 3/8 MO Cond/Dr: RDS-7272-0</p>  <p>37-13650-AM</p>
<p>Dia: 3.00in Length: 9.00in Fig In: PAD Fig Out: PAD Cond/Dr: 9E549</p> <p>CATERPILLAR 99 FORD NEW HOLLAND 99 HITACHI 99 KOBELCO 99 KOMATSU 99 LINK-BELT 99</p>  <p>37-13651</p>	<p>Cond/Dr: 86984155</p>  <p>37-13687-AM</p>	<p>Dia: 4.00in Length: 8.50in Fig In: 3/8 FO Fig Out: 3/8 MO Cond/Dr: AZ45582</p> <p>JOHN DEERE 99</p>  <p>37-13710</p>
<p>Dia: 2.50in Length: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Cond/Dr: MIU10004</p>  <p>37-13711-AM</p>	<p>Dia: 3.00in Length: 9.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: SIDE SV: SIDE M: SIDE PS: 4.00ci Cond/Dr: 61510-0006</p> <p>JOHN DEERE 99</p>  <p>37-13712-AM</p>	<p>Dia: 3.00in Length: 9.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: SIDE Cond/Dr: 4275820-M1</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13732-AM</p>
<p>Dia: 3.00in Length: 8.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE SP: SIDE SV: SIDE PS: 12.00ci Cond/Dr: 61506-3402-000 OEM: 74R3066</p> <p>VOLVO 84-92</p>  <p>37-13736</p>	<p>Dia: 3.00in Length: 8.25in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: SIDE SV: SIDE M: SIDE Cond/Dr: 61506-3402-000 OEM: 83705</p> <p>WESTERN STAR 87-06</p>  <p>37-13736-AM</p>	<p>Dia: 4.00in Length: 7.50in Fig In: OD Fig Out: 3/8 M Cond/Dr: D8NN-19N644-B</p> <p>FORD NEW HOLLAND 99</p>  <p>37-13737-AM</p>













©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

RECEIVER DRIERS

<p> Dia: 4.00in Length: 9.00in Flg In: 3/8 FO Flg Out: 3/8 MO Cond/Dr: AH122338/AH21 1387 JOHN DEERE 99 </p>  <p>37-13739-AM</p>	<p> Dia: 3.00in Length: 9.75in Flg In: 3/8 MO Flg Out: 3/8 FO Port: TOP SV: TOP MI: SIDE Cond/Dr: RD-5-6921-0 FORD NEW HOLLAND 99 KENWORTH 10 </p>  <p>37-13740-AM</p>	<p> Dia: 2.50in Length: 6.00in Flg In: 3/8 MO Flg Out: 3/8 FO Port: TOP PS: 6.0ci Cond/Dr: 802023593 </p>  <p>37-13741-AM</p>
<p> Dia: 4.00in Length: 8.00in Flg In: 3/8 FO Flg Out: 3/8 MO Port: SIDE SG: SIDE Cond/Dr: 70264644 ALLIS CHALMERS 99 </p>  <p>37-13743</p>	<p> Dia: 4.00in Length: 8.00in Flg In: 3/8 FO Flg Out: 3/8 MO Port: SIDE SG: SIDE Cond/Dr: 70264644 ALLIS CHALMERS 99 </p>  <p>37-13743-AM</p>	<p> Dia: 3.00in Length: 11.00in Flg In: 3/8 MO Flg Out: 3/8 FO Port: SIDE SP: TOP SV: TOP Cond/Dr: 9971632 OEM: 72277664 </p>  <p>37-13745</p>
<p> Dia: 3.00in Length: 11.50in Flg In: 3/8 FO Flg Out: 3/8 MO PS: 12.0ci Cond/Dr: RE214440 JOHN DEERE 99 </p>  <p>37-13749-AM</p>	<p> Dia: 3.00in Length: 9.75in Flg In: 3/8 MO Flg Out: 3/8 MO Port: TOP SP: SIDE SV: TOP Cond/Dr: MCC 26-0240 FORD NEW HOLLAND 99 </p>  <p>37-13756-AM</p>	<p> Dia: 3.00in Length: 11.00in Flg In: 3/8 MO Flg Out: 3/8 FO Port: SIDE SP: TOP SV: TOP Cond/Dr: 9971632 OEM: 72277664 </p>  <p>37-13757</p>
<p> Dia: 2.50in Length: 6.00in Flg In: PAD Flg Out: PAD Cond/Dr: AL204865 JOHN DEERE 99 </p>  <p>37-13872-AM</p>	<p> Dia: 2.00in Length: 11.75in Flg In: 3/8 MO Flg Out: 3/8 MO Port: TOP SG: SIDE </p>  <p>37-13875</p>	<p> Dia: 3.00in Length: 10.00in Flg In: 11/16 FO Flg Out: 3/8 FO Port: TOP SP: TOP SV: TOP MI: TOP PS: 10.00ci Cond/Dr: 1693117-C1 OEM: 74R3476 CATERPILLAR 13-16 INTERNATIONAL 77-15 </p>  <p>37-13954</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

RECEIVER DRIERS

<p>Dia: 3.00in Length: 10.00in Fig In: 1 1/16 FO Fig Out: 3/8 FO Port: TOP SP: TOP SV: TOP MI: TOP PS: 10.00ci Cond/Dr: 1693117-C1 OEM: 74R3476</p> <p>CATERPILLAR 13-16 INTERNATIONAL 77-15</p>  <p>37-13954-AM</p>	<p>Dia: 4.25in Length: 7.75in Fig In: 3/8 FO Fig Out: 3/8 MO Cond/Dr: AL162467</p> <p>JOHN DEERE 99</p>  <p>37-13986-AM</p>	<p>Dia: 3.00in Length: 11.50in Fig In: 3/8 FO Fig Out: 3/8 MO Cond/Dr: AL163559</p> <p>JOHN DEERE 99</p>  <p>37-13987-AM</p>
<p>Dia: 3.00in Length: 10.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE SV: TOP MI: SIDE Cond/Dr: K256-566</p> <p>FREIGHTLINER 78-88 KENWORTH 93-96 PETERBILT 87-93 VOLVO 83-88</p>  <p>37-13988-AM</p>	<p>Dia: 3.00in Length: 10.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SP: SIDE SV: SIDE Cond/Dr: 3383321M3</p>  <p>37-13990</p>	<p>Dia: 2.50in Length: 14.00in Fig In: OD Fig Out: OD PS: 16.00ci Cond/Dr: 3E3535 OEM: 33464</p> <p>CATERPILLAR 99</p>  <p>37-13998-AM</p>
<p>Dia: 2.50in Length: 6.50in Fig In: 3/8 MO Fig Out: 1/2 MO Cond/Dr: 15505227, 402619</p> <p>VERSATILE 99</p>  <p>37-13999-AM</p>	<p>Dia: 4.00in Length: 6.75in Fig In: 3/8 MF Fig Out: 3/8 MF Port: SIDE PS: 9.00ci Cond/Dr: 30080</p> <p>GLENER 99 HESSTON 99</p>  <p>37-14000</p>	<p>Dia: 4.00in Length: 6.75in Fig In: 3/8 MF Fig Out: 3/8 MF Cond/Dr: 30080</p> <p>GLENER 99 HESSTON 99 VERSATILE 99</p>  <p>37-14000-AM</p>
<p>Dia: 3.00in Length: 8.25in Fig In: 3/8 MO Fig Out: 3/8 FO Port: SIDE MI: TOP PS: 16.00ci Cond/Dr: 84058791 OEM: E525092</p> <p>FORD NEW HOLLAND 99</p>  <p>37-14003</p>	<p>Dia: 2.50in Length: 6.00in Fig In: 18mm MO Fig Out: 18mm MO Port: TOP Cond/Dr: 86625481</p> <p>FORD NEW HOLLAND 99</p>  <p>37-14006-AM</p>	<p>Dia: 2.50in Length: 10.75in Fig In: PAD Fig Out: PAD Cond/Dr: 320-0562 / 320-0563</p> <p>CATERPILLAR 99</p>  <p>37-14014-AM</p>













©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



Santech.
Automotive **A/C** Components™

RECEIVER DRIERS

<p>Dia: 3.50in Lngth: 9.50in Ftg In: 3/4 FO Ftg Out: 3/4 FO Cond/Dr: 101-8789</p> <p>CATERPILLAR 99</p>  <p>37-14326-AM</p>	<p>Dia: 3.50in Lngth: 9.75in Ftg In: 3/4 MO Ftg Out: 3/4 MO Cond/Dr: 197-6218</p> <p>CATERPILLAR 99</p>  <p>37-14327</p>	<p>Dia: 4.00in Lngth: 7.25in Ftg In: 3/8 MO Ftg Out: 3/8 MO Cond/Dr: 9401070</p>  <p>37-14330</p>
<p>Dia: 2.50in Lngth: 6.50in Ftg In: 3/8 MO Ftg Out: 3/8 MO</p>  <p>37-14333</p>	<p>Dia: 3.00in Lngth: 8.00in Ftg In: 3/8 MO Ftg Out: 3/8 MO Port: Top Cond/Dr: 7700035518</p>  <p>37-14334</p>	<p>Dia: 2.75in Lngth: 11.00in Ftg In: 14mm MO Ftg Out: 14mm MO Port: TOP</p> <p>KOMATSU 99</p>  <p>37-18020</p>
<p>Dia: 2.50in Lngth: 7.50in Ftg In: 14mm MO Ftg Out: 14mm MO PS: 2.20ci Cond/Dr: 80351-SSO-A11</p>  <p>37-18021</p>	<p>Dia: 2.25in Lngth: 10.00in Ftg In: PAD Ftg Out: PAD Cond/Dr: 88T0070-79270 OEM: 83018</p> <p>AGCO 99 CATERPILLAR 99 HITACHI 99 JOHN DEERE 99 KOMATSU 99 KUBOTA 99</p>  <p>37-18035</p>	<p>Dia: 2.75in Lngth: 7.75in Ftg In: 3/8 MO Ftg Out: 3/8 MO Port: TOP SG: SIDE Cond/Dr: UNIVERSAL</p> <p>KUBOTA 99</p>  <p>37-18037</p>
<p>Dia: 2.25in Lngth: 7.50in Ftg In: PAD Ftg Out: PAD</p> <p>VOLVO 99</p>  <p>37-19010</p>	<p>Dia: 2.25in Lngth: 5.75in Ftg In: PAD Ftg Out: PAD Cond/Dr: 73410-AE00A</p> <p>CATERPILLAR 99 HITACHI 99 KOMATSU 99</p>  <p>37-19827</p>	<p>Dia: 4in Lngth: 6in Ftg In: 1/2in MO Ftg Out: 3/8in MO Port: TOP SG: SIDE 1/4" FL SV: TOP MI: SIDE PS: 150g Cond/Dr: RD-5-12257-0</p> <p>PIERCE 99</p>  <p>37-19860</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates




RECEIVER DRIERS

<p>Dia: 2.50in Lngth: 8.00in Fig In: 16mm MO Fig Out: 16 MO Cond/Dr: T4520-50061</p>  <p>37-19881</p>	<p>Dia: 2.75in Lngth: 8.00in Fig In: 5/16 MO Fig Out: 3/8 MO Port: TOP SG: 3/8in - 24 UNF PS: XI-I-9 Cond/Dr: 164-0622</p> <p>CATERPILLAR 99</p>  <p>37-19891</p>	<p>Cond/Dr: 327-6558</p> <p>CATERPILLAR 99</p>  <p>37-19893</p>
<p>Dia: 2.25in Lngth: 8.00in Fig In: 3/8 MO Fig Out: 3/8 MO Port: TOP SG: SIDE Cond/Dr: UNIVERSAL</p> <p>FREIGHTLINER 82-89 JCB 99 MACK 83-94 MASSEY FERGUSON 99 VOLVO 83-92</p>  <p>37-40004-AM</p>	<p>Dia: 2.75in Lngth: 10.00in Fig In: 3/8 MO Fig Out: 3/8 MO Cond/Dr: 74R1756</p> <p>MACK 76-00</p>  <p>37-R1756</p>	



RECEIVER DRIER - DESICCANT ELEMENTS

<p>OEM#: 4387482M1 MASSEY FERGUSON 99</p>  <p>37-19882</p>		
---	--	--



Santech
Automotive A/C Components™

A/C SERVICE VALVE CAPS

 <p>MT0060 Color: Black Fig: 1/4 Fern Qty: 5</p>	 <p>MT0061 Color: Blue Fig: M9-1.0 M Spd: Cap 13mm Low Side Qty: 5</p>	 <p>MT0062 Color: Black Fig: M8-1.0 Spd: Low Side, Parker Type Qty: 5</p>	 <p>MT0063 Color: Blue Fig: M8-1.0 Spd: Eaton Type, Low Side Qty: 5</p>
 <p>MT0066 Color: Black Fig: 3/16 Fern Qty: 5</p>	 <p>MT0067 Color: Red Fig: M10-1.25 Spd: Eaton Type Qty: 5</p>	 <p>MT0068 Color: Black Fig: M10-.75 M Spd: Cap 16mm High Side, Parker Type Qty: 5</p>	 <p>MT0069 Color: Red Fig: M8-1.0 Spd: Eaton Type, High Side Qty: 5</p>
 <p>MT0104 Color: Silver Fig: 7/16-20 (1/4) Spd: BLOCK OFF Qty: 5</p>	 <p>MT0106 Color: Black Fig: M8-1.0 Spd: Eaton Type Qty: 5</p>	 <p>MT0192 Color: Blue Fig: M8-1.0 Spd: AEROCQUIP Type Qty: 5</p>	 <p>MT0193 Color: Red Fig: M10-1.0 Spd: AEROCQUIP Type Qty: 5</p>
 <p>MT0310 Color: Light Blue Fig: M8-1.0 M Qty: 5</p>	 <p>MT0311 Color: Light Blue Fig: M10-1.25 M Qty: 5</p>	 <p>MT0348 Color: Black Fig: M8-1.0 Spd: Eaton Type Qty: 5</p>	 <p>MT0638 Color: Black Fig: 1/2-16 ACME Spd: VACUUM PUMP Qty: 5</p>
 <p>MT0640 Color: Black Fig: Backseat Spd: Long Stem/York/Tecumseh Qty: 5</p>	 <p>MT6070-5 Color: Black Fig: M8-1.0 Spd: R1234YF, Short Post, Low Side Qty: 5</p>	 <p>MT6071-5 Color: Black Fig: M8-1.0 Spd: R1234YF, Long Post, Low Side Qty: 5</p>	 <p>MT6072-5 Color: Black Fig: M8-1.0 Spd: R1234YF, Short Post, Low Side Qty: 5</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



A/C SERVICE VALVE CAPS

 <p>MT6073-5 Color: Black Ftg: M10-1.25 Spd: R1234YF, Short Post, Hi-Side Qty: 5</p>	 <p>MT6074-5 Color: Black Ftg: M10-.75 Spd: R1234YF, Long Post Hi- Side Qty: 5</p>	 <p>MT6075-5 Color: Black Ftg: MB-1.0 Spd: R1234YF, Short Post, Low Side Qty: 5</p>	 <p>MT6076-5 Color: Black Ftg: MB-1.0 Spd: R1234YF, Long Post, Low Side Qty: 5</p>
 <p>MT6077-5 Color: Black Ftg: MB-1.0 Spd: R1234YF, Short Post, Low Side Qty: 5</p>	 <p>MT6078-5 Color: Black Ftg: M10-1.25 Spd: R1234YF, Short Post, Hi-Side Qty: 5</p>	 <p>MT6079-5 Color: Black Ftg: M10-.75 Spd: R1234YF, Long Post Hi- Side Qty: 5</p>	



Santech
Automotive A/C Components™

A/C SERVICE VALVE CORES







 <p>MT0035 Torque: 1.0 NM Bit Dvr: MT1466 Type: JRA Valve Core Make: Imports Color: Silver Qty: 5</p>	 <p>MT0050 Torque: 2.1 NM Bit Dvr: MT1467 Type: M8 Color: Gold Qty: 5</p>	 <p>MT0058 Torque: 0.8 NM Bit Dvr: MT1466 Type: Large Bore Valve Core Make: GVI Color: Silver Qty: 5</p>	 <p>MT0059 Torque: 1.0 NM Bit Dvr: MT1466 Type: JRA Valve Core Make: GM/Ford/Imports Color: Silver Qty: 5</p>
 <p>MT0064 Torque: 0.5 NM Bit Dvr: MT1462 Type: Std R12/R134a Color: Silver/Black Qty: 20</p>	 <p>MT0065 Torque: 2.8 NM Bit Dvr: MT1465 Type: M10 Color: Gold Qty: 5</p>	 <p>MT0105 Type: w/o Cap 16mm Primary Seal, Removable Valve Make: OEM Style Color: Silver Qty: 5</p>	 <p>MT0144 Bit Dvr: MT0156 Type: Adapter-High Side Service Port Make: GM Ln Thrd: 7/16-20 M Op Thrd: 3/16 M Cap: MT0066 Oring: MT0242 Qty: 2</p>
 <p>MT0145 Type: 13mm Primary Seal, Removable Valve Make: OEM Style Color: Silver Qty: 2</p>	 <p>MT0146 Type: R134a Low Side Make: High Flow Valve Color: Gold Steel Qty: 2</p>	 <p>MT0151 Type: R134a High Side Make: High Flow Valve Color: Steel Ln Thrd: M15-1.0 Male Op Thrd: M10-1.0 Fern Cap: MT0193 Oring: MT0162 Qty: 2</p>	 <p>MT0175 Type: Low Side High Flow Valve Make: Heavy Duty Color: Brass Ln Thrd: M13-1.0 Male Op Thrd: M8-1.0 Fern Cap: MT0192 Oring: MT0253 Qty: 1</p>
 <p>MT0176 Type: High Side High Flow Valve Make: Heavy Duty Color: Brass Ln Thrd: M15-1.0 Male Op Thrd: M10-1.0 Fern Cap: MT0193 Oring: MT0162 Qty: 1</p>	 <p>MT0177 Type: w/o Cap 16mm Color: Silver Ln Thrd: M15-1.0 Qty: 2</p>	 <p>MT0178 Type: w/o Cap 13mm Color: Silver Ln Thrd: M13-1.0 Qty: 2</p>	 <p>MT0301 Torque: 2.1 NM Bit Dvr: MT1463 Type: R134a Make: Volvo/Peugeot Color: Silver Qty: 5</p>

©2017, Omega Environmental Technologies, All Rights Reserved

Please visit www.omega-usa.com for our latest updates



A/C SERVICE VALVE CORES

 <p>MT1544 Torque: 2.1 NM Bit Drvr: MT1464 Type: Large Bore Valve Core Make: European Qty: 5</p>	 <p>MT6060-5 Type: R1234YF Ln Thrd: M8 Qty: 5</p>	 <p>MT6061-5 Type: R1234YF Ln Thrd: M10 Qty: 5</p>	 <p>MT6062-20 Type: R1234YF, Std Core Qty: 20</p>
 <p>MT6063-5 Type: R1234YF, JIRA Core Qty: 5</p>	 <p>MT6064-5 Type: R1234YF, Primary Seal High Side Qty: 5</p>		












A/C SERVICE VALVE KITS

 <p>MT2901 Veh: 09-13 GM</p>	 <p>MT2902 Veh: 66-93 GM</p>	 <p>MT2903 Veh: 46-04 All Vehicles</p>	 <p>MT2904 Veh: 94-07 GM</p>
 <p>MT2905 Veh: 94-13 Misc</p>	 <p>MT2906 Veh: 94-12 Ford</p>	 <p>MT2907 Veh: 93-13 Ford</p>	 <p>MT2908 Veh: 94-10 Chry</p>
 <p>MT2909 Veh: 94-13 Euro</p>	 <p>MT2910 Veh: 92-12 Euro</p>	 <p>MT2911 Veh: 02-13 Euro</p>	 <p>MT2912 Veh: 99-13 Audi</p>
 <p>MT2913 Veh: 94-13 Kia</p>	 <p>MT2914 Veh: 11-13 Jeep</p>	<p>MT2915</p>	



Santech.
Automotive **A/C** Components™

CHEMICALS - OILS

 <p>MT3012 Ounces: 8oz Ultra Pag 46 Double End Cap Case of 6 w/o Dye R12 & R134a</p>	 <p>MT3025 Ounces: 32oz Ester 100 Case of 6 w/o Dye R12 & R134a</p>	 <p>MT3027 Ounces: 4oz Oil Charge w/o Dye R134a/Pag100 Case of 12</p>	 <p>MT3032 Ounces: 8oz Masterchem Compressor Lubricant Hybrid Electric</p>
 <p>MT3062 Ounces: 8oz Enhanced Pag 150 w/Dye Single End Cap Case of 12 OEM Type for R134a Service & Retrofit Only</p>	 <p>MT3070-CASE Ounces: 8oz R1234YF PAG 68 1 Ea</p>	 <p>MT3071-CASE Ounces: 12oz R1234YF PAG 68 1 Ea</p>	 <p>MT3072-CASE Ounces: 32oz R1234YF PAG 68 1 Ea</p>
 <p>MT3120 Ounces: 1oz Concentrate Lubricant Enhancer Case of 12</p>			

SEALING COMPONENTS



Santech.
Automotive A/C Components™

MT9106 Santech Wall Chart - 2' x 3'

Covers the Most Popular Items In Our Master Technician™ Series Kits

GREEN INNER O-RINGS

MT9001	MT9002	MT9003	MT9004	MT9005	MT9006	MT9007	MT9008	MT9009	MT9010	MT9011	MT9012	MT9013	MT9014	MT9015	MT9016	MT9017	MT9018	MT9019	MT9020	MT9021	MT9022	MT9023	MT9024	MT9025	MT9026	MT9027	MT9028	MT9029	MT9030	MT9031	MT9032	MT9033	MT9034	MT9035	MT9036	MT9037	MT9038	MT9039	MT9040	MT9041	MT9042	MT9043	MT9044	MT9045	MT9046	MT9047	MT9048	MT9049	MT9050	MT9051	MT9052	MT9053	MT9054	MT9055	MT9056	MT9057	MT9058	MT9059	MT9060	MT9061	MT9062	MT9063	MT9064	MT9065	MT9066	MT9067	MT9068	MT9069	MT9070	MT9071	MT9072	MT9073	MT9074	MT9075	MT9076	MT9077	MT9078	MT9079	MT9080	MT9081	MT9082	MT9083	MT9084	MT9085	MT9086	MT9087	MT9088	MT9089	MT9090	MT9091	MT9092	MT9093	MT9094	MT9095	MT9096	MT9097	MT9098	MT9099	MT9100	MT9101	MT9102	MT9103	MT9104	MT9105	MT9106	MT9107	MT9108	MT9109	MT9110	MT9111	MT9112	MT9113	MT9114	MT9115	MT9116	MT9117	MT9118	MT9119	MT9120	MT9121	MT9122	MT9123	MT9124	MT9125	MT9126	MT9127	MT9128	MT9129	MT9130	MT9131	MT9132	MT9133	MT9134	MT9135	MT9136	MT9137	MT9138	MT9139	MT9140	MT9141	MT9142	MT9143	MT9144	MT9145	MT9146	MT9147	MT9148	MT9149	MT9150	MT9151	MT9152	MT9153	MT9154	MT9155	MT9156	MT9157	MT9158	MT9159	MT9160	MT9161	MT9162	MT9163	MT9164	MT9165	MT9166	MT9167	MT9168	MT9169	MT9170	MT9171	MT9172	MT9173	MT9174	MT9175	MT9176	MT9177	MT9178	MT9179	MT9180	MT9181	MT9182	MT9183	MT9184	MT9185	MT9186	MT9187	MT9188	MT9189	MT9190	MT9191	MT9192	MT9193	MT9194	MT9195	MT9196	MT9197	MT9198	MT9199	MT9200	MT9201	MT9202	MT9203	MT9204	MT9205	MT9206	MT9207	MT9208	MT9209	MT9210	MT9211	MT9212	MT9213	MT9214	MT9215	MT9216	MT9217	MT9218	MT9219	MT9220	MT9221	MT9222	MT9223	MT9224	MT9225	MT9226	MT9227	MT9228	MT9229	MT9230	MT9231	MT9232	MT9233	MT9234	MT9235	MT9236	MT9237	MT9238	MT9239	MT9240	MT9241	MT9242	MT9243	MT9244	MT9245	MT9246	MT9247	MT9248	MT9249	MT9250	MT9251	MT9252	MT9253	MT9254	MT9255	MT9256	MT9257	MT9258	MT9259	MT9260	MT9261	MT9262	MT9263	MT9264	MT9265	MT9266	MT9267	MT9268	MT9269	MT9270	MT9271	MT9272	MT9273	MT9274	MT9275	MT9276	MT9277	MT9278	MT9279	MT9280	MT9281	MT9282	MT9283	MT9284	MT9285	MT9286	MT9287	MT9288	MT9289	MT9290	MT9291	MT9292	MT9293	MT9294	MT9295	MT9296	MT9297	MT9298	MT9299	MT9300	MT9301	MT9302	MT9303	MT9304	MT9305	MT9306	MT9307	MT9308	MT9309	MT9310	MT9311	MT9312	MT9313	MT9314	MT9315	MT9316	MT9317	MT9318	MT9319	MT9320	MT9321	MT9322	MT9323	MT9324	MT9325	MT9326	MT9327	MT9328	MT9329	MT9330	MT9331	MT9332	MT9333	MT9334	MT9335	MT9336	MT9337	MT9338	MT9339	MT9340	MT9341	MT9342	MT9343	MT9344	MT9345	MT9346	MT9347	MT9348	MT9349	MT9350	MT9351	MT9352	MT9353	MT9354	MT9355	MT9356	MT9357	MT9358	MT9359	MT9360	MT9361	MT9362	MT9363	MT9364	MT9365	MT9366	MT9367	MT9368	MT9369	MT9370	MT9371	MT9372	MT9373	MT9374	MT9375	MT9376	MT9377	MT9378	MT9379	MT9380	MT9381	MT9382	MT9383	MT9384	MT9385	MT9386	MT9387	MT9388	MT9389	MT9390	MT9391	MT9392	MT9393	MT9394	MT9395	MT9396	MT9397	MT9398	MT9399	MT9400	MT9401	MT9402	MT9403	MT9404	MT9405	MT9406	MT9407	MT9408	MT9409	MT9410	MT9411	MT9412	MT9413	MT9414	MT9415	MT9416	MT9417	MT9418	MT9419	MT9420	MT9421	MT9422	MT9423	MT9424	MT9425	MT9426	MT9427	MT9428	MT9429	MT9430	MT9431	MT9432	MT9433	MT9434	MT9435	MT9436	MT9437	MT9438	MT9439	MT9440	MT9441	MT9442	MT9443	MT9444	MT9445	MT9446	MT9447	MT9448	MT9449	MT9450	MT9451	MT9452	MT9453	MT9454	MT9455	MT9456	MT9457	MT9458	MT9459	MT9460	MT9461	MT9462	MT9463	MT9464	MT9465	MT9466	MT9467	MT9468	MT9469	MT9470	MT9471	MT9472	MT9473	MT9474	MT9475	MT9476	MT9477	MT9478	MT9479	MT9480	MT9481	MT9482	MT9483	MT9484	MT9485	MT9486	MT9487	MT9488	MT9489	MT9490	MT9491	MT9492	MT9493	MT9494	MT9495	MT9496	MT9497	MT9498	MT9499	MT9500	MT9501	MT9502	MT9503	MT9504	MT9505	MT9506	MT9507	MT9508	MT9509	MT9510	MT9511	MT9512	MT9513	MT9514	MT9515	MT9516	MT9517	MT9518	MT9519	MT9520	MT9521	MT9522	MT9523	MT9524	MT9525	MT9526	MT9527	MT9528	MT9529	MT9530	MT9531	MT9532	MT9533	MT9534	MT9535	MT9536	MT9537	MT9538	MT9539	MT9540	MT9541	MT9542	MT9543	MT9544	MT9545	MT9546	MT9547	MT9548	MT9549	MT9550	MT9551	MT9552	MT9553	MT9554	MT9555	MT9556	MT9557	MT9558	MT9559	MT9560	MT9561	MT9562	MT9563	MT9564	MT9565	MT9566	MT9567	MT9568	MT9569	MT9570	MT9571	MT9572	MT9573	MT9574	MT9575	MT9576	MT9577	MT9578	MT9579	MT9580	MT9581	MT9582	MT9583	MT9584	MT9585	MT9586	MT9587	MT9588	MT9589	MT9590	MT9591	MT9592	MT9593	MT9594	MT9595	MT9596	MT9597	MT9598	MT9599	MT9600	MT9601	MT9602	MT9603	MT9604	MT9605	MT9606	MT9607	MT9608	MT9609	MT9610	MT9611	MT9612	MT9613	MT9614	MT9615	MT9616	MT9617	MT9618	MT9619	MT9620	MT9621	MT9622	MT9623	MT9624	MT9625	MT9626	MT9627	MT9628	MT9629	MT9630	MT9631	MT9632	MT9633	MT9634	MT9635	MT9636	MT9637	MT9638	MT9639	MT9640	MT9641	MT9642	MT9643	MT9644	MT9645	MT9646	MT9647	MT9648	MT9649	MT9650	MT9651	MT9652	MT9653	MT9654	MT9655	MT9656	MT9657	MT9658	MT9659	MT9660	MT9661	MT9662	MT9663	MT9664	MT9665	MT9666	MT9667	MT9668	MT9669	MT9670	MT9671	MT9672	MT9673	MT9674	MT9675	MT9676	MT9677	MT9678	MT9679	MT9680	MT9681	MT9682	MT9683	MT9684	MT9685	MT9686	MT9687	MT9688	MT9689	MT9690	MT9691	MT9692	MT9693	MT9694	MT9695	MT9696	MT9697	MT9698	MT9699	MT9700	MT9701	MT9702	MT9703	MT9704	MT9705	MT9706	MT9707	MT9708	MT9709	MT9710	MT9711	MT9712	MT9713	MT9714	MT9715	MT9716	MT9717	MT9718	MT9719	MT9720	MT9721	MT9722	MT9723	MT9724	MT9725	MT9726	MT9727	MT9728	MT9729	MT9730	MT9731	MT9732	MT9733	MT9734	MT9735	MT9736	MT9737	MT9738	MT9739	MT9740	MT9741	MT9742	MT9743	MT9744	MT9745	MT9746	MT9747	MT9748	MT9749	MT9750	MT9751	MT9752	MT9753	MT9754	MT9755	MT9756	MT9757	MT9758	MT9759	MT9760	MT9761	MT9762	MT9763	MT9764	MT9765	MT9766	MT9767	MT9768	MT9769	MT9770	MT9771	MT9772	MT9773	MT9774	MT9775	MT9776	MT9777	MT9778	MT9779	MT9780	MT9781	MT9782	MT9783	MT9784	MT9785	MT9786	MT9787	MT9788	MT9789	MT9790	MT9791	MT9792	MT9793	MT9794	MT9795	MT9796	MT9797	MT9798	MT9799	MT9800	MT9801	MT9802	MT9803	MT9804	MT9805	MT9806	MT9807	MT9808	MT9809	MT9810	MT9811	MT9812	MT9813	MT9814	MT9815	MT9816	MT9817	MT9818	MT9819	MT9820	MT9821	MT9822	MT9823	MT9824	MT9825	MT9826	MT9827	MT9828	MT9829	MT9830	MT9831	MT9832	MT9833	MT9834	MT9835	MT9836	MT9837	MT9838	MT9839	MT9840	MT9841	MT9842	MT9843	MT9844	MT9845	MT9846	MT9847	MT9848	MT9849	MT9850	MT9851	MT9852	MT9853	MT9854	MT9855	MT9856	MT9857	MT9858	MT9859	MT9860	MT9861	MT9862	MT9863	MT9864	MT9865	MT9866	MT9867	MT9868	MT9869	MT9870	MT9871	MT9872	MT9873	MT9874	MT9875	MT9876	MT9877	MT9878	MT9879	MT9880	MT9881	MT9882	MT9883	MT9884	MT9885	MT9886	MT9887	MT9888	MT9889	MT9890	MT9891	MT9892	MT9893	MT9894	MT9895	MT9896	MT9897	MT9898	MT9899	MT9900	MT9901	MT9902	MT9903	MT9904	MT9905	MT9906	MT9907	MT9908	MT9909	MT9910	MT9911	MT9912	MT9913	MT9914	MT9915	MT9916	MT9917	MT9918	MT9919	MT9920	MT9921	MT9922	MT9923	MT9924	MT9925	MT9926	MT9927	MT9928	MT9929	MT9930	MT9931	MT9932	MT9933	MT9934	MT9935	MT9936	MT9937	MT9938	MT9939	MT9940	MT9941	MT9942	MT9943	MT9944	MT9945	MT9946	MT9947	MT9948	MT9949	MT9950	MT9951	MT9952	MT9953	MT9954	MT9955	MT9956	MT9957	MT9958	MT9959	MT9960	MT9961	MT9962	MT9963	MT9964	MT9965	MT9966	MT9967	MT9968	MT9969	MT9970	MT9971	MT9972	MT9973	MT9974	MT9975	MT9976	MT9977	MT9978	MT9979	MT9980	MT9981	MT9982	MT9983	MT9984	MT9985	MT9986	MT9987	MT9988	MT9989	MT9990	MT9991	MT9992	MT9993	MT9994	MT9995	MT9996	MT9997	MT9998	MT9999	MT10000	MT10001	MT10002	MT10003	MT10004	MT10005	MT10006	MT10007	MT10008	MT10009	MT10010	MT10011	MT10012	MT10013	MT10014	MT10015	MT10016	MT10017	MT10018	MT10019	MT10020	MT10021	MT10022	MT10023	MT10024	MT10025	MT10026	MT10027	MT10028	MT10029	MT10030	MT10031	MT10032	MT10033	MT10034	MT10035	MT10036	MT10037	MT10038	MT10039	MT10040	MT10041	MT10042	MT10043	MT10044	MT10045	MT10046	MT10047	MT10048	MT10049	MT10050	MT10051	MT10052	MT10053	MT10054	MT10055	MT10056	MT10057	MT10058	MT10059	MT10060	MT10061	MT10062	MT10063	MT10064	MT10065	MT10066	MT10067	MT10068	MT10069	MT10070	MT10071	MT10072	MT10073	MT10074	MT10075	MT10076	MT10077	MT10078	MT10079	MT10080	MT10081	MT10082	MT10083	MT10084	MT10085	MT10086	MT10087	MT10088	MT10089	MT10090	MT10091	MT10092	MT10093	MT10094	MT10095	MT10096	MT10097	MT10098	MT10099	MT10100	MT10101	MT10102	MT10103	MT10104	MT10105	MT10106	MT10107	MT10108	MT10109	MT10110	MT10111	MT10112	MT10113	MT10114	MT10115	MT10116	MT10117	MT10118	MT10119	MT10120	MT10121	MT10122	MT10123	MT10124	MT10125	MT10126	MT10127	MT10128	MT10129	MT10130	MT10131	MT10132	MT10133	MT10134	MT10135	MT10136	MT10137	MT10138	MT10139	MT10140	MT10141	MT10142	MT10143	MT10144	MT10145	MT10146	MT10147	MT10148	MT10149	MT10150	MT10151	MT10152	MT10153	MT10154	MT10155	MT10156	MT10157	MT10158	MT10159	MT10160	MT10161	MT10162	MT10163	MT10164	MT10165	MT10166	MT10167	MT10168	MT10169	MT10170	MT10171	MT10172	MT10173	MT10174	MT10175	MT10176	MT10177	MT10178	MT10179	MT10180	MT10181	MT10182	MT10183	MT10184	MT10185	MT10186	MT10187	MT10188	MT10189	MT10190	MT10191	MT10192	MT10193	MT10194	MT10195	MT10196	MT10197	MT10198	MT10199	MT10200	MT10201	MT10202	MT10203	MT10204	MT10205	MT10206	MT10207	MT10208	MT10209	MT10210
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------



Santech.
Automotive A/C Components™

HOSE REPAIR

Crimper Type Compression Fittings, Orifice Tube Repair

Hose Clamp - 3 Barb Fitting

MT1273 #6 Hose & #8 Hose

MT1274 #10 Hose & #12 Hose



Qty: 10

Hose Straps

MT0101 #6-#8 (14mm I.D.)

MT0103 #10-#12 (18mm I.D.)

MT0951 #12 (22mm I.D.)



Qty: 1

Crimp Shell Steel - Braid Hose & Standard Barrier - Beadlock Fittings

MT1486 #6 Hose

MT1487 #8 Hose

MT1488 #10 Hose

MT1489 #12 Hose



Qty: 10

Crimp Shell Steel - Reduced Beadlock Fittings

MT1596 #6 Hose

MT1597 #8 Hose

MT1598 #10 Hose

MT1599 #12 Hose



Qty: 10

Metal Tube Block- Off Kits

MT3206 5/16"

MT3207 3/8"

MT3208 1/2"

MT3209 5/8"

MT3210 3/4"



Qty: 1

Splicer - Hose Barrier & Rubber 3 Barb For Braid Type Hose

MT0824 #6 - 5/16" Hose I.D.

MT0825 #8 - 13/32" Hose I.D.

MT0826 #10 - 1/2" Hose I.D.

MT0827 #12 - 5/8" Hose I.D.



Splicer - Metal Tube Steel w/ Steel Ferrules

MT1484 #6 - 3/8" O.D. Tube

MT1485 #8 - 1/2" O.D. Tube

MT1499 #10 - 5/8" O.D. Tube



Qty: 1

Splicer - Metal Tube Aluminum w/ Brass Ferrules & HNBR Rubber Ferrules

MT3201 #5 - 5/16" x #5 - 5/16" O.D. Tube

MT3202 #6 - 3/8" x #6 - 3/8" O.D. Tube

MT3203 #8 - 1/2" x #8 - 1/2" O.D. Tube

MT3204 #10 - 5/8" x #10 - 5/8" O.D. Tube

MT3205 #12 - 3/4" x #12 - 3/4" O.D. Tube



Qty: 1

Qty: 1





Santech.
Automotive A/C Components™

HOSE REPAIR

Hose Cutters

MT1033

Hose Cutter Heavy Duty
Metal Body Qty. 1



MT1040

Hose Cutter
Economy Plastic Body Qty. 1

MT1034

Master Cool™ Version
Blade Length 3-3/4"
Qty. 1



MT1088

Santech™ Version
Blade Length 3-3/4"
(Rear Hole Inset 1.90mm)
Qty. 1



MT1089

Santech™ Version
Blade Length 3-3/4"
(Rear Hole on Edge of Blade)
Qty. 1



Hose Clamps & Hose Clamp Repair Kit

MT1590

#10 Toyota
Hose Fitting Clamp
OEM #'s:
88718-02170,
88718-2D150
Qty. 1



MT1591

#6 Toyota
Hose Fitting Clamp
OEM #'s:
88718-02160,
88718-2D140
Qty. 1



Kit	Fitting Size
MT2101	#6 - 3/8"
MT2102	#8 - 1/2"
MT2103	#10 - 5/8"
MT2104	#12 - 3/4"



Hose Lubricant

MT0941

Silicone O-ring Lube
4.5 oz
Qty: 1



Tube Cutter & Bender Tools

MT1686

Tube Bending Set
Kit Includes:
Mandrels 1/4", 5/16", 1/2",
5/8", 3/4", 7/8"
Blow Mold Case



MT1162

Tube Cutter
Ratcheting
Type 1/8" - 1/2"

Qty: 1



MT1682

Tube Cutter
1/8" - 1/2"
Qty: 1





Santech.
Automotive A/C Components™

HOSE REPAIR

TOOLS - ATCO™ MODEL 3710 HOSE CRIMPER KIT MT1419 HOSE CRIMPER - 6 SEGMENT KIT

- ▶ High Quality Construction
- ▶ Portable - Versatile Mounting Configurations
- ▶ Tool Steel Drive Arbor Bolt for Air Impact Operation
- ▶ Produces OEM Quality Barrel Crimps
- ▶ Crimps #6, 8, 10 & 12 Crimping Shells
- ▶ Works on Standard Barb, Reduced Bead-Lock & Steel Bead-Lock Fittings




ATCO™ Model 3710 Crimp Die Usage Guide


Die Set MT Part Number



Die Marking



To Crimp Hose Size(s)



All Hoses To Size

©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

HOSE REPAIR

Santech MT	ATCO PN	Description	Ref. #	Qty
41-75013	75013	Actuator Screw	1	1
41-75177	75177	Actuator Bar	2	1
41-75012	75012	Rubber Bumpers	3	2
41-75179		Movable Die Holder	5	1
41-75010	75010	3/16" x 1" Roll Pin	6	2
41-75116	75086-Y	Locator Flag (Inside 41-75116 Kit)	7	1
41-75116	75088	Curved Disc Spring (Inside 41-75116 Kit)	8	1
41-75116	75087-Y	Locator Bushing (Inside 41-75116 Kit)	9	1
41-75116	75113	1/4-20 x 1" Button Head Screw 41-75116 Kit	10	1
MT1740	3711	Crimp Die #6 Reduced	12	1
MT1741	3712	Crimp Die #6 Barrier & #8 Reduced	12	1
MT1742	3713	Crimp Die #8 Barrier	12	1
MT1743	3714	Crimp Die #10 Reduced	12	1
MT1744	3715	Crimp Die #10 Barrier & #12 Reduced	12	1
MT1745	3716	Crimp Die #12 Barrier	12	1
MT1750	75140	Die Carrier #6 Reduced	13	1
MT1751	71688	Die Carrier #6 Barrier & #8 Reduced	13	1
MT1752	71689	Die Carrier #8 Barrier	13	1
MT1753	75136	Die Carrier #10 Reduced	13	1
MT1754	71690	Die Carrier #10 Barrier & #12 Reduced	13	1
MT1755	71691	Die Carrier #12 Barrier & 19mm Barrier	13	1

Items not shown


41-75015	75015	Teflon Grease (0.75oz Tube)	1
41-75016	75016	3/8" x 4" Pipe Nipple	1
41-75020	75020	Strain Rod	1
41-90607	90607	3/8" Floor Flange	1

Crimper Dies

Santech P/N	Hose Size	Die Marking	Crimp Die PN	Color P/N	Crimp	Description Dia
MT1740	#6 Reduced	6R 556	3711	Red	.556"	SR & RB Hose
MT1741	#6 Barrier	6-8R 655	3712	Black	.655"	BL & SB Hose
MT1741	#8 Reduced	6-8R 655	3712	Black	.655"	SR & RB Hose
MT1742	#8 Barrier	8 830	3713	Blue	.830"	BL & SB Hose
MT1743	#10 Reduced	10R 742	3714	Almond	.742"	SR & RB Hose
MT1744	#10 Barrier	10-12R 897	3715	Green	.897"	BL & SB Hose
MT1744	#12 Reduced	10-12R 897	3715	Green	.897"	SR & RB Hose
MT1745	#12 Barrier	12 1015	3716	Clear	1.015"	BL & SB Hose
MT1745	19mm Barrier	12 1015	3716	Clear	1.145"	BL & SB Hose

Crimper Carrier

Santech P/N	Hose Size	Die Marking	Crimp Die PN	Color P/N	Crimp	Description Dia
MT1750	#6 Reduced	6R 556	75140	Red	.556"	SR & RB Hose
MT1751	#6 Barrier	6-8R 655	71688	Black	.655"	BL & SB Hose
MT1751	#8 Reduced	6-8R 655	71688	Black	.655"	SR & RB Hose
MT1752	#8 Barrier	8 830	71689	Blue	.830"	BL & SB Hose
MT1753	#10 Reduced	10R 742	75136	Almond	.742"	SR & RB Hose
MT1754	#10 Barrier	10-12R 897	71690	Green	.897"	BL & SB Hose
MT1754	#12 Reduced	10-12R 897	71690	Green	.897"	SR & RB Hose
MT1755	#12 Barrier	12 1015	71691	Clear	1.015"	BL & SB Hose
MT1755	19mm Barrier	12 1015	71691	Clear	1.145"	BL & SB Hose



A Lubricate Using P/N's
75015/MT1419-21



Santech
Automotive A/C Components™

TOOLS

Refrigerant Manifold Gauge Sets & Components

MT0399

R134a Aluminum Manifold Set

Features:

72" Hose Set
Manual Couplers
Anti-Blowback for Service Line
Protective Rubber Gauge Covers
Clam Shell Pack



Included in Set:

MT0406 Low Side Coupling
MT0407 High Side Coupling
MT1032 Anti-Blowback Valve



MT0417

R12 Brass Manifold Set

Features:

72" Hose Set
High Quality Fittings w/ Standard Hoses
Clam Shell Packaging



MT1416

R134a Brass Manifold Set

Features:

72" Hose Set
Manual Quick-Couplers
Anti-Blowback for Service Line
Protective Rubber Gauge Covers
Clam Shell Packaging



Included in Set:

MT0406 Low Side Coupling
MT0407 High Side Coupling
MT1032 Anti-Blowback Valve




MT1480

R134a Aluminum Gauge Set - 4 Way

Features:

Aluminum 4 Way Manifold
Rubber Protective Gauge Covers
Hose Set: Red & Blue 72", Yellow 36" & 96"
Manual Service Couplers
Sight Glass
Anti-Blowback for Service Line




MT1705

R1234yf Aluminum Gauge Set

Features:

Aluminum Manifold
Rubber Protective Gauge Covers
Hose Set - Red, Blue & Yellow 72"
Manual Service Couplers
Sight Glass
Anti-Blowback for Service Line




MT1760

R1234yf Premium Gauge Set

Features:

Aluminum Manifold
Rubber Protective Gauge Covers
Hose Set - Red, Blue & Yellow 72"
Manual Service Couplers
Sight Glass
Anti-Blowback for Service Line



R134a 14mm Refrigerant Hoses

HOSE LENGTH	RED	BLUE
36"	MT0415	MT0414
72"	MT0403	MT0404
96"	MT0411	MT0410

HOSE LENGTH	YELLOW	HOSE SETS
36"	MT0416	MT0413
72"	MT0405	MT0402
96"	MT0412	MT0409

R12 1/4" SAE Refrigerant Hoses

HOSE LENGTH	RED	BLUE	YELLOW	HOSE SETS
R12 W/O Anti-Blowback				
36"	MT0429	MT0428	MT0430	MT0427
72"	MT0421	MT0422	MT0423	MT0420
96"	MT0443	MT0425	MT0426	MT0424

R1234yf 12mm Refrigerant Hoses

R1234yf 12mm Hose & Set

72"	MT1761	MT1762	MT1763	MT1764
96"	MT1765	MT1766	MT1767	MT1768

©2017, Santech Industries, LLC. All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™


TOOLS

Gauge Components & Accessories

MT0400

**Replacement
R134a**

Gauge Low Side




Qty: 1

MT0401

**Replacement
R134a**

Gauge High Side




Qty: 1

MT0418

**Replacement
R12**

Gauge Low Side



Qty: 1

MT0419

**Replacement
R12**

Gauge High Side



Qty: 1

MT1296

Gauge Cover Set

For 2.5" High Side
& Low Side Gauges

Qty: 1



MT1268

Replacement Lens
For 2.5" High & Low
Side Gauges

Qty: 1



Premium Couplers - R134a / R1234yf High Flow Service Couplers All Premium Couplers SAE J-2788 Standards

MT1513

R134a High Side Service Coupling

w/ 90 Degree-Extended Reach
Extended Reach for BMW,
Volvo & other European
Vehicles w/ Hi-Side Port
through Radiator
Core Support

Qty: 1



MT1542

**R134a Low Side
Service Coupling**

w/ Purge Valve
O-Ring Repair Kit:

MT2151

Qty: 1



MT1543

**R134a High Side
Service Coupling**

w/ Purge Valve
O-Ring Repair Kit:

MT2151

Qty: 1



MT1706

**R1234yf Hi-Side
Service Coupling**

Qty: 1



MT1707

**R1234yf Low-Side
Service Coupling**

Qty: 1



Automatic Couplers

Economy Couplers

MT0441

High Side

O-Ring
Repair
Kit:
MT2152

Qty: 1



MT0440

Low Side

O-Ring
Repair
Kit:
MT2152

Qty: 1



MT0407

High Side

O-Ring
Repair
Kit:
MT2151

Qty: 1



MT0406

Low Side

O-Ring
Repair
Kit:
MT2151

Qty: 1



MT0408

**High & Low
Side Set**

O-Ring
Repair Kit:
MT2151

Qty: 1



MT2164

**R12 to R134a
Coupler
Conversion Kit
w/ Vacuum
Pump Adapter**

Qty: 1



R1234yf Couplers & Set

MT1769

Low Side Coupler



MT1770

Hi Side Coupler



MT1771

Hi & Low Coupler Set



R12 Adapter Kits & Hose Adapters

MT1140 Adapter Fitting Kit



Kit Contains:

- (1) 1/4" x 1/4" Anti Blow Back Adapter
- (1) 1/4" x 3/16" Anti Blow Back Adapter
- (1) GM 1993-1991 Deep Access Adapter
- (1) 1/4" x 3/16" Flex Hose Adapter
- (1) 1/4" x 1/8" Flex Hose Adapter

90 Degree

MT0434

High & Low Side

1/4"MFL x
1/4"FFL

Qty: 1



MT0435

High Side

1/4"MFL x
3/16"FFL

Qty: 1



MT0936

High Side

1/4" MFL x 3/16" FFL
GM Large Valve Cores

Qty: 1



MT0962

High Side

1/4"MFL x
1/8"FFL

Qty: 1



Straight Adapters

MT0436

Deep Access

1/4"MFL x
3/16"FFL
GM 1991
& Later

Qty: 1



MT0437

**Auto Anti-Blow
Back Low Side**

1/4"FFL x
1/4"MFL

Qty: 1



MT0438

**Auto Anti-Blow
Back High Side**

1/4"MFL x
3/16"FFL

Qty: 1



MT0961

One Piece Fixed

1/4"MFL x
3/16"FFL
w/ Valve Core

Qty: 1



MT0963

Swivel Type

1/4"MFL x
3/16"FFL

Qty: 1



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech
Automotive A/C Components™

TOOLS

R134a Adapters & Valves

MT0431

Adapter

1/4" MFL x 14mm R12
Conversion to R134a
O-Ring MT0250

Qty: 1



MT0432

Adapter

1/2" FFL ACME
x 1/4" MFL
Cylinder Adapter
Gasket: MT0722

Qty: 1



MT0433

Adapter

1/4" FFL x 1/2"
ACME MFL
Vacuum Pump
Gasket: MT0722

Qty: 1



MT0948

Adapter

1/2" ACME FFL
x 13mm
Quick Disconnect
w/ ValveCore

Qty: 1



MT1032

Anti-Blow
Back Valve
1/2" ACME
Threads

Qty: 1



MT1143

Adapter

1/4" FFL
x M10-1.5 MFL

Qty: 1



MT1144

Adapter

14mm Male
x M12-1.75 Male

Qty: 1



MT1145

Adapter

14mm Male
x M10-1.5 Male

Qty: 1



MT1146

Adapter

1/2" ACME MFL
x 1/8" MPT
w/ Valve Core

Qty: 1



MT1417

Adapter

14mm Fem x 1/2
ACME
Male Connects R134a
Hoses together

Qty: 1



MT1456

Adapter

1/2" ACME MF
x 1/2" ACME MFL
Connects R134a
Yellow Hoses

Qty: 1



MT1457

Adapter

1/4" Male NPT
x Quick
Disconnect

Qty: 1



MT1517

Adapter

R1234YF
1/2" FFL x
1/4" MFL

Qty: 1



MT1518

Adapter

R1234YF
1/2" Male x
1/4" MFL

Qty: 1



MT1519

Adapter

3/8"-28-MOR
x 7/16"-20
Male Flare

Qty: 1



MT1520

Adapter

1/8" Male NPT
x 3/16" Female
Flare (FFL)

Qty: 1



MT1522

Adapter

1/8" Male NPT
x 7/16in-20 Male
Flare
w/ Valve Core

Qty: 1



MT1617

Adapter

R12/R134a
R12 - 1/4" Female
x R134a Low Side
O-Ring:
MT0927

Qty: 1



MT1790

Adapter

14mm Male
x R134a 13mm
Low Side
O-Ring: MT0250

Qty: 1



MT1792

Adapter

1/2" ACME Male x M12
1.5 Fem/1 Seal

Qty: 1



MT1793

Adapter

1/2" ACME Fem/1 Seal
x M12 1.5 Fem/1 Seal

Qty: 1



R134a Flex Hoses

MT0976

Flex Hose

1/2" MFL x 1/2" FFL x 6"
w/ Ball Shut-Off ACME

Qty: 1



MT1150

Flex Hose

Audi/VW
1/4" MFL x 1/2"
ACME FFL

Qty: 1



MT1539

Replacement Hose

6" Flex Hose
R134a 1/2" Acme FFL
x 1/2" ACME FFL

Qty: 1



R12 Flow Control Valves

MT1152

Manual Shut Off

1/2" ACME FFL x 1/2"
ACME MFL

Qty: 1



MT1151

Manual Shut Off

1/4" FFL x 1/4" MFL

Qty: 1



Dye & Oil Injectors

MT1408

Dye Injector - Hand Turn

R12 & R134a (1/2 oz.)

Qty: 1



MT1407

Oil Injector Hand Turn

R12 & R134a (2 oz.)

Qty: 1



MT1067

Oil - Dye Injector R134a

1/2" ACME MFL x 1/2" ACME FFL (2 oz.) Qty: 1



MT4055

Oil-Dye Injector R134a

Quick Disconnect Style (2 oz.) Qty: 1



MT4056

Oil-Dye Injector R12

1/4" MFL x 1/4" FFL (2 oz.) Qty: 1



Can Taps

MT0398

R134a Recharge Hose

Screw On Type

Replacement Gasket MT0722 Qty: 1



MT0442

R134a Can Tap

Screw On Type

Replacement Gasket MT0722

Qty: 1



MT1514

R134a Can Tap

California (CARB)

Approved

14 oz Cans

Replacement Gasket MT0722

Qty: 1



MT1528

Can Tap

Locking Top Type

Replacement Gasket MT1057

Qty: 1



MT1036

Refrigerant Can Tap

Side Can Slide On

R12, R134a & 2 + 2

Oil Charge Cans

Replacement Gasket MT1057

Qty: 1



MT1414

R134a

Recharge Hose

w/ Gauge

Replacement Gasket MT0722

Qty: 1



©2017, Santech Industries, LLC. All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Repair Kits for Hoses & Couplers

MT1050

O-Ring and Depressor Kit

R12 / R134a Charging Hose & Accessories

Features:

Side Can & Screw-On Can Tap Gaskets
R12 & R134a Hose Gaskets and O-Rings
R12 Adapters Seals & O-Rings
R134a Coupler Seals and O-Rings
R12 Hose & Adapter Depressors
R12 & R134a Anti-Blowback Valve Seals

Qty: 1 Kit

MT0056 Charging Hose Gasket R12 (3/16" Fitting)	MT1051 Charging Hose Gasket R12 (3/16" Fitting)	MT0249 O-Ring R134a Manual Low Side Coupler	MT0187 O-Ring R134a Manual Hi Side Coupler	MT1054 Nylon Guide R134a Low Side Coupler	MT1055 Nylon Guide R134a Hi Side Coupler
MT0448 Depressor R12-3/16" Adapter & Hose	MT0449 Depressor R12-3/16" Adapter & Hose	MT0250 O-Ring R134a Hose 14mm	MT0687 Service Hose Gasket R134a	MT1056 O-Ring R134a Shut-Off Valve	MT0254 O-Ring R134a Quick Coupler Low Side
MT1058 O-Ring R12-1/8" Adapters	MT1052 Charging Hose & Adapter Gasket R12 (1/8" Fitting)	MT1053 O-Ring R12 Shut-Off Valve	MT0722 Can Tap Gasket R134a (Screw On Type)	MT1067 Can Tap Gasket R134a (Side Type)	MT0274 O-Ring Seal R134a Quick Coupler Hi Side

MT0971

**R12 Hose
Depressor Kit**
2 Gaskets,
2 Depressors 1/4"
Qty: 1 Kit



MT1078

Replacement Gaskets & O-Rings
R12 Charging Hose
for Anti-Blowback
MT1280-MT1295 Hoses
Qty: 1 Kit



MT2172

Replacement Gaskets
R12 Charging Hose
Repairs MT0420 thru MT0430
& MT0443 Hoses
Qty: 1 Kit



MT2173

Replacement Gaskets & O-Rings
R134a Charging Hose
Repairs MT0402-MT0416 Hoses
Qty: 1 Kit



MT1066

**R134a Repair Kit
for Service Couplers**
w/ O-Rings & Nylon
Guide Washers for
MT0406, MT0407 &
MT0408 Kit Couplers
Qty: 1 Kit



MT2151

R134a Repair Kit
Used for MT0406, MT0407,
MT0408, MT2164, MT1542 & MT1543
Qty: 1 Kit



MT2152

R134a Repair Kit
Used for MT0440 & MT0441 Couplers
Qty: 1 Kit



MT0187

**R134a
Manual
High Side
O-Ring**
Qty: 20



MT0249

**R134a
Manual
Low Side
O-Ring**
Qty: 20



MT0250

**R134a
14mm
Hose
O-Ring**
Qty: 20



MT0254

**R134a Quick
Coupler
Low Side
O-Ring**
Qty: 20



MT0274

**R134a Quick
Coupler
High Side
O-Ring**
Qty: 20



Hose & Adapter Repair Components

MT0057

**Can Tap
Gasket
R12**
Qty: 20



MT0722

**Can Tap Gasket
R134a**
MT0398, MT0442
& MT1414
Qty: 10



MT1057

**Can Tap
Gasket
R12/R134a**
MT1036 & MT1528
Qty: 10



MT0056

**Charging Hose
Gasket**
All 1/4" 7/16"
Fittings
Qty: 20



MT0687

**Charging Hose
Gasket R134a**
MT0402 thru
MT0416
Qty: 10



MT1051

**Charging Hose
& Adapter
Gasket**
3/16" Fittings
Qty: 20



MT1052

**Charging
Hose & Adapter
Gasket**
1/8"
Qty: 10



MT1521

**Charging Hose
Gasket**
3/16" Fitting
1/4" O.D. x 5/16"
Qty: 20




MT1524

**Charging Hose
Gasket R12**
For Brass Screw-In
Depressor
Qty: 10



MT1053

**O-Ring
Seal R12**
Shut-Off
Valve
Qty: 20



MT1058

**O-Ring Seal
R12**
1/8" Adapters
Qty: 10



MT0688

**Black O-Ring
R134a**
Recharging
Hose
Qty: 10



MT1054

**Low Side
Couplers
R134a**
Nylon Guide
Qty: 10



MT1055

**High Side
Couplers
R134a**
Nylon Guide
Qty: 10



MT0448
**R12 Valve Core
Depressor - 1/4"**
Qty: 10



MT0449
**Valve Core
Depressor - 3/16"**
Qty: 10



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Compressor Clutch Service Tool Sets

MT0950

Compressor Clutch Tool Set
Chrysler, Denso, Ford, GM, Sanden, DKS, Zexel



Kit Contains:

- (1) (3) Eye Round Clutch Plate Arbor
Sanden, DKS, Zexel
- (1) Drive Arbor Bolt Sanden
- (1) Drive Arbor Bolt DKS, Zexel
- (3) Retaining Bolts 7/16"-20 w/Washers
- (1) Sanden Compressor Shaft Tip Installer
- (1) DKS, Zexel Compressor Shaft Tip Installer
- (1) GM Standard Clutch Plate Arbor
- (1) GM Metric Clutch Plate Arbor
- (1) GM Compressor Shaft Tip Installer
- (1) GM Compressor Shaft Tip Remover
- (1) Chrysler, Denso, Ford Standard/Metric Drive Arbor
- (1) Chrysler, Denso, Ford Compressor Shaft Tip Remover
- (1) Chrysler, Denso, Ford Compressor Shaft Tip Installer
- (1) Arbor Installer Bearing

MT1120

Compressor Clutch Tool Set
Chrysler, Denso, Ford, GM, Sanden, DKS, Zexel



Kit Contains:

- (1) (3) Eye Round Clutch Plate Arbor
Sanden, DKS, Zexel
- (1) Sanden Arbor Drive Bolt
- (3) 1/4" - 20 Hex Screws w/Washers
- (1) Diesel Kiki, Zexel Arbor Drive Bolt
- (1) Chrysler, Denso, Ford Standard/Metric Arbor
- (1) Chrysler, Denso, Ford Remover Arbor
- (1) Chrysler, Denso, Ford Installer Arbor
- (1) GM Standard Clutch Plate Remover Arbor
- (1) GM Standard Arbor Remover Drive Bolt
- (1) GM Standard Arbor Installer Drive Bolt
- (1) GM Metric Clutch Plate Remover Arbor
- (1) GM Metric Arbor Remover Drive Bolt
- (1) GM Metric Arbor Installer Drive Bolt
- (1) GM 9mm Hub Installer
- (1) Arbor Installer Bearings

MT1121

Compressor Clutch Tool Set
Chrysler, Denso, Ford, GM, Sanden, DKS, Zexel



Kit Contains:

- (1) (3) Eye Round Clutch Plate Arbor
Sanden, DKS, Zexel
- (1) Sanden Arbor Drive Bolt
- (1) DKS, Zexel Arbor Drive Bolt
- (1) Universal Clutch Spanner Wrench
- (1) Chrysler, Denso, Ford Standard/Metric Clutch Plate Arbor
- (1) Chrysler, Denso, Ford Arbor Drive Bolt
- (1) GM Standard Thread Clutch Hub Arbor Remover/Installer
- (1) GM Metric Thread Clutch Hub Arbor Remover/Installer
- (1) Arbor Installer Bearings

MT1126

Compressor Clutch Tool Set Universal
Multi Puller w/ Arbor



Kit Contains:

- (1) Multi Position Steel Cast Arbor
- (1) Arbor Drive Bolt
- (2) 5" Puller Jaws
- (2) 3" Puller Jaws
- (1) Cross Draw Stabilizer Yoke

MT1403

Compressor Clutch Tool Set
Chrysler, Denso, Ford, GM, Sanden, DKS, Zexel



Kit Contains:

- (1) (3) Eye Round Clutch Plate Arbor
Sanden, DKS, Zexel
- (3) 1/4" - 20 Hex Screws
- (2) 3/8" - 16 Hex Screws
- (3) 5mm - .8 Hex Screws
- (1) GM Standard Thread Hub Remover/Installer
- (1) GM Metric Thread Hub Remover/Installer
- (1) Chrysler, Denso, Ford Coarse Thread Hub Remover
- (1) Chrysler, Denso, Ford Fine Thread Hub Remover
- (1) DKS Hub Puller
- (1) Zexel Hub Puller
- (1) Arbor Installer Bearings

©2017, Santech Industries, LLC. All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Compressor Clutch Service Tool Sets

MT1116

Compressor Clutch Plate Remover Mitsubishi, Sanden, DKS, Zexel

Kit Contains:

- (1) (3) Eye Round Clutch Plate Arbor Sanden, DKS, Zexel
- (1) Drive Arbor Bolt
- (3) 1/4"-20 Bolts
- (3) 8mm-1.0 Bolts
- (2) 10mm-1.5 Bolts



MT1127

Clutch Rotor Puller Tool Set
GM Compressor Standard R4

Kit Contains:

- (1) Adjustable Aluminum Arbor
- (1) Drive Arbor Bolt (2) Puller Jaws
- (1) Shaft Protector (.126 Deep Shoulder)
- (1) Shaft Protector (.25 Deep Shoulder)



MT1128

Clutch Pulley Puller Tool Set
GM Compressor LT R4/H6/V5

Kit Contains:

- (1) Adjustable Aluminum Arbor
- (1) Arbor Drive Bolt
- (2) Wide Pulley Puller Jaws
- (1) Shaft Protector



Compressor Clutch Service Tools

MT0363

Harrison Shaft
Protector Pilot



.126 Deep Shoulder GM

Used with MT1127 Puller Kit
to protect Compressor shaft during
pulley removal. Works with double
row pulley bearings.

Qty: 1

MT0592

Internal Snap
Ring Pliers

Qty: 1



MT0593

External Snap Ring
Pliers

Qty: 1



MT0594

Universal Clutch Holder
Wrench

Qty: 1



MT0595

Nippondenso Clutch
Hub Remover



Arbor is double
threaded for Metric
& Standard Thread Hubs.

Qty: 1

MT1115

Compressor Clutch Plate
Installer / Remover
GM Hubs

Arbor is Metric Threads. End of drive bolt threads
out for 9mm GM shaft threads for Hub installer.

Qty: 1



MT1129

Mini Snap Ring
Plier Set



MT1174

Compressor Clutch Plate
Installer/Remover Hub
Standard Thread GM

Arbor is Standard
Threads.
End of drive bolt
threads out for 3/8"-20
GM shaft threads for Hub installer.

Qty: 1



MT1547

Compressor Clutch
Plate Remover

Denso 6SE, 7SE
Direct Drive
Qty: 1



MT1622

Hub Remover

Denso 5SE12C
Direct Drive
Qty: 1



Shaft Seal Tool Sets

MT1124 Master Shaft Seal Service Tool Set
Services these Compressor Groups:

GM: A6, Std R4, LT R4, DA6 Carbon,
HR6 & V5


Ford: FS6, Chrysler A590, C171,
6C17, Denso 6P & 10P Series

Sanden: SD507, SD508, SD510

York: 206, 209, 210

Techumseh: HG500, HG1000

Chrysler: RV2



MT1130 Shaft Seal Tool Kit
Set of Seal Seat Remover / Installers

Kit Contains (4) Individual Tools

- (1) Denso 10P Series
- (1) Sanden SD708, SD709 Series
- (1) Sanden SD505, SD507 Mini Series
- (1) Sanden SD507, SD508, SD510 Series





Santech.
Automotive A/C Components™

TOOLS

Shaft Seal Tool Sets

MT1131 Shaft Seal Tool Kit Denso 10PA

Kit Contains:

- (1) Shaft Seal Remover
- (1) Shaft Seal Installer
- (1) Shaft Seal Protector
- (1) Internal Snap Ring Remover



MT1132 Shaft Seal Tool Kit Diesel Kiki

Kit Contains:

- (1) Drive Plate Installer
- (1) Drive Plate Remover
- (1) Snap Ring Installer
- (1) Pulley Puller Pilot
- (1) Shaft Seal Remover / Installer
- (1) Shaft Seal Seat Remover / Installer



MT1134 Shaft Seal Tool Kit Ford FX15, FS10

Kit Contains:

- (2) Shaft Seal Protectors
16 Spline - 0.489 I.D.
21 Spline - 0.513 I.D.
- (1) Shaft Seal Remover
- (1) Shaft Seal Installer
- (1) Snap Ring Remover



MT1136 Shaft Seal Tool Kit GM DA6 with Carbon Seal

Kit Contains:

- (1) Seal Remover / Installer
- (1) Shaft Seal Protector
- (1) Clutch Plate Remover (Metric)
- (1) Clutch Plate Installer (Metric)
- (1) O-Ring & Snap Ring Installer
- (1) O-Ring Installer Guide



MT1137 Shaft Seal Tool Kit Hitachi, Mitsubishi Compressors

Kit Contains:

- (1) Nut Remover / Installer
- (1) Shaft Seal Remover Lock Nut
- (1) Seal Seat Remover Mitsubishi
- (1) Bearing & Pulley Installer-Mitsubishi
- (1) Shaft Seal Remover / Installer-Mitsubishi
- (1) Spanner Plug Remover / Installer-Hitachi



MT1138 Shaft Seal Tool Kit Sanden SD505, 575

Kit Contains:


- (1) Seal Remover / Installer
- (1) Seal Seat Remover (505 only)
- (1) Bearing & Pulley Installer (505 only)
- (1) Shaft Seal Protector (505 only)
- (1) Pulley & Clutch Remover Jaws
- (1) Shaft Protector Pilot



MT1139 Shaft Seal Tool Kit Sanden SD507, 508, 510

Kit Contains:

- (1) Clutch Plate Puller
- (1) Shaft Seal Remover / Installer
- (1) Shaft Seal Protector
- (1) Clutch Plate Installer



Shaft Seal Tools

MT0952

Ceramic/Steel Shaft Seal Seat
Remover / Installer
GM A6/R4/DA6
Qty: 1



MT4052

Shaft Seal Installer / Remover
Sanden SD508, Seiko
Seiki SP10, Sanden SD7H,
Zexel
Qty: 1



Shaft Seal Protectors

MT4057

Adjustable
Lip Seal
Protectors Kit
(Set of 8)



MT1396

Shaft Seal Protector
21 Spline
I.D. .513
O.D. .557
Ford FX15/FS10
Qty: 1



MT4024

Shaft Seal Protector
GM A6/R4
DA6 (Late)/V5
Qty: 1



MT4025

Shaft Seal Protector
Sanden SD505
Qty: 1



MT4026

Shaft Seal Protector
Sanden SD508, SD510
Qty: 1



©2017, Santech Industries, LLC. All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Spring Lock Tool Sets

MT0396

Master Tech
Spring Lock
Tool Set

4 Piece Kit



MT1387

Master Tech Spring
Lock Tool Set
Premium Aluminum
Handle Type
6 Piece Kit



MT1415

Spring Lock
Tool Set

9 Piece Kit



Spring Lock Tools

Spring Lock Coupling Tool Disassembles

MT0152

#6 (3/8")

Qty. 1



MT0153

#8 (1/2")

Qty. 1



MT0154

#10 (5/8")

Qty. 1



MT0155

#12 (3/4")

Qty. 1



MT0349

Toyota
Spring Lock
Release Tool

Qty. 1



Brass Brushes for Spring Lock Couplings

MT0170

Brass Brush for #8
Spring Lock Coupling
2 Pk Tool - 9/16"



MT0171

Brass Brush for #10
Spring Lock Coupling
2 Pk Tool - 11/16"



MT0172

Brass Brush for #12
Spring Lock Coupling
2 Pk Tool - 7/8"



Thread Chasers

MT1404 Thread Chasers Set

SAE - (5 Sizes)



5/8" - 18 UNF
3/4" - 16 UNF
7/8" - 14 UNF
1" - 14 UNF
1-1/4" - 14 UNF

Tee Bar - 1/4" x 4-1/2" Repairs Inside & Outside Threads

MT1405 Thread Chasers Set

METRIC - (8 Sizes)



M14-1.5P M16-1.5P
M18-1.5P M20-1.5P
M22-1.5P M24-1.5P
M27-2P M28-1.5P

Tee Bar - .8mm x 81mm

Repairs Inside & Outside Threads

MT0168

Allen Wrench

Small (5/32")

Qty. 2



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Electronic Scales

MT1402

Electronic Scale Heavy Duty

Die Cast Aluminum
Refrigerant Scale
Extra Large LCD Display
for lbs / oz. / kg
Accurate to +/- 1/2oz
Bubble Key Pad
9" x 9" Platform
175 lb (80 kg) Capacity
15 Minute Auto Shut-off
W/ ABS Carrying Case &
9 volt Battery



MT1720

Electronic Scale Programmable

Features:
Programmable / Automatic Shut-Off
Heavy Duty Die Cast Aluminum Refrigerant Scale
9" x 9" Platform
175 lb (80 kg) Capacity
Accurate to +/- 0.5%.
Bubble Key Pad w/ Refrigerant Flow Meter
1/4" Female Flare x 1/2" ACME Male Adapters
Extra Large LCD Display for lbs/oz./kg
ABS Carrying Case & 5 Batteries included



Refrigerant Recovery

MT1732 A/C Recovery Unit Refrigerant Recovery Equipment

Features:
ARI 740 Certified
4 Valve System Unit
Full Automatic Operation
Recovers all (CFC, HCFC, HFC & R401A)
Low Pressure Shut-Off when Recovery Complete
Heavy Duty Condenser & Cooling Fan for Fast Recovery



MT1727

Replacement Drier Filter

1/4" x 1/4"
Replacement Filter for
MT1725 & MT1726
Recovery Machine
Qty: 1



MT0433

Adapter

1/4" FF x 1/2"
ACME MFL
For Vacuum Pump
Gasket: MT0722
Qty: 1



MT0432

Adapter

1/2" ACME
FF x 1/4" MFL
For R134a
Cylinder Adapter
Gasket: MT0722
Qty: 1



MT1412

Heater Blanket

110 Volts
For use W/ Refrigerant Cylinders
Qty: 1



Temperature Testing

MT0439

Thermometer

1" Dial 0-220F
Qty: 1



MT0878

Thermometer

1-3/4" Dial
-10-110C/0-220F
Qty: 1



MT1413

Digital Pocket Thermometer

Round 1-1/4" Dia. Pocket Clip
-58 to 302 degrees
-50 to 150 celsius
Data Hold
Auto Power Off
Qty: 1



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Recovery Tool Replacement

MT1725

Recovery Unit
1/2 H.P.
Includes Hoses
& Filter



MT1726

Recovery Unit
1 H.P.
Includes
Hoses & Filter



MT1412

Heater
Blanket



MT1729

30 LB.
R134a
Tank DOT
Approved



MT1723

30 LB. CE

MT1724

50 LB. CE
Transfer Tank



MT1402

Charging
Scale
Manual



MT1720

Charging
Scale
Automatic



VACUUM PUMPS

MT1401

2.5 cfm

MT1721

5 cfm

MT1722

7.2 cfm



MT1380

Halogen -
Premium w/ case



MT1730

Halogen -
Economy



MT0399

R134a Aluminum
w/72" Hoses



MT1416

R134a Brass
w/72" Hoses



MT0424

Hose Set - 96"
1/4" SAE R/B/Y

MT0427

Hose Set - 36"
1/4" SAE R/B/Y



MT1727

Replacement
Filter-Drier
1/4" x 1/4"



MT0406 (Blue) R12

R134a Low Side Service Coupling

MT0407 (Red) R12

R134a High Side Service Coupling



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates




Santech
Automotive A/C Components™

TOOLS

Specialty Tools

MT1430

Gasket Installer
Used to install
Chrysler Metal
Gaskets Kits
MT0921, MT0922,
MT1342, MT1000,
MT1001, MT1002,
MT1038
2 Pcs.



MT1546

Switch Puller
Used on GM & Chrysler
Denso Compressor Switches
Qty: 1



Secure the Switch Puller
into position around switch.
Turn & Lock on switch.
Pull switch to remove.



MT1627

Switch Puller
Used on GM Round
Compressor Switches
Qty: 1



A/C Line Tools

MT1030

Fin Comb
Qty. 1



MT0879

O-Ring Pick Set
4 Piece Kit



MT1160

O-Ring Pick
Qty. 1



MT1406

O-Ring Pick
Nylon with
Santech Logo
Qty. 1



MT1526

A/C Service Wrench
4 Sizes - 3/16", 1/4",
5/16", 3/8" Sockets
Qty. 1



Hose Cutters

MT1033

Hose Cutter Heavy Duty
Metal Body
Qty. 1



MT1040

Hose Cutter
Economy Plastic Body
Qty. 1

MT1034

Master Cool™ Version
Blade Length 3-1/4"
Qty. 1



MT1088

Santech™ Version
Blade Length 3-3/4"
(Rear Hole Inset 1.90mm)
Qty. 1



MT1089

Santech™ Version
Blade Length 3-3/4"
(Rear Hole on Edge of Blade)
Qty. 1



Tape - Tie Wraps

MT0196 - 20 Pk 7" Tie Wrap
MT0173 - 20 Pk 11" Tie Wrap
MT0208 - 20 Pk 14" Tie Wrap
Black Ozone & Refrigerant Resistant
Qty. 20



MT0890

Permagum
3/4" wide x 1/8" thick x
30 ft. roll
Qty. 1 - Roll



MT0450

Prestite Tape - Cork Tape
2" wide x 1/8" thick x
30 ft. roll
Qty. 1 - Roll



MT1600

Foam Tape - EPDM
(Closed Cell) Foam
One-Side Adhesive
2" wide x 1/8" thick x 25' roll
Qty. 1 - Roll



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS



MT1470 Valve Core Tool Kit

The Ultimate Valve Core Removal & Installation Tool Kit

Includes:

Torque Screwdriver - 0 to 5 NM & (1) Adapter - 1/4" x Bit Driver

MT1460 (6) Bits - Precision Tool Steel

MT1468 (1) 90 Degree Angle Adapter - 1/4" Drive

MT1165 (1) Valve Core Repair Tool



MT1460 Valve Core Bit Driver Kit (Packaged in a separate 6 box compartment case)

This Kit consists of one each:

P/N	Description	Torque Setting
MT1462	Standard Bit Driver	0.5 NM
MT1463	Euro/Peugeot Bit Driver	2.1 NM
MT1464	M8 Bit Driver	2.1 NM
MT1465	M10 Bit Driver	2.8 NM
MT1466	JRA Bit Driver	1.0 NM
MT1467	GM Large Bore Bit Driver	0.8 NM

Tool Features:

- **Accurate Fit To Valve Core**
- **Torque Specifications**
- **Precision Tool Steel**
- **Installation & Removal**
- **Standard 1/4" Hex Bit End**
- **Includes Carrying Case**



Note: Kit P/N **MT1461** (same as **MT1460** W/ Valve Cores included).

MT1625 Valve Core Bit Driver Set W/ Palm & Handle Ratchet



Plastic Box Kit Contains:

- MT1462** Standard Bit Driver
- MT1463** Euro/Peugeot Bit Driver
- MT1464** M8 Bit Driver
- MT1465** M10 Bit Driver
- MT1466** JRA Bit Driver
- MT1467** GM Large Bore Bit Driver
- MT1545** Palm Ratchet for Bits
- MT1612** Handle Ratchet for Bits
- MT1406** Santech O-Ring Pick
- MT0035** Hyundai / Kia JRA Valve Core
- MT0050** M8 Valve Core
- MT0058** GM Large Bore Valve Core
- MT0059** JRA Valve Core
- MT0064** Standard Press. R12 & R134a Valve Core
- MT0065** M10 Valve Core
- MT0301** Volvo / Peugeot Valve Core
- MT1544** Large Bore - European Cars Valve Core

MT1545
Palm Ratchet
for Bits
1/4" Drive x
Bit Socket

Qty: 1



MT1612
Handle Ratchet
for Bits
1/4"
Drive

Qty: 1



Bit Socket

MT1468
90 Degree Angle
Adapter
1/4" Drive

Qty: 1



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Valve Core Tool Kit

MT1175 Valve Core Remover / Installer Master Kit R12/R134a

Kit allows Removal & Installation of Valve Cores without removing Refrigerant.

Kit Contains:

- (1) R12 - 1/4" Adapter
- (1) R12 - 3/16" Adapter
- (1) R12 - 1/8" Adapter
- (1) R134a 13mm Quick Disconnect
- (1) R134a 16mm Quick Disconnect
- (1) Master Shut off Valve
- (1) Standard Valve Core Control Stem
- (1) GM Large Bore Core Control Stem
- (1) JRA Valve Core Control Stem
- (1) 8mm Valve Core Control Stem
- (1) 10mm Valve Core Control Stem



Includes Carrying Case

Orifice Tube & Valve Core Tools

MT1035

Valve Core Tool
M8, M10, JRA,
Standard Valve
Cores
GM Large Bore

Qty: 1



MT1165

Valve Core Repair Tool
4 in 1

Qty: 1



MT1172

Valve Core Tool
5-1/4" x 1-1/4" JRA,
Standard Valve Cores
GM Large Bore

Qty: 1



MT0597

Orifice Tube Extractor
for Broken Tubes

Qty: 1



MT0156

Service Tool Double Ended Socket
for Octagon Fittings on
Primary Seals

Qty: 1



MT0323

Service Port Thread Repair Tool

Qty: 1



MT1168

R134a Service Port Reamer
Resurface Face of
Service Port

Qty: 1



MT1163 Orifice Tube Tool Kit

W/ Extractor & Adapters

Kit Contains:

- (1) Drive Arbor
 - (1) Long Reach Extender
 - (1) Evaporator Puller Tip
 - (1) Condenser Puller Tip
 - (1) Extractor Tip
- Includes Carrying Case



MT0596

Orifice Tube Remover / Installer
w/ Evaporator
Puller Tip

Qty: 1



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

This Refrigerant Identifier is just what Today's Professional A/C Technicians have been waiting for.

MT1504 Refrigerant Identifier w/ printer

- ➔ Utilizes dispersive infrared (NDIR) technology to determine the weight concentrations of R12, R134a, hydrocarbons & air.
- ➔ "Blend-ID" analytical software identifies all EPA S.N.A.P. approved blends.
- ➔ Identifies illegal replacements & blends including propane & butane.
- ➔ Quickly & automatically determines if the purity of R12 & R134a refrigerant is at industry acceptable levels.

Includes:

(1) Refrigerant Identifier Unit Instruction Manual

MT1507 - Filter

MT1508 - R12 Hose

MT1510 - Single Paper Roll

MT0948 - R134a Adapter Fitting

for ACME ported cylinders

MT1503 Refrigerant Identifier w/o Printer



Features & Specifications

1. Built-in Printer for easy customer billing.
2. Large graphing display for easy reading & operation.
3. Replaceable filter.
4. Rugged portable case.
1 Year Warranty

MT1501 A/C Sealant Quick Detection Kit

Includes:

- ➔ A/C Coupler
- ➔ Flow Meter
- ➔ (10) Test Cartridges
- ➔ Carrying Case
- ➔ Test Hose
- ➔ Syringe
- ➔ R12 & R134a Couplers
- ➔ Instruction Manual



The **MT1501** A/C Sealant Detection Kit unit draws a refrigerant sample from the A/C System. If sealant is present, it will quickly solidify in the disposable test cartridge & cause the Flow Meter to read "no flow".

- ➔ Quickly verifies if sealant is present in A/C system
- ➔ Prevents possible damage to valuable recovery equipment
- ➔ Works on R134a & R12 systems
- ➔ Disposable, low cost design



MT1502
Replacement Cartridges
25 piece packs.

©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

Leak Test Equipment

MT1380

Automatic Halogen Leak Detector Kit

Pump Style

Detects CFC: R12, R11, R500, R503, etc.

HCFC: R22, R123, R124, R502, etc.

HFC: R134a, R404a, R125, etc.

Blends: AZ-50, HP62, MP39, etc

Microprocessor Control, Sensitivity of 7 levels, Self Battery

Test Function, Keypad Controls, 14" Flexible Probe

Sensitivity Rate: Certified @ 0.1oz (3 grams) per year

Sensing Tip Life: 20 Hours

Includes: Carrying Case, Batteries, Replacement Tips & Protectors

Replacement Tips: **MT1680**



MT1734

Hydrogen Leak Detector

Features:

R12, R134a, 1234yf

Qty: 1



MT7000

Automatic Hydrogen Leak Detector

Features:

Designed for closed A/C

System Testing

w/ Nitrogen/Hydrogen

of 95%/5% ratio

Kit Contains:

Leak Detector

Earphone

Battery Charger

4 Batteries

Instructional DVD

Qty: 1



MT7001

Regulator Kit for MT7000 Hydrogen Leak Detector

Features:

Regulator & Hose
w/ Couplers

Designed to install
Nitrogen/Hydrogen

@ 95%/5% ratio for
closed System Testing

Regulator to Tank Fitting - CGA 350

Qty: 1



MT7002

Nitrogen Regulator for LOCKTRACER® Leak Detector

400 psi Max Pressure

CGA 350 Inlet

Qty: 1



MT7004

2" Gauge

160 psi for
Regulator

Qty: 1



MT1028

Vacuum Pump - Air Operated

R12 & R134a Compatible

Operates on Shop Air

No Moving Parts or

Oil Required

Vacuum Reaches 29.5"

Shipping Weight 2 lbs.

Qty: 1



MT1401

Vacuum Pump - Electric

R12/R134a Compatible

Turbo Driven - 2.5 CFM

Direct Drive - 110 Volt

Pulls to 50 Microns

Built-in Overload Protector

Capacitor Start

Shipping Weight 28 lbs

Order Vacuum Pump Oil

Quart MT3034,

Qty: 1



MT1527

Vacuum Pump Tee

1/4" FFL x 1/2" Acme

Male x 1/4" MFL

Qty: 1



Fitting Shown
w/o Cap

Fitting Comes
with Caps

MT3034

Vacuum Pump Oil

Quart Size Bottles

Qty: Case of 12



MT3035

Vacuum Pump Oil

Gallon Size Bottles

Qty: Case of 6



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™


TOOLS

Temperature Testing

MT3710

Thermometer Dual Channel J/K Type Temperature Testing Kit w/ Direct Contact Clamps

Features:
Rubber Cover to protect unit Dual Display on Single Screen
Auto Power off after 15 Minutes
Direct Contact Clamp Probes
Scissors Pliers
Tool Storage Box & Instruction Manual
Functions: Max, Min Average
Hold, Release & Offset (T1-T2) Temperatures
Battery Type: 9 Volt
Probe Range: K Type: -200°C - 1370°C (-328°F - 2498°F)
Probe Range: J Type: -200°C - 1050°C (-328°F - 1922°F)
Accurate: 0.01%



MT3720

Temperature Testing Kit w/ Direct Contact Probes

Features:
Temperature Unit w/ Dual Display on Single Screen w/ Protective Rubber Cover
Battery Type: 9 Volt
Probes - Direct Contact Fin Type & Plate Contact
Probe - Direct Contact - Clamp-on
Probe - Air/Gas Sensor
Probe - Direct Contact or Open Sensor
Probe Tool - Scissor Actuator for Red Contact
Probe for Clamp operation in remote locations
Tool Storage Box & Instruction Manual



MT3730

Thermometer Kit - Dual Channel

Features:
Flexible Direct Contact Thermocouples
Provides accurate temperature differences after any AC Repair
Detailed temperature and diagnostic chart included
Battery Operated
Digital Display
Reads °F and °C
Small packaging less than 2" thick



MT3711

Testing Probe - Fin Type

Features:
Probe/Handle Length: 11"
Cord Length: 24" Unextended
Temp Range: -58°F - 1292°F
(-50°C - 700°C)
Accuracy: 0.75%
Qty:1



MT3712

Testing Probe - Contact Type

Features:
Probe/Handle Length: 11"
Cord Length: 24" Unextended
Temp Range: -58°F - 1292°F
(-50°C - 700°C)
Accuracy: 0.75%
Qty:1



MT3713


Testing Probe - Air/Gas Type

Features:
Probe/Handle Length: 6"
Cord Length: 24" Unextended
Temp Range: -58°F - 752°F
(-50°C - 400°C)
Accuracy: 0.75%
Qty:1



MT3714 Testing Probe - Clamp Type

Features:
Probe - Clamp on Type
Cord Length: 20" Unextended
Temp Range: -58°F - 1292°F
(-50°C - 700°C)
Accuracy: 0.75%
Qty:1



MT3715 Scissor Pliers for Temperature Probe Clamp

Features:
Length: 12" Reach for placing Probe Clamp
in hard to reach locations.
Releases from Probe reducing
possible contact of heated or moving
components
Qty:1



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



Santech.
Automotive A/C Components™

TOOLS

MT3700 Pressure Transducer Tester Kit

With the introduction of Pressure Transducers there is the need for an easy way to test.

This Tester is reasonable in price compared to vehicle data specific scan tools.

The concept is simple: a plug in device that can read the signal and test the vehicle.

- Reads signal to transducer from vehicle.
 - Vehicle computer to Transducer Check.
 - Send signal to vehicle through tester.
 - Set system off - low PSI.
 - Run cooling fans with mid range PSI 200-250 PSI.
 - Shuts system down when voltage saturates 4.5 volts.
 - Verify signal to transducer is correct and vehicle responds correctly with manual input for all operations.

Testing Unit includes:

Hand Held Unit for Operation Control

Test Leads:

Chrysler, General Motors, Ford, Universal
Extension Cable's (2)
Instruction Manual
Plastic Storage Case
Instruction Manual



MT3701 A/C Thermistor Tester Kit

- Thermistors are found on most late model vehicles.
- The clutch cycle switch or thermostatic switch has been replaced by an evaporator thermistor and sun load sensor.
- These are passive devices that communicate with the vehicle computer.
- The need to test these components and the system operation is required.
- The concept is simple, an in-line plug in device that can read the signal and communicate with the vehicle computer to test operation.
- Most Thermistor or Sun Load sensors fail because the ceramic tip cracks and loses continuity of the circuit or deteriorates over time.
- The tips are not repairable.
- Some evaporator thermistors require 4 to 5 hours to service.

Testing Unit includes:

Hand Held Unit for Operation Control

Test Leads:

Universal
Instruction Manual
Plastic Storage Case



©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



TOOLS

MT3750 External Control Valve Tester

The MT3750 external control valve tester is simple to connect to & operate on many types of compressors. Vehicle specific & universal connections.



KIT ITEMS WITH CASE



- Check control solenoid
- Check input signal from A/C control unit to solenoid.
- Issue variable commands to solenoid to drive compressors.
- Battery operated
- Digital display
- Affordable and Accurate
- The tips are not repairable.
- Increase or decrease compressor demand by simply using the arrow functions.

©2017, Santech Industries, LLC, All Rights Reserved
Please visit www.omega-usa.com for our latest updates



COMPRESSOR OIL VISCOSITY CHART

Viscosity	Delco	Delphi	OEM	MFG PN	Color	Santech			Comments
						Single End Cap w/o Dye	Double End Cap w/o Dye	Enhanced w/Dye	
PAG 46	10-5040	RL10007	89022191	RL244	Yellow	MT3040	MT3012	MT3060	Union Carbide RL244
PAG 46	10-5040	RL10007	12378526	RL244	Yellow	MT3040	MT3012	MT3060	
PAG 46	10-5040	RL10007	88900060	RL244	Yellow	MT3040	MT3012	MT3060	Canada - GM Part Number
PAG 46	NA	NA	NA	NA	NA	NA	NA	NA	Ford Original YN12 Oil
PAG 46	NA	NA	22695048	NA	Yellow	MT3040	MT3012	MT3060	Saturn - Sanden/Visteon Scroll
PAG 100	NA	NA	NA	URL100	Yellow	MT3041	MT3013	MT3061	Union Carbide URL100
PAG 125	15-100	NA	12346292	NA	NA	MT3042	MT3014	MT3062	GM - A/C Delco Product Use 150 Viscosity
PAG 150	NA	NA	NA	NA	NA	MT3042	MT3014	MT3062	Use 150 Viscosity
PAG 150	15-118	RL10006	12356151	RL488	Blue	MT3042	MT3014	MT3062	Union Carbide RL488
PAG 150	15-118	RL10006	12345923	RL488	Blue	MT3042	MT3014	MT3062	
PAG 150	15-118	RL10006	9985752	RL488	Blue	MT3042	MT3014	MT3062	
PAG 150	15-118	RL10006	SD2-231	RL488	Blue	MT3042	MT3014	MT3062	

Note Oil Usage - Correct Oil usage is determined by the Manufacturer of the Compressor - Not the Compressor Model

Viscosity	Delco	Delphi	OEM	MFG PN	Color	Santech	Type	Comments
SUS 32	15-117	All GM Compressors	12301108	NA	NA	MT3046	R12 Compressor Oil	Mineral Oil
SUS 32	15-116	Non GM Compressors	12323913	NA	NA	MT3046	R12 Compressor Oil	Mineral Oil

Viscosity	Viscosity
A6, R4 Standard & Light Weight Frigidare/Harrison - Use 150 Viscosity	Diesel Kiki, Zexel - Use ZXL 100PG (Type S) - 46 Viscosity ZXL 200PG (Type R) - 100 Viscosity
DA6, HR6, HR6HE, HD6, HU6, HT6 Harrison/Delphi Built - Use 150 Viscosity Sanden Built - Use 100 Viscosity Valeo Built - Use 46 Viscosity	Delphi CVC6 & CVC7 - Use Delco 10-5040 - 46 Viscosity
V5 Harrison/Delphi Built - Use 150 Viscosity Korean Built - Use 46 Viscosity Retrofit Harrison - Use 15-100	GM Denso 10S17, 10S20 - Use Delco 10-5040 - 46 Viscosity
	Sanden TRSA12 - Use Sanden SP10 - 46 Viscosity
	Visteon SCV100, SCV105, SCV115 - Use Delco 10-5040 - 46 Viscosity
	Dye 8 oz. Bottle of Oil contains 0.034 Grams of Dye Powder

Viscosity	Compressor	OEM Name	Color	Santech	Comments
Mineral Oil	Denso Oil 6	ND6	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	Daphne Hermetic	D-90-PX	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	Daphne Hermetic	DH-150-CX	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	Sun Isco 525	SUS 5GS	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	Sun Isco	D-220WX	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	N/A	BP LPT68	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	N/A	Rima 100	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	N/A	FREOL-DS-83P	Yellow	MT3046	Standard 525 Mineral Oil
Mineral Oil	N/A	EPOXJ	Yellow	MT3046	Standard 525 Mineral Oil



COMPRESSOR OIL VISCOSITY CHART

Viscosity	Compressor	OEM Name	Color	Santech			Comments
				Single End Cap w/o Dye	Double End Cap w/o Dye	Enhanced w/Dye	
PAG 46	Denso	ND8	Yellow	MT3012	MT3040	MT3060	European Vehicles Electric Compressor - Hybrid Oil
PAG 46	Denso	Dens Oil 8	Yellow	MT3012	MT3040	MT3060	
PAG 100	Denso	ND9	Yellow	MT3013	MT3041	MT3061	
PAG 100	Denso	Dens Oil 9	Yellow	MT3013	MT3041	MT3061	
PAG 100	Denso	Dens Oil 9H-5	Yellow	MT3013	MT3041	MT3061	
NA	Denso	ND11	Yellow	MT3032	NA	NA	
PAG 46	Ford Compressors	YN12A, B, C, D	Yellow	MT3012	MT3040	MT3060	All Ford Denso R134a Compressors
PAG 46	Ford Compressors	WSH-M1C231-B (YN-12)	Yellow	MT3012	MT3040	MT3060	Ford FX15, FS10, FS18, FS20
PAG 100	Ford Compressors	WST-M1C231-B2 (YN-24)	Yellow	MT3013	MT3041	MT3061	Ford - Sanden Compressors
NA	Ford Compressors	YN-22 (Hybrid Oil)	Yellow	MT3032	NA	NA	Ford Hybrid Vehicles
PAG 46	GM Compressors	UCON RL244	Blue	MT3012	MT3040	MT3060	RL244
PAG 100	GM Compressors	UCON RL100	Yellow	MT3013	MT3041	MT3061	RL100
PAG 150	GM Compressors	UCON RL488	Blue	MT3014	MT3042	MT3062	RL488
PAG 150	GM Compressors	DH-G25X	Yellow	MT3014	MT3042	MT3062	Daphne Hermetic DH G25X
PAG 46	Honda Compressor	S10X	Yellow	MT3012	MT3040	MT3060	HADSYS RC17 Compressor
PAG 46	Mazda Compressors	Atmos GU10	Yellow	MT3012	MT3040	MT3060	Matsushita/Panasonic Compressors
PAG 100	Mazda Compressors	Atmos GU20	Yellow	MT3013	MT3041	MT3061	Matsushita/Panasonic Compressors
PAG 150	Mazda Compressors	Atmos 150	Yellow	MT3012	MT3040	MT3060	Matsushita/Panasonic Compressors
PAG 46	Mitsubishi Comp.	Sun PAG56	Yellow	MT3012	MT3040	MT3060	Matsushita Compressors
PAG 100	Nissan Compressors	KLH00-PAGR0 (Type R)	Yellow	MT3013	MT3041	MT3061	Type R = Rotary Vane Compressor
PAG 46	Nissan Compressors	KLH00-PAGS0 (Type S)	Yellow	MT3012	MT3040	MT3060	Type S = Swash Plate Compressors
PAG 46	Nissan Compressors	KLH00-PAGQU (Type F)	Yellow	MT3012	MT3040	MT3060	Ford - FX15, FS10 Compressors
PAG 46	Sanden	SP10	Yellow	MT3012	MT3040	MT3060	SP20 Replaced by SP15 European Vehicles
PAG 100	Sanden	SP15	Yellow	MT3013	MT3041	MT3061	
PAG 100	Sanden	SP20	Yellow	MT3013	MT3041	MT3061	
PAG 100	Sanden	E13-M6	Yellow	MT3013	MT3041	MT3061	
PAG 100	Sanden/Seiko Seiki	DH-PR	Yellow	MT3013	MT3041	MT3061	Type R = Rotary Van Compressors
PAG 100	Seiko Seiki	SK20	Yellow	MT3013	MT3041	MT3061	Daphne Hermetic
PAG 150	N/A	Clim 488	Yellow	MT3014	MT3042	MT3062	UCON RL488
PAG 46	Visteon Compressor	FD46XG	Yellow	MT3012	MT3040	MT3060	FX15, FS10
PAG 46	Zexel / Isuzu	2-90188-300-0	Yellow	MT3012	MT3040	MT3060	Type S = Swash Plate Compressor
PAG 100	Zexel / Isuzu	2-90188-301-0	Yellow	MT3013	MT3041	MT3061	Type R = Rotary Vane Compressor
PAG 46	Zexel / Isuzu	ZXL 100PG (Type S)	Yellow	MT3012	MT3040	MT3060	Type S = Swash Plate Compressor
PAG 100	Zexel / Isuzu	ZXL 200PG (Type R)	Yellow	MT3013	MT3041	MT3061	Type R = Rotary Vane Compressor
Pag 46	Zexel / Isuzu	DS-83P (ZXL 100PG)	Yellow	MT3012	MT3040	MT3060	
PAG 150	N/A	Planetelf 488	Yellow	MT3014	MT3042	MT3062	European Vehicles
PAG 46	N/A	Fuchs-Resio	Yellow	MT3012	MT3040	MT3060	European Vehicles
PAG 46	N/A	N052 154 VX00	Yellow	MT3012	MT3040	MT3060	European Vehicles
PAG 100	Rotary Vane Comp.	Daphne Hermetic DH-PR	Yellow	MT3013	MT3041	MT3061	Type R = Rotary Vane Compressor
PAG 46	Swash Plate Comp.	Daphne Hermetic DH PS	Yellow	MT3012	MT3040	MT3060	Type S = Swash Plate Compressor
PAG 46	Volkswagen	G05-230-0A2	Yellow	MT3012	MT3040	MT3060	Zexel DCW17D
PAG 100	Volkswagen	G05-215-4A2	Yellow	MT3013	MT3041	MT3061	Sanden SD7V16
PAG 100	Volkswagen	G05-220-0A2	Yellow	MT3013	MT3041	MT3061	Sanden PXE16